

**Fascure FC**

# Fujifilm Sericol PANTONE® Matching System

Version 2.0

- SMS Base Colors



**SERICOL**  
More than ink...Solutions.

**FUJIFILM**

# Fascure FC Seritone Matching System

PANTONE® Shades Simulated From Seritone Base Colors

This booklet furnishes the necessary formulas to simulate all the "C" colors of the PANTONE Color Formula Guide, except Double print, Fluorescent, and Metallic Colors.

Each formula was printed through a 380.34.TW (153/cm) monofilament screen with a 75 durometer sharp edge squeegee, without thinning, on Leneta Opacity Cards. All formulas are presented by weight. However, due to variations in ink film thickness, screen mesh, and other variables, some formulas may need adjustments.

The Seritone Matching System (SMS) has been designed to enable screen printers to simulate almost any shade from nine SMS Base Colors plus Shading Black, Tinting White, and Mixing Clear.

Each SMS Base Color has been carefully selected for its cleanliness of tone, resistance to fading, and suitability for intermixing. In addition, each ink has been formulated to be free of lead and other heavy metals.

Although every care is taken in producing these formulations, variations in substrates and printing conditions will affect color achieved. Fujifilm Sericol USA Inc. assumes no responsibility for actual color achieved. For this reason, all formulations must be proofed, prior to production run, to ensure color accuracy.

In some cases, to accurately simulate a PANTONE shade, considerable amounts of Mixing Clear and/or Tinting White are in the formulation. The exterior durability of color mixes with high percentages of Mixing Clear and/or Tinting White will be reduced. The Technical Services Department, in many cases, can provide an alternate PANTONE simulation formula yielding improved exterior durability.

The SMS Base Colors are listed below and are available in single gallon containers:

DESCRIPTION	
FC-064 SMS Yellow GS (Green Shade)	FC-165 SMS Magenta
FC-066 SMS Yellow RS (Red Shade)	FC-230 SMS Blue
FC-114 SMS Orange	FC-325 SMS Green
FC-121 SMS Red YS (Yellow Shade)	FC-TW SMS Tinting White
FC-127 SMS Violet	FC-SB SMS Shading Black
FC-164 SMS Red BS (Blue Shade)	FC-MX SMS Mixing Clear

Fujifilm Sericol USA Inc's color mixing ink formulations for screen process printing produce only simulations of PANTONE Colors in this color reproduction method due to differences in ink film, opacity and pigment selection. The pigment selection used in blending screen process inks may cause metamerism. Pantone, Inc. assumes no responsibility for formula accuracy. PANTONE® is Pantone, Inc.'s checkstandard trademark for color. Portions© Pantone, Inc., 1963,1991.C=Coated Paper

# Fascure FC

PANTONE Yellow 012 C <b>FC-064</b> <b>96.27</b> <b>FC-066</b> <b>3.73</b>	Formula	PANTONE Process Yellow C <b>FC-064</b> <b>90.00</b> <b>FC-TW</b> <b>10.00</b>	Formula	PANTONE Process Magenta C <b>FC-165</b> <b>75.29</b> <b>FC-164</b> <b>21.55</b> <b>FC-TW</b> <b>3.16</b>	Formula	PANTONE Process Cyan C <b>FC-TW</b> <b>44.98</b> <b>FC-MX</b> <b>28.08</b> <b>FC-230</b> <b>24.55</b> <b>FC-064</b> <b>2.39</b>	Formula
PANTONE Process Black C <b>FC-SB</b> <b>38.38</b> <b>FC-TW</b> <b>34.13</b> <b>FC-066</b> <b>25.31</b> <b>FC-164</b> <b>2.18</b>	Formula	PANTONE 100 C <b>FC-TW</b> <b>82.66</b> <b>FC-064</b> <b>17.34</b>	Formula	PANTONE 101 C <b>FC-TW</b> <b>66.32</b> <b>FC-064</b> <b>33.58</b> <b>FC-325</b> <b>0.10</b>	Formula	PANTONE 102 C <b>FC-064</b> <b>90.00</b> <b>FC-TW</b> <b>10.00</b>	Formula
PANTONE Yellow C <b>FC-064</b> <b>100.00</b>	Formula	PANTONE 103 C <b>FC-064</b> <b>94.90</b> <b>FC-066</b> <b>3.05</b> <b>FC-SB</b> <b>2.05</b>	Formula	PANTONE 104 C <b>FC-064</b> <b>83.84</b> <b>FC-SB</b> <b>6.12</b> <b>FC-066</b> <b>5.69</b> <b>FC-TW</b> <b>4.35</b>	Formula	PANTONE 105 C <b>FC-064</b> <b>62.12</b> <b>FC-TW</b> <b>29.01</b> <b>FC-SB</b> <b>8.66</b> <b>FC-121</b> <b>0.21</b>	Formula
PANTONE 106 C <b>FC-TW</b> <b>73.10</b> <b>FC-064</b> <b>26.80</b> <b>FC-164</b> <b>0.10</b>	Formula	PANTONE 107 C <b>FC-TW</b> <b>50.25</b> <b>FC-064</b> <b>49.65</b> <b>FC-164</b> <b>0.10</b>	Formula	PANTONE 108 C <b>FC-064</b> <b>63.95</b> <b>FC-TW</b> <b>35.94</b> <b>FC-164</b> <b>0.11</b>	Formula	PANTONE 109 C <b>FC-064</b> <b>87.49</b> <b>FC-TW</b> <b>11.29</b> <b>FC-114</b> <b>1.07</b> <b>FC-121</b> <b>0.15</b>	Formula

# Fascure FC

PANTONE 110 C	Formula
<b>FC-064</b>	<b>96.80</b>
<b>FC-TW</b>	<b>1.47</b>
<b>FC-SB</b>	<b>1.08</b>
<b>FC-164</b>	<b>0.65</b>

PANTONE 111 C	Formula
<b>FC-064</b>	<b>87.46</b>
<b>FC-TW</b>	<b>7.10</b>
<b>FC-SB</b>	<b>4.70</b>
<b>FC-121</b>	<b>0.74</b>

PANTONE 112 C	Formula
<b>FC-064</b>	<b>81.26</b>
<b>FC-TW</b>	<b>11.49</b>
<b>FC-SB</b>	<b>6.57</b>
<b>FC-121</b>	<b>0.68</b>

PANTONE 113 C	Formula
<b>FC-TW</b>	<b>68.58</b>
<b>FC-064</b>	<b>31.00</b>
<b>FC-121</b>	<b>0.42</b>

PANTONE 114 C	Formula
<b>FC-TW</b>	<b>59.48</b>
<b>FC-064</b>	<b>40.04</b>
<b>FC-121</b>	<b>0.48</b>

PANTONE 115 C	Formula
<b>FC-TW</b>	<b>57.58</b>
<b>FC-064</b>	<b>41.90</b>
<b>FC-121</b>	<b>0.52</b>

PANTONE 116 C	Formula
<b>FC-064</b>	<b>67.43</b>
<b>FC-TW</b>	<b>31.35</b>
<b>FC-121</b>	<b>1.22</b>

PANTONE 117 C	Formula
<b>FC-064</b>	<b>94.39</b>
<b>FC-SB</b>	<b>2.45</b>
<b>FC-121</b>	<b>1.93</b>
<b>FC-TW</b>	<b>1.23</b>

PANTONE 118 C	Formula
<b>FC-064</b>	<b>92.18</b>
<b>FC-SB</b>	<b>4.44</b>
<b>FC-TW</b>	<b>1.72</b>
<b>FC-121</b>	<b>1.66</b>

PANTONE 119 C	Formula
<b>FC-064</b>	<b>60.56</b>
<b>FC-TW</b>	<b>29.93</b>
<b>FC-SB</b>	<b>8.80</b>
<b>FC-121</b>	<b>0.71</b>

PANTONE 120 C	Formula
<b>FC-TW</b>	<b>82.00</b>
<b>FC-064</b>	<b>17.32</b>
<b>FC-114</b>	<b>0.68</b>

PANTONE 121 C	Formula
<b>FC-TW</b>	<b>76.74</b>
<b>FC-064</b>	<b>22.29</b>
<b>FC-114</b>	<b>0.97</b>

PANTONE 122 C	Formula
<b>FC-TW</b>	<b>64.95</b>
<b>FC-064</b>	<b>33.42</b>
<b>FC-114</b>	<b>1.63</b>

PANTONE 123 C	Formula
<b>FC-064</b>	<b>54.66</b>
<b>FC-TW</b>	<b>41.90</b>
<b>FC-114</b>	<b>3.44</b>

PANTONE 124 C	Formula
<b>FC-064</b>	<b>90.55</b>
<b>FC-121</b>	<b>5.35</b>
<b>FC-TW</b>	<b>3.15</b>
<b>FC-325</b>	<b>0.95</b>

PANTONE 125 C	Formula
<b>FC-064</b>	<b>86.38</b>
<b>FC-TW</b>	<b>6.02</b>
<b>FC-SB</b>	<b>4.46</b>
<b>FC-121</b>	<b>3.14</b>

# Fascure FC

PANTONE 126 C	Formula
<b>FC-064</b>	<b>73.43</b>
<b>FC-TW</b>	<b>18.21</b>
<b>FC-SB</b>	<b>6.18</b>
<b>FC-121</b>	<b>2.18</b>

PANTONE 1205 C	Formula
<b>FC-TW</b>	<b>95.48</b>
<b>FC-064</b>	<b>4.20</b>
<b>FC-114</b>	<b>0.32</b>

PANTONE 1215 C	Formula
<b>FC-TW</b>	<b>90.88</b>
<b>FC-064</b>	<b>8.55</b>
<b>FC-114</b>	<b>0.57</b>

PANTONE 1225 C	Formula
<b>FC-TW</b>	<b>60.83</b>
<b>FC-064</b>	<b>36.26</b>
<b>FC-114</b>	<b>2.91</b>

PANTONE 1235 C	Formula
<b>FC-064</b>	<b>59.94</b>
<b>FC-TW</b>	<b>34.14</b>
<b>FC-114</b>	<b>5.70</b>
<b>FC-121</b>	<b>0.22</b>

PANTONE 1245 C	Formula
<b>FC-064</b>	<b>73.88</b>
<b>FC-TW</b>	<b>22.09</b>
<b>FC-SB</b>	<b>2.17</b>
<b>FC-164</b>	<b>1.86</b>

PANTONE 1255 C	Formula
<b>FC-064</b>	<b>74.03</b>
<b>FC-TW</b>	<b>16.99</b>
<b>FC-SB</b>	<b>5.82</b>
<b>FC-121</b>	<b>3.16</b>

PANTONE 1265 C	Formula
<b>FC-064</b>	<b>68.63</b>
<b>FC-TW</b>	<b>16.98</b>
<b>FC-SB</b>	<b>11.05</b>
<b>FC-121</b>	<b>3.34</b>

PANTONE 127 C	Formula
<b>FC-TW</b>	<b>79.15</b>
<b>FC-064</b>	<b>20.45</b>
<b>FC-165</b>	<b>0.30</b>
<b>FC-121</b>	<b>0.10</b>

PANTONE 128 C	Formula
<b>FC-TW</b>	<b>62.66</b>
<b>FC-064</b>	<b>36.16</b>
<b>FC-165</b>	<b>1.18</b>

PANTONE 129 C	Formula
<b>FC-TW</b>	<b>49.68</b>
<b>FC-064</b>	<b>48.42</b>
<b>FC-165</b>	<b>1.80</b>
<b>FC-325</b>	<b>0.10</b>

PANTONE 130 C	Formula
<b>FC-064</b>	<b>97.44</b>
<b>FC-164</b>	<b>2.56</b>

PANTONE 131 C	Formula
<b>FC-064</b>	<b>68.23</b>
<b>FC-066</b>	<b>25.19</b>
<b>FC-SB</b>	<b>3.61</b>
<b>FC-164</b>	<b>2.97</b>

PANTONE 132 C	Formula
<b>FC-064</b>	<b>88.53</b>
<b>FC-164</b>	<b>5.60</b>
<b>FC-325</b>	<b>4.11</b>
<b>FC-TW</b>	<b>1.76</b>

PANTONE 133 C	Formula
<b>FC-064</b>	<b>76.13</b>
<b>FC-SB</b>	<b>20.39</b>
<b>FC-TW</b>	<b>1.80</b>
<b>FC-164</b>	<b>1.68</b>

PANTONE 134 C	Formula
<b>FC-TW</b>	<b>84.78</b>
<b>FC-064</b>	<b>13.57</b>
<b>FC-114</b>	<b>1.65</b>

# Fascure FC

PANTONE 135 C	Formula
<b>FC-TW</b>	<b>71.73</b>
<b>FC-064</b>	<b>25.11</b>
<b>FC-114</b>	<b>3.16</b>

PANTONE 136 C	Formula
<b>FC-TW</b>	<b>60.68</b>
<b>FC-064</b>	<b>35.40</b>
<b>FC-114</b>	<b>3.92</b>

PANTONE 137 C	Formula
<b>FC-064</b>	<b>64.20</b>
<b>FC-TW</b>	<b>25.34</b>
<b>FC-114</b>	<b>10.46</b>

PANTONE 138 C	Formula
<b>FC-064</b>	<b>95.55</b>
<b>FC-164</b>	<b>4.17</b>
<b>FC-SB</b>	<b>0.28</b>

PANTONE 139 C	Formula
<b>FC-064</b>	<b>83.64</b>
<b>FC-121</b>	<b>7.42</b>
<b>FC-SB</b>	<b>4.89</b>
<b>FC-TW</b>	<b>4.05</b>

PANTONE 140 C	Formula
<b>FC-064</b>	<b>64.68</b>
<b>FC-TW</b>	<b>19.46</b>
<b>FC-SB</b>	<b>11.47</b>
<b>FC-121</b>	<b>4.39</b>

PANTONE 1345 C	Formula
<b>FC-TW</b>	<b>88.77</b>
<b>FC-064</b>	<b>8.81</b>
<b>FC-114</b>	<b>2.42</b>

PANTONE 1355 C	Formula
<b>FC-TW</b>	<b>81.72</b>
<b>FC-064</b>	<b>14.24</b>
<b>FC-114</b>	<b>4.04</b>

PANTONE 1365 C	Formula
<b>FC-TW</b>	<b>65.20</b>
<b>FC-064</b>	<b>26.16</b>
<b>FC-114</b>	<b>8.64</b>

PANTONE 1375 C	Formula
<b>FC-064</b>	<b>50.95</b>
<b>FC-TW</b>	<b>29.13</b>
<b>FC-114</b>	<b>18.51</b>
<b>FC-121</b>	<b>1.41</b>

PANTONE 1385 C	Formula
<b>FC-064</b>	<b>78.09</b>
<b>FC-121</b>	<b>12.72</b>
<b>FC-TW</b>	<b>6.97</b>
<b>FC-SB</b>	<b>2.22</b>

PANTONE 1395 C	Formula
<b>FC-066</b>	<b>68.79</b>
<b>FC-TW</b>	<b>17.75</b>
<b>FC-164</b>	<b>7.03</b>
<b>FC-325</b>	<b>6.43</b>

PANTONE 1405 C	Formula
<b>FC-064</b>	<b>60.63</b>
<b>FC-SB</b>	<b>23.08</b>
<b>FC-121</b>	<b>8.90</b>
<b>FC-TW</b>	<b>7.39</b>

PANTONE 141 C	Formula
<b>FC-TW</b>	<b>66.38</b>
<b>FC-064</b>	<b>32.41</b>
<b>FC-164</b>	<b>1.11</b>
<b>FC-325</b>	<b>0.10</b>

PANTONE 142 C	Formula
<b>FC-064</b>	<b>54.67</b>
<b>FC-TW</b>	<b>43.19</b>
<b>FC-164</b>	<b>2.14</b>

PANTONE 143 C	Formula
<b>FC-064</b>	<b>67.20</b>
<b>FC-TW</b>	<b>30.08</b>
<b>FC-164</b>	<b>2.72</b>

# Fascure FC

PANTONE 144 C	Formula
<b>FC-064</b>	<b>76.22</b>
<b>FC-066</b>	<b>14.41</b>
<b>FC-164</b>	<b>6.50</b>
<b>FC-TW</b>	<b>2.87</b>

PANTONE 145 C	Formula
<b>FC-064</b>	<b>89.94</b>
<b>FC-164</b>	<b>6.75</b>
<b>FC-SB</b>	<b>2.11</b>
<b>FC-TW</b>	<b>1.20</b>

PANTONE 146 C	Formula
<b>FC-064</b>	<b>85.72</b>
<b>FC-SB</b>	<b>6.73</b>
<b>FC-164</b>	<b>6.41</b>
<b>FC-TW</b>	<b>1.14</b>

PANTONE 147 C	Formula
<b>FC-064</b>	<b>67.78</b>
<b>FC-SB</b>	<b>21.19</b>
<b>FC-TW</b>	<b>8.26</b>
<b>FC-164</b>	<b>2.77</b>

PANTONE 148 C	Formula
<b>FC-TW</b>	<b>89.45</b>
<b>FC-064</b>	<b>7.56</b>
<b>FC-114</b>	<b>2.99</b>

PANTONE 149 C	Formula
<b>FC-TW</b>	<b>86.76</b>
<b>FC-064</b>	<b>9.27</b>
<b>FC-114</b>	<b>3.97</b>

PANTONE 150 C	Formula
<b>FC-TW</b>	<b>61.05</b>
<b>FC-064</b>	<b>25.49</b>
<b>FC-114</b>	<b>13.46</b>

PANTONE 151 C	Formula
<b>FC-114</b>	<b>56.23</b>
<b>FC-064</b>	<b>39.33</b>
<b>FC-TW</b>	<b>3.50</b>
<b>FC-121</b>	<b>0.94</b>

PANTONE 152 C	Formula
<b>FC-064</b>	<b>81.52</b>
<b>FC-121</b>	<b>15.70</b>
<b>FC-TW</b>	<b>1.91</b>
<b>FC-325</b>	<b>0.87</b>

PANTONE 153 C	Formula
<b>FC-064</b>	<b>76.18</b>
<b>FC-121</b>	<b>15.95</b>
<b>FC-SB</b>	<b>5.16</b>
<b>FC-TW</b>	<b>2.71</b>

PANTONE 154 C	Formula
<b>FC-064</b>	<b>72.85</b>
<b>FC-121</b>	<b>15.12</b>
<b>FC-SB</b>	<b>9.55</b>
<b>FC-TW</b>	<b>2.48</b>

PANTONE 1485 C	Formula
<b>FC-TW</b>	<b>86.18</b>
<b>FC-064</b>	<b>8.30</b>
<b>FC-114</b>	<b>5.52</b>

PANTONE 1495 C	Formula
<b>FC-TW</b>	<b>58.36</b>
<b>FC-064</b>	<b>27.74</b>
<b>FC-114</b>	<b>13.90</b>

PANTONE 1505 C	Formula
<b>FC-064</b>	<b>62.79</b>
<b>FC-114</b>	<b>32.98</b>
<b>FC-TW</b>	<b>4.23</b>

PANTONE Orange 021 C	Formula
<b>FC-064</b>	<b>51.80</b>
<b>FC-114</b>	<b>42.15</b>
<b>FC-121</b>	<b>6.05</b>

PANTONE 1525 C	Formula
<b>FC-064</b>	<b>72.32</b>
<b>FC-TW</b>	<b>24.69</b>
<b>FC-SB</b>	<b>2.99</b>

# Fascure FC

PANTONE 1535 C <b>FC-064</b> <b>45.05</b> <b>FC-114</b> <b>41.68</b> <b>FC-SB</b> <b>9.03</b> <b>FC-TW</b> <b>4.24</b>	Formula	PANTONE 1545 C <b>FC-066</b> <b>52.21</b> <b>FC-SB</b> <b>24.58</b> <b>FC-121</b> <b>15.80</b> <b>FC-TW</b> <b>7.41</b>	Formula	PANTONE 155 C <b>FC-TW</b> <b>91.19</b> <b>FC-064</b> <b>8.12</b> <b>FC-164</b> <b>0.69</b>	Formula	PANTONE 156 C <b>FC-TW</b> <b>84.50</b> <b>FC-064</b> <b>14.11</b> <b>FC-164</b> <b>1.39</b>	Formula
PANTONE 157 C <b>FC-064</b> <b>49.29</b> <b>FC-TW</b> <b>45.83</b> <b>FC-164</b> <b>4.77</b> <b>FC-230</b> <b>0.11</b>	Formula	PANTONE 158 C <b>FC-064</b> <b>89.06</b> <b>FC-164</b> <b>9.50</b> <b>FC-TW</b> <b>1.27</b> <b>FC-SB</b> <b>0.17</b>	Formula	PANTONE 159 C <b>FC-066</b> <b>49.35</b> <b>FC-121</b> <b>24.39</b> <b>FC-TW</b> <b>22.61</b> <b>FC-SB</b> <b>3.65</b>	Formula	PANTONE 160 C <b>FC-064</b> <b>82.22</b> <b>FC-164</b> <b>10.72</b> <b>FC-SB</b> <b>6.12</b> <b>FC-TW</b> <b>0.94</b>	Formula
PANTONE 161 C <b>FC-064</b> <b>63.66</b> <b>FC-SB</b> <b>23.47</b> <b>FC-164</b> <b>7.73</b> <b>FC-TW</b> <b>5.14</b>	Formula	PANTONE 1555 C <b>FC-TW</b> <b>94.08</b> <b>FC-114</b> <b>5.20</b> <b>FC-064</b> <b>0.72</b>	Formula	PANTONE 1565 C <b>FC-TW</b> <b>87.83</b> <b>FC-114</b> <b>10.92</b> <b>FC-064</b> <b>1.25</b>	Formula	PANTONE 1575 C <b>FC-TW</b> <b>72.72</b> <b>FC-114</b> <b>24.23</b> <b>FC-064</b> <b>3.05</b>	Formula
PANTONE 1585 C <b>FC-TW</b> <b>55.25</b> <b>FC-114</b> <b>44.75</b>	Formula	PANTONE 1595 C <b>FC-064</b> <b>87.07</b> <b>FC-164</b> <b>9.12</b> <b>FC-TW</b> <b>3.07</b> <b>FC-SB</b> <b>0.74</b>	Formula	PANTONE 1605 C <b>FC-064</b> <b>66.00</b> <b>FC-TW</b> <b>22.52</b> <b>FC-164</b> <b>7.72</b> <b>FC-SB</b> <b>3.76</b>	Formula	PANTONE 1615 C <b>FC-064</b> <b>79.44</b> <b>FC-SB</b> <b>9.19</b> <b>FC-164</b> <b>8.94</b> <b>FC-TW</b> <b>2.43</b>	Formula

# Fascure FC

PANTONE 162 C	Formula
<b>FC-TW</b>	<b>97.06</b>
<b>FC-114</b>	<b>2.37</b>
<b>FC-121</b>	<b>0.57</b>

PANTONE 163 C	Formula
<b>FC-TW</b>	<b>87.06</b>
<b>FC-114</b>	<b>12.94</b>

PANTONE 164 C	Formula
<b>FC-TW</b>	<b>70.44</b>
<b>FC-114</b>	<b>29.56</b>

PANTONE 165 C	Formula
<b>FC-114</b>	<b>54.11</b>
<b>FC-TW</b>	<b>45.89</b>

PANTONE 166 C	Formula
<b>FC-114</b>	<b>53.95</b>
<b>FC-TW</b>	<b>36.24</b>
<b>FC-121</b>	<b>9.00</b>
<b>FC-325</b>	<b>0.81</b>

PANTONE 167 C	Formula
<b>FC-064</b>	<b>70.44</b>
<b>FC-TW</b>	<b>19.52</b>
<b>FC-164</b>	<b>8.37</b>
<b>FC-SB</b>	<b>1.67</b>

PANTONE 168 C	Formula
<b>FC-064</b>	<b>64.57</b>
<b>FC-TW</b>	<b>15.40</b>
<b>FC-164</b>	<b>10.19</b>
<b>FC-SB</b>	<b>9.84</b>

PANTONE 1625 C	Formula
<b>FC-TW</b>	<b>89.13</b>
<b>FC-114</b>	<b>6.49</b>
<b>FC-121</b>	<b>4.38</b>

PANTONE 1635 C	Formula
<b>FC-TW</b>	<b>83.29</b>
<b>FC-114</b>	<b>10.39</b>
<b>FC-121</b>	<b>6.32</b>

PANTONE 1645 C	Formula
<b>FC-TW</b>	<b>67.98</b>
<b>FC-114</b>	<b>20.69</b>
<b>FC-121</b>	<b>11.33</b>

PANTONE 1655 C	Formula
<b>FC-114</b>	<b>44.64</b>
<b>FC-TW</b>	<b>33.72</b>
<b>FC-121</b>	<b>21.64</b>

PANTONE 1665 C	Formula
<b>FC-114</b>	<b>40.90</b>
<b>FC-TW</b>	<b>30.88</b>
<b>FC-121</b>	<b>27.12</b>
<b>FC-325</b>	<b>1.10</b>

PANTONE 1675 C	Formula
<b>FC-121</b>	<b>36.49</b>
<b>FC-066</b>	<b>33.27</b>
<b>FC-TW</b>	<b>27.20</b>
<b>FC-230</b>	<b>3.04</b>

PANTONE 1685 C	Formula
<b>FC-064</b>	<b>65.85</b>
<b>FC-164</b>	<b>13.36</b>
<b>FC-SB</b>	<b>10.59</b>
<b>FC-TW</b>	<b>10.20</b>

PANTONE 169 C	Formula
<b>FC-TW</b>	<b>94.58</b>
<b>FC-121</b>	<b>3.58</b>
<b>FC-114</b>	<b>1.84</b>

PANTONE 170 C	Formula
<b>FC-TW</b>	<b>79.87</b>
<b>FC-121</b>	<b>12.55</b>
<b>FC-114</b>	<b>7.58</b>

# Fascure FC

PANTONE 171 C	Formula
<b>FC-TW</b>	<b>53.27</b>
<b>FC-121</b>	<b>26.40</b>
<b>FC-114</b>	<b>20.33</b>

PANTONE 172 C	Formula
<b>FC-121</b>	<b>47.30</b>
<b>FC-114</b>	<b>31.15</b>
<b>FC-TW</b>	<b>21.55</b>

PANTONE 173 C	Formula
<b>FC-064</b>	<b>74.65</b>
<b>FC-164</b>	<b>14.19</b>
<b>FC-TW</b>	<b>10.38</b>
<b>FC-SB</b>	<b>0.78</b>

PANTONE 174 C	Formula
<b>FC-064</b>	<b>68.15</b>
<b>FC-164</b>	<b>16.12</b>
<b>FC-TW</b>	<b>8.78</b>
<b>FC-SB</b>	<b>6.95</b>

PANTONE 175 C	Formula
<b>FC-TW</b>	<b>29.81</b>
<b>FC-121</b>	<b>28.81</b>
<b>FC-SB</b>	<b>22.28</b>
<b>FC-066</b>	<b>19.10</b>

PANTONE 176 C	Formula
<b>FC-TW</b>	<b>95.98</b>
<b>FC-121</b>	<b>2.85</b>
<b>FC-165</b>	<b>1.17</b>

PANTONE 177 C	Formula
<b>FC-TW</b>	<b>70.50</b>
<b>FC-MX</b>	<b>18.50</b>
<b>FC-121</b>	<b>10.50</b>
<b>FC-114</b>	<b>0.50</b>

PANTONE 178 C	Formula
<b>FC-TW</b>	<b>60.90</b>
<b>FC-121</b>	<b>19.00</b>
<b>FC-MX</b>	<b>18.10</b>
<b>FC-114</b>	<b>2.00</b>

PANTONE Warm Red C	Formula
<b>FC-TW</b>	<b>52.30</b>
<b>FC-121</b>	<b>29.50</b>
<b>FC-114</b>	<b>13.00</b>
<b>FC-MX</b>	<b>5.20</b>

PANTONE 179 C	Formula
<b>FC-TW</b>	<b>54.89</b>
<b>FC-121</b>	<b>37.90</b>
<b>FC-114</b>	<b>6.89</b>
<b>FC-325</b>	<b>0.32</b>

PANTONE 180 C	Formula
<b>FC-TW</b>	<b>47.65</b>
<b>FC-121</b>	<b>45.74</b>
<b>FC-114</b>	<b>4.44</b>
<b>FC-325</b>	<b>2.17</b>

PANTONE 181 C	Formula
<b>FC-121</b>	<b>42.85</b>
<b>FC-TW</b>	<b>35.67</b>
<b>FC-064</b>	<b>16.01</b>
<b>FC-230</b>	<b>5.47</b>

PANTONE 1765 C	Formula
<b>FC-TW</b>	<b>90.37</b>
<b>FC-121</b>	<b>6.51</b>
<b>FC-165</b>	<b>3.12</b>

PANTONE 1775 C	Formula
<b>FC-TW</b>	<b>84.44</b>
<b>FC-121</b>	<b>10.90</b>
<b>FC-165</b>	<b>4.66</b>

PANTONE 1785 C	Formula
<b>FC-TW</b>	<b>63.68</b>
<b>FC-121</b>	<b>30.03</b>
<b>FC-164</b>	<b>6.29</b>

PANTONE 1788 C	Formula
<b>FC-121</b>	<b>66.47</b>
<b>FC-TW</b>	<b>21.97</b>
<b>FC-164</b>	<b>11.56</b>

# Fascure FC

<b>PANTONE</b> <b>1795 C</b> <b>FC-121</b> <b>64.64</b> <b>FC-TW</b> <b>26.80</b> <b>FC-164</b> <b>7.60</b> <b>FC-325</b> <b>0.96</b>	Formula	<b>PANTONE</b> <b>1805 C</b> <b>FC-121</b> <b>54.30</b> <b>FC-TW</b> <b>32.92</b> <b>FC-164</b> <b>9.16</b> <b>FC-325</b> <b>3.62</b>	Formula	<b>PANTONE</b> <b>1815 C</b> <b>FC-064</b> <b>52.62</b> <b>FC-164</b> <b>21.84</b> <b>FC-TW</b> <b>13.87</b> <b>FC-SB</b> <b>11.67</b>	Formula	<b>PANTONE</b> <b>1767 C</b> <b>FC-TW</b> <b>95.48</b> <b>FC-121</b> <b>2.57</b> <b>FC-165</b> <b>1.95</b>	Formula
<b>PANTONE</b> <b>1777 C</b> <b>FC-TW</b> <b>75.23</b> <b>FC-121</b> <b>16.67</b> <b>FC-165</b> <b>8.10</b>	Formula	<b>PANTONE</b> <b>1787 C</b> <b>FC-TW</b> <b>63.03</b> <b>FC-114</b> <b>23.13</b> <b>FC-164</b> <b>13.84</b>	Formula	<b>PANTONE</b> <b>Red 032 C</b> <b>FC-TW</b> <b>45.72</b> <b>FC-114</b> <b>41.69</b> <b>FC-164</b> <b>12.59</b>	Formula	<b>PANTONE</b> <b>1797 C</b> <b>FC-121</b> <b>47.60</b> <b>FC-TW</b> <b>44.42</b> <b>FC-164</b> <b>7.05</b> <b>FC-325</b> <b>0.93</b>	Formula
<b>PANTONE</b> <b>1807 C</b> <b>FC-121</b> <b>51.85</b> <b>FC-TW</b> <b>35.11</b> <b>FC-164</b> <b>9.20</b> <b>FC-325</b> <b>3.84</b>	Formula	<b>PANTONE</b> <b>1817 C</b> <b>FC-121</b> <b>48.02</b> <b>FC-TW</b> <b>23.85</b> <b>FC-SB</b> <b>22.86</b> <b>FC-064</b> <b>5.27</b>	Formula	<b>PANTONE</b> <b>182 C</b> <b>FC-TW</b> <b>96.51</b> <b>FC-165</b> <b>1.94</b> <b>FC-121</b> <b>1.55</b>	Formula	<b>PANTONE</b> <b>183 C</b> <b>FC-TW</b> <b>84.79</b> <b>FC-121</b> <b>9.09</b> <b>FC-165</b> <b>6.12</b>	Formula
<b>PANTONE</b> <b>184 C</b> <b>FC-TW</b> <b>63.96</b> <b>FC-121</b> <b>22.39</b> <b>FC-165</b> <b>13.65</b>	Formula	<b>PANTONE</b> <b>185 C</b> <b>FC-121</b> <b>68.07</b> <b>FC-TW</b> <b>17.45</b> <b>FC-164</b> <b>14.48</b>	Formula	<b>PANTONE</b> <b>186 C</b> <b>FC-121</b> <b>67.89</b> <b>FC-164</b> <b>18.98</b> <b>FC-TW</b> <b>11.92</b> <b>FC-325</b> <b>1.21</b>	Formula	<b>PANTONE</b> <b>187 C</b> <b>FC-121</b> <b>66.57</b> <b>FC-164</b> <b>17.74</b> <b>FC-TW</b> <b>10.62</b> <b>FC-325</b> <b>5.07</b>	Formula

# Fascure FC

PANTONE 188 C <b>FC-TW</b> <b>42.50</b> <b>FC-114</b> <b>35.00</b> <b>FC-164</b> <b>17.20</b> <b>FC-230</b> <b>5.30</b>	Formula	PANTONE 189 C <b>FC-TW</b> <b>93.25</b> <b>FC-165</b> <b>3.71</b> <b>FC-121</b> <b>3.04</b>	Formula	PANTONE 190 C <b>FC-TW</b> <b>83.05</b> <b>FC-121</b> <b>8.62</b> <b>FC-165</b> <b>8.33</b>	Formula	PANTONE 191 C <b>FC-TW</b> <b>52.35</b> <b>FC-MX</b> <b>28.78</b> <b>FC-121</b> <b>10.39</b> <b>FC-164</b> <b>8.48</b>	Formula
PANTONE 192 C <b>FC-TW</b> <b>30.69</b> <b>FC-MX</b> <b>30.43</b> <b>FC-121</b> <b>26.42</b> <b>FC-164</b> <b>12.46</b>	Formula	PANTONE 193 C <b>FC-TW</b> <b>37.73</b> <b>FC-164</b> <b>33.20</b> <b>FC-114</b> <b>27.70</b> <b>FC-325</b> <b>1.37</b>	Formula	PANTONE 194 C <b>FC-TW</b> <b>49.46</b> <b>FC-114</b> <b>23.42</b> <b>FC-164</b> <b>23.27</b> <b>FC-325</b> <b>3.85</b>	Formula	PANTONE 195 C <b>FC-TW</b> <b>46.40</b> <b>FC-121</b> <b>29.35</b> <b>FC-SB</b> <b>12.76</b> <b>FC-165</b> <b>11.49</b>	Formula
PANTONE 1895 C <b>FC-TW</b> <b>96.16</b> <b>FC-165</b> <b>2.56</b> <b>FC-121</b> <b>1.28</b>	Formula	PANTONE 1905 C <b>FC-TW</b> <b>90.69</b> <b>FC-165</b> <b>5.88</b> <b>FC-121</b> <b>3.43</b>	Formula	PANTONE 1915 C <b>FC-TW</b> <b>37.24</b> <b>FC-MX</b> <b>33.53</b> <b>FC-165</b> <b>19.45</b> <b>FC-121</b> <b>9.78</b>	Formula	PANTONE 1925 C <b>FC-MX</b> <b>43.90</b> <b>FC-165</b> <b>25.10</b> <b>FC-121</b> <b>25.00</b> <b>FC-TW</b> <b>6.00</b>	Formula
PANTONE 1935 C <b>FC-165</b> <b>66.34</b> <b>FC-114</b> <b>21.05</b> <b>FC-TW</b> <b>12.27</b> <b>FC-325</b> <b>0.34</b>	Formula	PANTONE 1945 C <b>FC-165</b> <b>59.93</b> <b>FC-TW</b> <b>19.24</b> <b>FC-114</b> <b>19.23</b> <b>FC-325</b> <b>1.60</b>	Formula	PANTONE 1955 C <b>FC-TW</b> <b>41.97</b> <b>FC-064</b> <b>28.20</b> <b>FC-164</b> <b>25.65</b> <b>FC-SB</b> <b>4.18</b>	Formula	PANTONE 196 C <b>FC-TW</b> <b>95.00</b> <b>FC-165</b> <b>3.10</b> <b>FC-064</b> <b>1.80</b> <b>FC-127</b> <b>0.10</b>	Formula

# Fascure FC

PANTONE 197 C	Formula
<b>FC-TW</b>	<b>90.02</b>
<b>FC-164</b>	<b>5.00</b>
<b>FC-064</b>	<b>4.88</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 198 C	Formula
<b>FC-TW</b>	<b>63.35</b>
<b>FC-164</b>	<b>18.55</b>
<b>FC-064</b>	<b>18.00</b>
<b>FC-325</b>	<b>0.10</b>

PANTONE 199 C	Formula
<b>FC-121</b>	<b>37.87</b>
<b>FC-TW</b>	<b>31.75</b>
<b>FC-164</b>	<b>29.64</b>
<b>FC-325</b>	<b>0.74</b>

PANTONE 200 C	Formula
<b>FC-121</b>	<b>41.92</b>
<b>FC-164</b>	<b>28.28</b>
<b>FC-TW</b>	<b>27.98</b>
<b>FC-325</b>	<b>1.82</b>

PANTONE 201 C	Formula
<b>FC-121</b>	<b>41.55</b>
<b>FC-TW</b>	<b>28.94</b>
<b>FC-164</b>	<b>23.83</b>
<b>FC-325</b>	<b>5.68</b>

PANTONE 202 C	Formula
<b>FC-165</b>	<b>56.69</b>
<b>FC-066</b>	<b>26.07</b>
<b>FC-SB</b>	<b>10.50</b>
<b>FC-TW</b>	<b>6.74</b>

PANTONE 203 C	Formula
<b>FC-TW</b>	<b>93.61</b>
<b>FC-165</b>	<b>5.25</b>
<b>FC-121</b>	<b>1.14</b>

PANTONE 204 C	Formula
<b>FC-TW</b>	<b>84.47</b>
<b>FC-165</b>	<b>10.36</b>
<b>FC-121</b>	<b>3.42</b>
<b>FC-164</b>	<b>1.75</b>

PANTONE 205 C	Formula
<b>FC-TW</b>	<b>67.59</b>
<b>FC-165</b>	<b>17.56</b>
<b>FC-164</b>	<b>8.62</b>
<b>FC-121</b>	<b>6.23</b>

PANTONE 206 C	Formula
<b>FC-164</b>	<b>42.22</b>
<b>FC-TW</b>	<b>36.85</b>
<b>FC-121</b>	<b>18.54</b>
<b>FC-MX</b>	<b>1.97</b>
<b>FC-325</b>	<b>0.42</b>

PANTONE 207 C	Formula
<b>FC-164</b>	<b>38.71</b>
<b>FC-TW</b>	<b>33.79</b>
<b>FC-121</b>	<b>22.58</b>
<b>FC-325</b>	<b>3.12</b>
<b>FC-MX</b>	<b>1.80</b>

PANTONE 208 C	Formula
<b>FC-TW</b>	<b>36.66</b>
<b>FC-164</b>	<b>33.40</b>
<b>FC-064</b>	<b>20.78</b>
<b>FC-SB</b>	<b>9.16</b>

PANTONE 209 C	Formula
<b>FC-TW</b>	<b>41.16</b>
<b>FC-164</b>	<b>25.08</b>
<b>FC-064</b>	<b>19.48</b>
<b>FC-SB</b>	<b>14.28</b>

PANTONE 210 C	Formula
<b>FC-TW</b>	<b>74.78</b>
<b>FC-MX</b>	<b>17.69</b>
<b>FC-165</b>	<b>5.62</b>
<b>FC-121</b>	<b>1.91</b>

PANTONE 211 C	Formula
<b>FC-TW</b>	<b>59.17</b>
<b>FC-MX</b>	<b>27.24</b>
<b>FC-165</b>	<b>10.43</b>
<b>FC-121</b>	<b>3.16</b>

PANTONE 212 C	Formula
<b>FC-TW</b>	<b>77.77</b>
<b>FC-164</b>	<b>11.54</b>
<b>FC-MX</b>	<b>10.69</b>

# Fascure FC

PANTONE 213 C <b>FC-165</b> <b>34.29</b> <b>FC-MX</b> <b>28.65</b> <b>FC-TW</b> <b>28.45</b> <b>FC-121</b> <b>8.61</b>	Formula	PANTONE 214 C <b>FC-165</b> <b>52.50</b> <b>FC-TW</b> <b>32.07</b> <b>FC-121</b> <b>15.21</b> <b>FC-325</b> <b>0.22</b>	Formula	PANTONE 215 C <b>FC-165</b> <b>48.98</b> <b>FC-TW</b> <b>28.17</b> <b>FC-121</b> <b>20.45</b> <b>FC-325</b> <b>2.40</b>	Formula	PANTONE 216 C <b>FC-TW</b> <b>43.53</b> <b>FC-121</b> <b>26.14</b> <b>FC-164</b> <b>21.88</b> <b>FC-325</b> <b>8.45</b>	Formula
PANTONE 217 C <b>FC-TW</b> <b>75.13</b> <b>FC-MX</b> <b>19.78</b> <b>FC-165</b> <b>4.39</b> <b>FC-121</b> <b>0.47</b> <b>FC-230</b> <b>0.23</b>	Formula	PANTONE 218 C <b>FC-TW</b> <b>61.11</b> <b>FC-165</b> <b>26.00</b> <b>FC-MX</b> <b>10.18</b> <b>FC-121</b> <b>2.59</b> <b>FC-230</b> <b>0.12</b>	Formula	PANTONE 219 C <b>FC-165</b> <b>62.90</b> <b>FC-TW</b> <b>25.99</b> <b>FC-121</b> <b>6.68</b> <b>FC-MX</b> <b>4.33</b> <b>FC-230</b> <b>0.10</b>	Formula	PANTONE Rubine Red C <b>FC-164</b> <b>57.48</b> <b>FC-165</b> <b>21.67</b> <b>FC-TW</b> <b>19.73</b> <b>FC-121</b> <b>1.12</b>	Formula
PANTONE 220 C <b>FC-164</b> <b>58.07</b> <b>FC-TW</b> <b>34.44</b> <b>FC-165</b> <b>4.60</b> <b>FC-325</b> <b>2.89</b>	Formula	PANTONE 221 C <b>FC-164</b> <b>68.12</b> <b>FC-TW</b> <b>23.20</b> <b>FC-325</b> <b>5.58</b> <b>FC-165</b> <b>3.10</b>	Formula	PANTONE 222 C <b>FC-TW</b> <b>39.38</b> <b>FC-164</b> <b>34.49</b> <b>FC-SB</b> <b>18.18</b> <b>FC-064</b> <b>7.95</b>	Formula	PANTONE 223 C <b>FC-TW</b> <b>86.94</b> <b>FC-165</b> <b>12.45</b> <b>FC-121</b> <b>0.61</b>	Formula
PANTONE 224 C <b>FC-TW</b> <b>64.54</b> <b>FC-165</b> <b>26.80</b> <b>FC-MX</b> <b>7.23</b> <b>FC-121</b> <b>1.43</b>	Formula	PANTONE 225 C <b>FC-165</b> <b>50.98</b> <b>FC-TW</b> <b>45.04</b> <b>FC-164</b> <b>3.98</b>	Formula	PANTONE 226 C <b>FC-165</b> <b>75.29</b> <b>FC-164</b> <b>21.55</b> <b>FC-TW</b> <b>3.16</b>	Formula	PANTONE 227 C <b>FC-164</b> <b>43.72</b> <b>FC-165</b> <b>37.52</b> <b>FC-TW</b> <b>15.63</b> <b>FC-325</b> <b>3.13</b>	Formula

# Fascure FC

PANTONE 228 C <b>FC-164</b> <b>54.76</b> <b>FC-TW</b> <b>21.22</b> <b>FC-165</b> <b>16.58</b> <b>FC-325</b> <b>7.44</b>	Formula	PANTONE 229 C <b>FC-TW</b> <b>49.17</b> <b>FC-164</b> <b>21.43</b> <b>FC-SB</b> <b>20.14</b> <b>FC-121</b> <b>9.26</b>	Formula	PANTONE 230 C <b>FC-TW</b> <b>87.45</b> <b>FC-165</b> <b>6.57</b> <b>FC-MX</b> <b>5.98</b>	Formula	PANTONE 231 C <b>FC-TW</b> <b>82.64</b> <b>FC-165</b> <b>13.94</b> <b>FC-164</b> <b>3.42</b>	Formula
PANTONE 232 C <b>FC-TW</b> <b>39.87</b> <b>FC-MX</b> <b>29.40</b> <b>FC-165</b> <b>25.34</b> <b>FC-164</b> <b>5.39</b>	Formula	PANTONE Rhodamine Red C <b>FC-TW</b> <b>36.57</b> <b>FC-165</b> <b>35.47</b> <b>FC-MX</b> <b>23.90</b> <b>FC-164</b> <b>3.96</b> <b>FC-127</b> <b>0.10</b>	Formula	PANTONE 233 C <b>FC-165</b> <b>58.12</b> <b>FC-TW</b> <b>20.61</b> <b>FC-MX</b> <b>20.49</b> <b>FC-114</b> <b>0.61</b> <b>FC-325</b> <b>0.17</b>	Formula	PANTONE 234 C <b>FC-165</b> <b>63.11</b> <b>FC-TW</b> <b>15.94</b> <b>FC-MX</b> <b>15.86</b> <b>FC-114</b> <b>2.86</b> <b>FC-325</b> <b>2.23</b>	Formula
PANTONE 235 C <b>FC-165</b> <b>59.06</b> <b>FC-TW</b> <b>14.60</b> <b>FC-MX</b> <b>14.53</b> <b>FC-114</b> <b>7.08</b> <b>FC-325</b> <b>4.73</b>	Formula	PANTONE 236 C <b>FC-TW</b> <b>92.53</b> <b>FC-165</b> <b>7.47</b>	Formula	PANTONE 237 C <b>FC-TW</b> <b>79.35</b> <b>FC-165</b> <b>20.49</b> <b>FC-121</b> <b>0.16</b>	Formula	PANTONE 238 C <b>FC-TW</b> <b>51.55</b> <b>FC-165</b> <b>36.92</b> <b>FC-MX</b> <b>11.15</b> <b>FC-127</b> <b>0.28</b> <b>FC-121</b> <b>0.10</b>	Formula
PANTONE 239 C <b>FC-165</b> <b>53.68</b> <b>FC-TW</b> <b>44.55</b> <b>FC-127</b> <b>1.77</b>	Formula	PANTONE 240 C <b>FC-165</b> <b>54.50</b> <b>FC-TW</b> <b>44.45</b> <b>FC-127</b> <b>0.75</b> <b>FC-325</b> <b>0.30</b>	Formula	PANTONE 241 C <b>FC-165</b> <b>67.67</b> <b>FC-TW</b> <b>27.21</b> <b>FC-SB</b> <b>3.68</b> <b>FC-127</b> <b>1.44</b>	Formula	PANTONE 242 C <b>FC-165</b> <b>67.97</b> <b>FC-SB</b> <b>15.64</b> <b>FC-TW</b> <b>12.63</b> <b>FC-121</b> <b>3.76</b>	Formula

# Fascure FC

PANTONE 2365 C	Formula
<b>FC-TW</b>	<b>95.48</b>
<b>FC-165</b>	<b>4.38</b>
<b>FC-127</b>	<b>0.14</b>

PANTONE 2375 C	Formula
<b>FC-TW</b>	<b>60.42</b>
<b>FC-165</b>	<b>22.70</b>
<b>FC-MX</b>	<b>15.07</b>
<b>FC-127</b>	<b>1.81</b>

PANTONE 2385 C	Formula
<b>FC-165</b>	<b>47.18</b>
<b>FC-TW</b>	<b>34.46</b>
<b>FC-MX</b>	<b>15.83</b>
<b>FC-127</b>	<b>2.10</b>
<b>FC-230</b>	<b>0.43</b>

PANTONE 2395 C	Formula
<b>FC-165</b>	<b>82.32</b>
<b>FC-MX</b>	<b>13.47</b>
<b>FC-127</b>	<b>4.21</b>

PANTONE 2405 C	Formula
<b>FC-165</b>	<b>78.16</b>
<b>FC-TW</b>	<b>14.42</b>
<b>FC-SB</b>	<b>4.37</b>
<b>FC-127</b>	<b>3.05</b>

PANTONE 2415 C	Formula
<b>FC-TW</b>	<b>36.65</b>
<b>FC-164</b>	<b>33.22</b>
<b>FC-MX</b>	<b>17.72</b>
<b>FC-127</b>	<b>12.28</b>
<b>FC-SB</b>	<b>0.13</b>

PANTONE 2425 C	Formula
<b>FC-TW</b>	<b>57.91</b>
<b>FC-164</b>	<b>31.57</b>
<b>FC-127</b>	<b>9.57</b>
<b>FC-SB</b>	<b>0.95</b>

PANTONE 243 C	Formula
<b>FC-TW</b>	<b>79.46</b>
<b>FC-MX</b>	<b>17.07</b>
<b>FC-165</b>	<b>3.18</b>
<b>FC-127</b>	<b>0.29</b>

PANTONE 244 C	Formula
<b>FC-TW</b>	<b>76.77</b>
<b>FC-MX</b>	<b>16.49</b>
<b>FC-165</b>	<b>6.19</b>
<b>FC-127</b>	<b>0.55</b>

PANTONE 245 C	Formula
<b>FC-TW</b>	<b>64.65</b>
<b>FC-MX</b>	<b>26.57</b>
<b>FC-165</b>	<b>7.72</b>
<b>FC-127</b>	<b>1.06</b>

PANTONE 246 C	Formula
<b>FC-165</b>	<b>96.16</b>
<b>FC-230</b>	<b>3.84</b>

PANTONE 247 C	Formula
<b>FC-165</b>	<b>65.99</b>
<b>FC-TW</b>	<b>28.80</b>
<b>FC-127</b>	<b>4.85</b>
<b>FC-164</b>	<b>0.36</b>

PANTONE 248 C	Formula
<b>FC-165</b>	<b>61.03</b>
<b>FC-TW</b>	<b>33.23</b>
<b>FC-127</b>	<b>5.41</b>
<b>FC-164</b>	<b>0.33</b>

PANTONE 249 C	Formula
<b>FC-165</b>	<b>46.38</b>
<b>FC-TW</b>	<b>44.64</b>
<b>FC-SB</b>	<b>8.16</b>
<b>FC-127</b>	<b>0.82</b>

PANTONE 250 C	Formula
<b>FC-TW</b>	<b>85.29</b>
<b>FC-MX</b>	<b>12.91</b>
<b>FC-165</b>	<b>1.34</b>
<b>FC-127</b>	<b>0.46</b>

PANTONE 251 C	Formula
<b>FC-TW</b>	<b>81.21</b>
<b>FC-MX</b>	<b>12.28</b>
<b>FC-165</b>	<b>5.04</b>
<b>FC-127</b>	<b>1.47</b>

# Fascure FC

PANTONE 252 C	Formula
<b>FC-TW</b>	<b>59.59</b>
<b>FC-MX</b>	<b>28.71</b>
<b>FC-165</b>	<b>8.96</b>
<b>FC-127</b>	<b>2.74</b>

PANTONE Purple C	Formula
<b>FC-TW</b>	<b>45.27</b>
<b>FC-165</b>	<b>38.08</b>
<b>FC-MX</b>	<b>14.40</b>
<b>FC-127</b>	<b>2.25</b>

PANTONE 253 C	Formula
<b>FC-MX</b>	<b>36.57</b>
<b>FC-TW</b>	<b>29.92</b>
<b>FC-165</b>	<b>27.02</b>
<b>FC-127</b>	<b>6.07</b>
<b>FC-164</b>	<b>0.42</b>

PANTONE 254 C	Formula
<b>FC-TW</b>	<b>35.48</b>
<b>FC-165</b>	<b>32.15</b>
<b>FC-MX</b>	<b>25.29</b>
<b>FC-127</b>	<b>6.58</b>
<b>FC-164</b>	<b>0.50</b>

PANTONE 255 C	Formula
<b>FC-TW</b>	<b>69.83</b>
<b>FC-164</b>	<b>17.96</b>
<b>FC-127</b>	<b>8.29</b>
<b>FC-SB</b>	<b>3.92</b>

PANTONE 256 C	Formula
<b>FC-TW</b>	<b>76.70</b>
<b>FC-MX</b>	<b>20.12</b>
<b>FC-165</b>	<b>2.75</b>
<b>FC-230</b>	<b>0.43</b>

PANTONE 257 C	Formula
<b>FC-TW</b>	<b>74.75</b>
<b>FC-MX</b>	<b>18.94</b>
<b>FC-165</b>	<b>5.51</b>
<b>FC-230</b>	<b>0.80</b>

PANTONE 258 C	Formula
<b>FC-TW</b>	<b>67.28</b>
<b>FC-165</b>	<b>13.25</b>
<b>FC-MX</b>	<b>10.45</b>
<b>FC-164</b>	<b>6.01</b>
<b>FC-230</b>	<b>3.01</b>

PANTONE 259 C	Formula
<b>FC-165</b>	<b>66.12</b>
<b>FC-TW</b>	<b>22.65</b>
<b>FC-325</b>	<b>7.41</b>
<b>FC-SB</b>	<b>3.82</b>

PANTONE 260 C	Formula
<b>FC-165</b>	<b>65.69</b>
<b>FC-TW</b>	<b>21.90</b>
<b>FC-325</b>	<b>9.02</b>
<b>FC-SB</b>	<b>3.39</b>

PANTONE 261 C	Formula
<b>FC-TW</b>	<b>54.65</b>
<b>FC-164</b>	<b>31.96</b>
<b>FC-325</b>	<b>9.88</b>
<b>FC-127</b>	<b>3.51</b>

PANTONE 262 C	Formula
<b>FC-TW</b>	<b>55.49</b>
<b>FC-164</b>	<b>26.77</b>
<b>FC-SB</b>	<b>13.66</b>
<b>FC-230</b>	<b>4.08</b>

PANTONE 2562 C	Formula
<b>FC-TW</b>	<b>91.28</b>
<b>FC-165</b>	<b>7.48</b>
<b>FC-230</b>	<b>1.24</b>

PANTONE 2572 C	Formula
<b>FC-TW</b>	<b>84.63</b>
<b>FC-165</b>	<b>13.46</b>
<b>FC-230</b>	<b>1.91</b>

PANTONE 2582 C	Formula
<b>FC-TW</b>	<b>54.99</b>
<b>FC-165</b>	<b>23.89</b>
<b>FC-MX</b>	<b>16.58</b>
<b>FC-230</b>	<b>2.37</b>
<b>FC-127</b>	<b>2.17</b>

PANTONE 2592 C	Formula
<b>FC-TW</b>	<b>52.48</b>
<b>FC-165</b>	<b>30.64</b>
<b>FC-127</b>	<b>12.19</b>
<b>FC-MX</b>	<b>4.36</b>
<b>FC-066</b>	<b>0.33</b>

# Fascure FC

PANTONE 2602 C	Formula
<b>FC-TW</b>	<b>50.91</b>
<b>FC-165</b>	<b>35.63</b>
<b>FC-127</b>	<b>13.46</b>

PANTONE 2612 C	Formula
<b>FC-TW</b>	<b>49.97</b>
<b>FC-165</b>	<b>33.09</b>
<b>FC-127</b>	<b>14.79</b>
<b>FC-066</b>	<b>2.15</b>

PANTONE 2622 C	Formula
<b>FC-TW</b>	<b>66.94</b>
<b>FC-121</b>	<b>16.65</b>
<b>FC-127</b>	<b>12.42</b>
<b>FC-SB</b>	<b>3.99</b>

PANTONE 2563 C	Formula
<b>FC-TW</b>	<b>73.49</b>
<b>FC-MX</b>	<b>17.91</b>
<b>FC-165</b>	<b>7.42</b>
<b>FC-230</b>	<b>1.18</b>

PANTONE 2573 C	Formula
<b>FC-TW</b>	<b>88.83</b>
<b>FC-165</b>	<b>6.35</b>
<b>FC-127</b>	<b>4.00</b>
<b>FC-064</b>	<b>0.82</b>

PANTONE 2583 C	Formula
<b>FC-TW</b>	<b>69.42</b>
<b>FC-MX</b>	<b>13.71</b>
<b>FC-165</b>	<b>8.19</b>
<b>FC-127</b>	<b>6.71</b>
<b>FC-164</b>	<b>1.97</b>

PANTONE 2593 C	Formula
<b>FC-TW</b>	<b>64.57</b>
<b>FC-165</b>	<b>20.74</b>
<b>FC-127</b>	<b>11.04</b>
<b>FC-164</b>	<b>3.65</b>

PANTONE 2603 C	Formula
<b>FC-TW</b>	<b>47.38</b>
<b>FC-165</b>	<b>36.07</b>
<b>FC-127</b>	<b>13.28</b>
<b>FC-SB</b>	<b>3.27</b>

PANTONE 2613 C	Formula
<b>FC-TW</b>	<b>41.59</b>
<b>FC-165</b>	<b>40.15</b>
<b>FC-127</b>	<b>13.94</b>
<b>FC-SB</b>	<b>4.32</b>

PANTONE 2623 C	Formula
<b>FC-TW</b>	<b>58.84</b>
<b>FC-164</b>	<b>21.12</b>
<b>FC-127</b>	<b>15.37</b>
<b>FC-SB</b>	<b>4.67</b>

PANTONE 2567 C	Formula
<b>FC-TW</b>	<b>64.08</b>
<b>FC-MX</b>	<b>26.78</b>
<b>FC-165</b>	<b>7.57</b>
<b>FC-230</b>	<b>1.57</b>

PANTONE 2577 C	Formula
<b>FC-TW</b>	<b>89.34</b>
<b>FC-165</b>	<b>5.45</b>
<b>FC-127</b>	<b>4.59</b>
<b>FC-230</b>	<b>0.62</b>

PANTONE 2587 C	Formula
<b>FC-TW</b>	<b>60.05</b>
<b>FC-MX</b>	<b>26.09</b>
<b>FC-127</b>	<b>9.51</b>
<b>FC-165</b>	<b>3.11</b>
<b>FC-164</b>	<b>1.24</b>

PANTONE 2597 C	Formula
<b>FC-TW</b>	<b>56.72</b>
<b>FC-165</b>	<b>21.67</b>
<b>FC-127</b>	<b>21.61</b>

PANTONE 2607 C	Formula
<b>FC-TW</b>	<b>50.01</b>
<b>FC-MX</b>	<b>23.02</b>
<b>FC-127</b>	<b>17.49</b>
<b>FC-164</b>	<b>8.62</b>
<b>FC-230</b>	<b>0.86</b>

PANTONE 2617 C	Formula
<b>FC-TW</b>	<b>65.46</b>
<b>FC-127</b>	<b>22.26</b>
<b>FC-164</b>	<b>11.20</b>
<b>FC-230</b>	<b>1.08</b>

# Fascure FC

PANTONE 2627 C	Formula
<b>FC-TW</b>	<b>60.10</b>
<b>FC-127</b>	<b>21.43</b>
<b>FC-164</b>	<b>13.40</b>
<b>FC-SB</b>	<b>5.07</b>

PANTONE 263 C	Formula
<b>FC-TW</b>	<b>75.09</b>
<b>FC-MX</b>	<b>22.04</b>
<b>FC-165</b>	<b>2.22</b>
<b>FC-230</b>	<b>0.65</b>

PANTONE 264 C	Formula
<b>FC-TW</b>	<b>60.26</b>
<b>FC-MX</b>	<b>32.36</b>
<b>FC-165</b>	<b>5.68</b>
<b>FC-230</b>	<b>1.70</b>

PANTONE 265 C	Formula
<b>FC-MX</b>	<b>39.13</b>
<b>FC-TW</b>	<b>37.35</b>
<b>FC-165</b>	<b>17.21</b>
<b>FC-230</b>	<b>4.93</b>
<b>FC-127</b>	<b>1.38</b>

PANTONE 266 C	Formula
<b>FC-165</b>	<b>47.10</b>
<b>FC-TW</b>	<b>38.34</b>
<b>FC-325</b>	<b>9.33</b>
<b>FC-230</b>	<b>5.23</b>

PANTONE 267 C	Formula
<b>FC-TW</b>	<b>45.60</b>
<b>FC-127</b>	<b>30.06</b>
<b>FC-MX</b>	<b>22.03</b>
<b>FC-164</b>	<b>1.99</b>
<b>FC-SB</b>	<b>0.32</b>

PANTONE 268 C	Formula
<b>FC-TW</b>	<b>60.14</b>
<b>FC-127</b>	<b>29.79</b>
<b>FC-164</b>	<b>5.99</b>
<b>FC-SB</b>	<b>4.08</b>

PANTONE 269 C	Formula
<b>FC-TW</b>	<b>56.07</b>
<b>FC-127</b>	<b>25.25</b>
<b>FC-SB</b>	<b>11.49</b>
<b>FC-164</b>	<b>7.19</b>

PANTONE 2635 C	Formula
<b>FC-TW</b>	<b>78.87</b>
<b>FC-MX</b>	<b>14.55</b>
<b>FC-165</b>	<b>5.07</b>
<b>FC-230</b>	<b>1.51</b>

PANTONE 2645 C	Formula
<b>FC-TW</b>	<b>58.50</b>
<b>FC-MX</b>	<b>31.04</b>
<b>FC-165</b>	<b>8.02</b>
<b>FC-230</b>	<b>2.44</b>

PANTONE 2655 C	Formula
<b>FC-TW</b>	<b>48.32</b>
<b>FC-MX</b>	<b>32.79</b>
<b>FC-165</b>	<b>13.81</b>
<b>FC-230</b>	<b>3.99</b>
<b>FC-127</b>	<b>1.09</b>

PANTONE 2665 C	Formula
<b>FC-TW</b>	<b>56.44</b>
<b>FC-MX</b>	<b>31.57</b>
<b>FC-127</b>	<b>10.55</b>
<b>FC-230</b>	<b>1.05</b>
<b>FC-SB</b>	<b>0.39</b>

PANTONE Violet C	Formula
<b>FC-TW</b>	<b>72.44</b>
<b>FC-127</b>	<b>24.52</b>
<b>FC-165</b>	<b>3.04</b>

PANTONE 2685 C	Formula
<b>FC-TW</b>	<b>44.90</b>
<b>FC-127</b>	<b>27.42</b>
<b>FC-MX</b>	<b>24.89</b>
<b>FC-164</b>	<b>2.15</b>
<b>FC-SB</b>	<b>0.64</b>

PANTONE 2695 C	Formula
<b>FC-TW</b>	<b>48.33</b>
<b>FC-127</b>	<b>23.27</b>
<b>FC-MX</b>	<b>17.78</b>
<b>FC-SB</b>	<b>7.79</b>
<b>FC-114</b>	<b>2.83</b>

PANTONE 270 C	Formula
<b>FC-TW</b>	<b>89.21</b>
<b>FC-MX</b>	<b>4.57</b>
<b>FC-165</b>	<b>4.50</b>
<b>FC-230</b>	<b>1.72</b>

# Fascure FC

PANTONE 271 C	Formula
<b>FC-TW</b>	<b>87.47</b>
<b>FC-165</b>	<b>4.53</b>
<b>FC-MX</b>	<b>4.49</b>
<b>FC-230</b>	<b>2.15</b>
<b>FC-127</b>	<b>1.36</b>

PANTONE 272 C	Formula
<b>FC-TW</b>	<b>80.58</b>
<b>FC-MX</b>	<b>9.05</b>
<b>FC-127</b>	<b>5.80</b>
<b>FC-230</b>	<b>2.53</b>
<b>FC-064</b>	<b>2.04</b>

PANTONE 273 C	Formula
<b>FC-TW</b>	<b>48.07</b>
<b>FC-127</b>	<b>34.96</b>
<b>FC-230</b>	<b>10.69</b>
<b>FC-064</b>	<b>6.28</b>

PANTONE 274 C	Formula
<b>FC-127</b>	<b>41.18</b>
<b>FC-TW</b>	<b>36.22</b>
<b>FC-230</b>	<b>11.94</b>
<b>FC-064</b>	<b>10.66</b>

PANTONE 275 C	Formula
<b>FC-127</b>	<b>36.80</b>
<b>FC-TW</b>	<b>29.34</b>
<b>FC-064</b>	<b>22.75</b>
<b>FC-230</b>	<b>11.11</b>

PANTONE 276 C	Formula
<b>FC-064</b>	<b>49.34</b>
<b>FC-127</b>	<b>26.86</b>
<b>FC-TW</b>	<b>14.79</b>
<b>FC-230</b>	<b>9.01</b>

PANTONE 2705 C	Formula
<b>FC-TW</b>	<b>89.37</b>
<b>FC-165</b>	<b>7.64</b>
<b>FC-230</b>	<b>2.99</b>

PANTONE 2715 C	Formula
<b>FC-TW</b>	<b>78.58</b>
<b>FC-165</b>	<b>15.68</b>
<b>FC-230</b>	<b>5.74</b>

PANTONE 2725 C	Formula
<b>FC-TW</b>	<b>58.36</b>
<b>FC-MX</b>	<b>20.42</b>
<b>FC-165</b>	<b>10.10</b>
<b>FC-230</b>	<b>5.59</b>
<b>FC-127</b>	<b>5.53</b>

PANTONE 2735 C	Formula
<b>FC-TW</b>	<b>53.82</b>
<b>FC-127</b>	<b>34.88</b>
<b>FC-230</b>	<b>11.30</b>

PANTONE 2745 C	Formula
<b>FC-TW</b>	<b>53.82</b>
<b>FC-127</b>	<b>34.88</b>
<b>FC-230</b>	<b>11.30</b>

PANTONE 2755 C	Formula
<b>FC-TW</b>	<b>47.48</b>
<b>FC-127</b>	<b>41.65</b>
<b>FC-230</b>	<b>10.87</b>

PANTONE 2765 C	Formula
<b>FC-127</b>	<b>63.19</b>
<b>FC-TW</b>	<b>10.23</b>
<b>FC-230</b>	<b>13.60</b>
<b>FC-SB</b>	<b>12.98</b>

PANTONE 2706 C	Formula
<b>FC-TW</b>	<b>90.51</b>
<b>FC-MX</b>	<b>7.97</b>
<b>FC-127</b>	<b>0.79</b>
<b>FC-230</b>	<b>0.73</b>

PANTONE 2716 C	Formula
<b>FC-TW</b>	<b>88.05</b>
<b>FC-MX</b>	<b>7.75</b>
<b>FC-127</b>	<b>2.19</b>
<b>FC-230</b>	<b>2.01</b>

PANTONE 2726 C	Formula
<b>FC-TW</b>	<b>73.68</b>
<b>FC-230</b>	<b>9.97</b>
<b>FC-127</b>	<b>9.04</b>
<b>FC-MX</b>	<b>6.07</b>
<b>FC-165</b>	<b>1.24</b>

# Fascure FC

PANTONE 2736 C <b>FC-TW</b> <b>55.05</b> <b>FC-MX</b> <b>18.46</b> <b>FC-127</b> <b>15.17</b> <b>FC-230</b> <b>11.32</b>	Formula	PANTONE 2746 C <b>FC-TW</b> <b>52.90</b> <b>FC-127</b> <b>17.80</b> <b>FC-MX</b> <b>17.73</b> <b>FC-230</b> <b>11.57</b>	Formula	PANTONE 2756 C <b>FC-TW</b> <b>33.35</b> <b>FC-127</b> <b>30.36</b> <b>FC-230</b> <b>25.66</b> <b>FC-SB</b> <b>10.63</b>	Formula	PANTONE 2766 C <b>FC-TW</b> <b>50.14</b> <b>FC-127</b> <b>18.38</b> <b>FC-230</b> <b>17.68</b> <b>FC-SB</b> <b>13.80</b>	Formula
PANTONE 2707 C <b>FC-MX</b> <b>50.24</b> <b>FC-TW</b> <b>48.20</b> <b>FC-230</b> <b>0.95</b> <b>FC-127</b> <b>0.61</b>	Formula	PANTONE 2717 C <b>FC-MX</b> <b>51.13</b> <b>FC-TW</b> <b>45.49</b> <b>FC-230</b> <b>2.22</b> <b>FC-127</b> <b>1.16</b>	Formula	PANTONE 2727 C <b>FC-TW</b> <b>77.23</b> <b>FC-230</b> <b>16.51</b> <b>FC-127</b> <b>6.26</b>	Formula	PANTONE Blue 072 C <b>FC-230</b> <b>63.66</b> <b>FC-127</b> <b>26.60</b> <b>FC-TW</b> <b>9.74</b>	Formula
PANTONE 2747 C <b>FC-230</b> <b>56.94</b> <b>FC-127</b> <b>23.23</b> <b>FC-TW</b> <b>11.00</b> <b>FC-SB</b> <b>8.83</b>	Formula	PANTONE 2757 C <b>FC-230</b> <b>52.40</b> <b>FC-127</b> <b>21.37</b> <b>FC-SB</b> <b>14.41</b> <b>FC-TW</b> <b>11.82</b>	Formula	PANTONE 2767 C <b>FC-SB</b> <b>44.38</b> <b>FC-TW</b> <b>21.10</b> <b>FC-230</b> <b>20.22</b> <b>FC-127</b> <b>14.30</b>	Formula	PANTONE 2708 C <b>FC-TW</b> <b>80.43</b> <b>FC-MX</b> <b>17.04</b> <b>FC-230</b> <b>1.54</b> <b>FC-127</b> <b>0.99</b>	Formula
PANTONE 2718 C <b>FC-TW</b> <b>53.61</b> <b>FC-MX</b> <b>26.74</b> <b>FC-230</b> <b>9.29</b> <b>FC-165</b> <b>8.90</b> <b>FC-127</b> <b>1.46</b>	Formula	PANTONE 2728 C <b>FC-TW</b> <b>62.45</b> <b>FC-230</b> <b>24.57</b> <b>FC-127</b> <b>12.98</b>	Formula	PANTONE 2738 C <b>FC-230</b> <b>65.88</b> <b>FC-127</b> <b>28.88</b> <b>FC-TW</b> <b>5.24</b>	Formula	PANTONE 2748 C <b>FC-230</b> <b>62.40</b> <b>FC-127</b> <b>19.59</b> <b>FC-TW</b> <b>13.01</b> <b>FC-SB</b> <b>5.00</b>	Formula

# Fascure FC

PANTONE 2758 C	Formula
<b>FC-230</b>	<b>53.28</b>
<b>FC-127</b>	<b>19.92</b>
<b>FC-TW</b>	<b>18.48</b>
<b>FC-SB</b>	<b>8.32</b>

PANTONE 2768 C	Formula
<b>FC-230</b>	<b>44.00</b>
<b>FC-SB</b>	<b>21.76</b>
<b>FC-TW</b>	<b>17.79</b>
<b>FC-127</b>	<b>16.45</b>

PANTONE 277 C	Formula
<b>FC-TW</b>	<b>98.42</b>
<b>FC-230</b>	<b>1.06</b>
<b>FC-127</b>	<b>0.52</b>

PANTONE 278 C	Formula
<b>FC-TW</b>	<b>96.63</b>
<b>FC-230</b>	<b>2.41</b>
<b>FC-127</b>	<b>0.96</b>

PANTONE 279 C	Formula
<b>FC-TW</b>	<b>82.86</b>
<b>FC-230</b>	<b>7.89</b>
<b>FC-MX</b>	<b>6.90</b>
<b>FC-127</b>	<b>2.35</b>

PANTONE Reflex Blue C	Formula
<b>FC-230</b>	<b>71.97</b>
<b>FC-127</b>	<b>20.83</b>
<b>FC-TW</b>	<b>7.20</b>

PANTONE 280 C	Formula
<b>FC-230</b>	<b>62.07</b>
<b>FC-127</b>	<b>29.56</b>
<b>FC-SB</b>	<b>8.37</b>

PANTONE 281 C	Formula
<b>FC-230</b>	<b>55.24</b>
<b>FC-TW</b>	<b>17.68</b>
<b>FC-127</b>	<b>14.75</b>
<b>FC-SB</b>	<b>12.33</b>

PANTONE 282 C	Formula
<b>FC-230</b>	<b>41.43</b>
<b>FC-TW</b>	<b>23.31</b>
<b>FC-SB</b>	<b>22.74</b>
<b>FC-127</b>	<b>12.52</b>

PANTONE 283 C	Formula
<b>FC-TW</b>	<b>96.90</b>
<b>FC-230</b>	<b>2.34</b>
<b>FC-127</b>	<b>0.76</b>

PANTONE 284 C	Formula
<b>FC-TW</b>	<b>93.74</b>
<b>FC-230</b>	<b>4.94</b>
<b>FC-127</b>	<b>1.32</b>

PANTONE 285 C	Formula
<b>FC-TW</b>	<b>73.31</b>
<b>FC-230</b>	<b>17.19</b>
<b>FC-MX</b>	<b>6.23</b>
<b>FC-127</b>	<b>3.27</b>

PANTONE 286 C	Formula
<b>FC-230</b>	<b>69.09</b>
<b>FC-TW</b>	<b>19.33</b>
<b>FC-127</b>	<b>11.58</b>

PANTONE 287 C	Formula
<b>FC-230</b>	<b>71.53</b>
<b>FC-164</b>	<b>18.17</b>
<b>FC-TW</b>	<b>8.97</b>
<b>FC-325</b>	<b>1.33</b>

PANTONE 288 C	Formula
<b>FC-230</b>	<b>81.53</b>
<b>FC-127</b>	<b>11.52</b>
<b>FC-SB</b>	<b>6.95</b>

PANTONE 289 C	Formula
<b>FC-230</b>	<b>47.57</b>
<b>FC-SB</b>	<b>23.50</b>
<b>FC-TW</b>	<b>15.47</b>
<b>FC-127</b>	<b>13.46</b>

# Fascure FC

PANTONE 290 C	Formula
<b>FC-TW</b> <b>98.22</b>	
<b>FC-230</b> <b>1.03</b>	
<b>FC-127</b> <b>0.39</b>	
<b>FC-064</b> <b>0.36</b>	

PANTONE 291 C	Formula
<b>FC-TW</b> <b>97.36</b>	
<b>FC-230</b> <b>2.11</b>	
<b>FC-127</b> <b>0.53</b>	

PANTONE 292 C	Formula
<b>FC-TW</b> <b>94.53</b>	
<b>FC-230</b> <b>4.50</b>	
<b>FC-127</b> <b>0.97</b>	

PANTONE 293 C	Formula
<b>FC-230</b> <b>55.42</b>	
<b>FC-TW</b> <b>38.06</b>	
<b>FC-127</b> <b>5.66</b>	
<b>FC-121</b> <b>0.86</b>	

PANTONE 294 C	Formula
<b>FC-230</b> <b>68.21</b>	
<b>FC-TW</b> <b>14.89</b>	
<b>FC-121</b> <b>13.65</b>	
<b>FC-325</b> <b>3.25</b>	

PANTONE 295 C	Formula
<b>FC-230</b> <b>53.75</b>	
<b>FC-121</b> <b>17.53</b>	
<b>FC-325</b> <b>14.55</b>	
<b>FC-TW</b> <b>14.17</b>	

PANTONE 296 C	Formula
<b>FC-064</b> <b>39.88</b>	
<b>FC-325</b> <b>35.92</b>	
<b>FC-127</b> <b>21.74</b>	
<b>FC-TW</b> <b>2.46</b>	

PANTONE 2905 C	Formula
<b>FC-TW</b> <b>96.68</b>	
<b>FC-230</b> <b>2.74</b>	
<b>FC-127</b> <b>0.58</b>	

PANTONE 2915 C	Formula
<b>FC-TW</b> <b>92.99</b>	
<b>FC-230</b> <b>6.09</b>	
<b>FC-127</b> <b>0.92</b>	

PANTONE 2925 C	Formula
<b>FC-TW</b> <b>82.96</b>	
<b>FC-230</b> <b>15.74</b>	
<b>FC-127</b> <b>1.30</b>	

PANTONE 2935 C	Formula
<b>FC-TW</b> <b>44.87</b>	
<b>FC-230</b> <b>35.86</b>	
<b>FC-MX</b> <b>14.50</b>	
<b>FC-127</b> <b>4.77</b>	

PANTONE 2945 C	Formula
<b>FC-230</b> <b>63.31</b>	
<b>FC-TW</b> <b>19.08</b>	
<b>FC-325</b> <b>12.27</b>	
<b>FC-SB</b> <b>5.34</b>	

PANTONE 2955 C	Formula
<b>FC-325</b> <b>38.96</b>	
<b>FC-230</b> <b>23.09</b>	
<b>FC-TW</b> <b>16.76</b>	
<b>FC-127</b> <b>15.85</b>	
<b>FC-MX</b> <b>5.34</b>	

PANTONE 2965 C	Formula
<b>FC-230</b> <b>59.53</b>	
<b>FC-SB</b> <b>20.18</b>	
<b>FC-TW</b> <b>17.04</b>	
<b>FC-164</b> <b>3.25</b>	

PANTONE 297 C	Formula
<b>FC-TW</b> <b>96.66</b>	
<b>FC-230</b> <b>2.97</b>	
<b>FC-127</b> <b>0.37</b>	

PANTONE 298 C	Formula
<b>FC-TW</b> <b>92.49</b>	
<b>FC-230</b> <b>7.05</b>	
<b>FC-127</b> <b>0.46</b>	

# Fascure FC

PANTONE 299 C <b>FC-TW</b> <b>86.47</b> <b>FC-230</b> <b>12.89</b> <b>FC-127</b> <b>0.64</b>	Formula	PANTONE 300 C <b>FC-230</b> <b>50.03</b> <b>FC-TW</b> <b>48.66</b> <b>FC-127</b> <b>1.31</b>	Formula	PANTONE 301 C <b>FC-230</b> <b>48.37</b> <b>FC-TW</b> <b>46.84</b> <b>FC-SB</b> <b>2.97</b> <b>FC-127</b> <b>1.82</b>	Formula	PANTONE 302 C <b>FC-TW</b> <b>48.52</b> <b>FC-230</b> <b>38.88</b> <b>FC-SB</b> <b>11.14</b> <b>FC-127</b> <b>1.46</b>	Formula
PANTONE 303 C <b>FC-230</b> <b>49.66</b> <b>FC-TW</b> <b>25.04</b> <b>FC-SB</b> <b>23.92</b> <b>FC-064</b> <b>1.38</b>	Formula	PANTONE 2975 C <b>FC-TW</b> <b>98.33</b> <b>FC-230</b> <b>1.53</b> <b>FC-127</b> <b>0.14</b>	Formula	PANTONE 2985 C <b>FC-TW</b> <b>81.25</b> <b>FC-MX</b> <b>11.80</b> <b>FC-230</b> <b>6.75</b> <b>FC-127</b> <b>0.20</b>	Formula	PANTONE 2995 C <b>FC-TW</b> <b>84.20</b> <b>FC-230</b> <b>15.80</b>	Formula
PANTONE 3005 C <b>FC-TW</b> <b>52.81</b> <b>FC-230</b> <b>47.19</b>	Formula	PANTONE 3015 C <b>FC-TW</b> <b>49.18</b> <b>FC-230</b> <b>47.89</b> <b>FC-SB</b> <b>2.93</b>	Formula	PANTONE 3025 C <b>FC-TW</b> <b>46.10</b> <b>FC-230</b> <b>41.97</b> <b>FC-SB</b> <b>9.41</b> <b>FC-325</b> <b>2.52</b>	Formula	PANTONE 3035 C <b>FC-TW</b> <b>45.22</b> <b>FC-230</b> <b>27.99</b> <b>FC-SB</b> <b>17.40</b> <b>FC-325</b> <b>9.39</b>	Formula
PANTONE 304 C <b>FC-TW</b> <b>96.33</b> <b>FC-230</b> <b>2.51</b> <b>FC-064</b> <b>1.03</b> <b>FC-127</b> <b>0.13</b>	Formula	PANTONE 305 C <b>FC-TW</b> <b>78.84</b> <b>FC-MX</b> <b>15.27</b> <b>FC-230</b> <b>4.93</b> <b>FC-064</b> <b>0.84</b> <b>FC-127</b> <b>0.12</b>	Formula	PANTONE 306 C <b>FC-TW</b> <b>60.27</b> <b>FC-MX</b> <b>28.41</b> <b>FC-230</b> <b>10.47</b> <b>FC-064</b> <b>0.75</b> <b>FC-127</b> <b>0.10</b>	Formula	PANTONE Process Blue C <b>FC-230</b> <b>36.44</b> <b>FC-TW</b> <b>32.91</b> <b>FC-MX</b> <b>29.22</b> <b>FC-325</b> <b>1.43</b>	Formula

# Fascure FC

PANTONE 307 C	Formula
<b>FC-230</b>	<b>52.48</b>
<b>FC-TW</b>	<b>42.76</b>
<b>FC-064</b>	<b>2.53</b>
<b>FC-325</b>	<b>2.23</b>

PANTONE 308 C	Formula
<b>FC-230</b>	<b>49.01</b>
<b>FC-TW</b>	<b>40.50</b>
<b>FC-325</b>	<b>6.85</b>
<b>FC-SB</b>	<b>3.64</b>

PANTONE 309 C	Formula
<b>FC-TW</b>	<b>43.50</b>
<b>FC-230</b>	<b>25.73</b>
<b>FC-SB</b>	<b>19.56</b>
<b>FC-325</b>	<b>11.21</b>

PANTONE 310 C	Formula
<b>FC-TW</b>	<b>95.92</b>
<b>FC-230</b>	<b>3.32</b>
<b>FC-325</b>	<b>0.76</b>

PANTONE 311 C	Formula
<b>FC-TW</b>	<b>75.93</b>
<b>FC-MX</b>	<b>16.80</b>
<b>FC-230</b>	<b>5.76</b>
<b>FC-325</b>	<b>1.51</b>

PANTONE 312 C	Formula
<b>FC-TW</b>	<b>80.30</b>
<b>FC-230</b>	<b>15.12</b>
<b>FC-325</b>	<b>4.58</b>

PANTONE 313 C	Formula
<b>FC-TW</b>	<b>42.11</b>
<b>FC-230</b>	<b>27.41</b>
<b>FC-MX</b>	<b>21.72</b>
<b>FC-325</b>	<b>8.76</b>

PANTONE 314 C	Formula
<b>FC-TW</b>	<b>45.81</b>
<b>FC-230</b>	<b>39.54</b>
<b>FC-325</b>	<b>13.95</b>
<b>FC-SB</b>	<b>0.70</b>

PANTONE 315 C	Formula
<b>FC-TW</b>	<b>45.63</b>
<b>FC-230</b>	<b>32.89</b>
<b>FC-325</b>	<b>15.82</b>
<b>FC-SB</b>	<b>5.66</b>

PANTONE 316 C	Formula
<b>FC-TW</b>	<b>41.33</b>
<b>FC-325</b>	<b>21.42</b>
<b>FC-SB</b>	<b>19.66</b>
<b>FC-230</b>	<b>17.59</b>

PANTONE 3105 C	Formula
<b>FC-TW</b>	<b>94.09</b>
<b>FC-MX</b>	<b>2.74</b>
<b>FC-230</b>	<b>2.30</b>
<b>FC-325</b>	<b>0.87</b>

PANTONE 3115 C	Formula
<b>FC-TW</b>	<b>75.77</b>
<b>FC-MX</b>	<b>17.16</b>
<b>FC-230</b>	<b>4.67</b>
<b>FC-325</b>	<b>2.40</b>

PANTONE 3125 C	Formula
<b>FC-TW</b>	<b>52.60</b>
<b>FC-MX</b>	<b>34.76</b>
<b>FC-230</b>	<b>8.14</b>
<b>FC-325</b>	<b>4.50</b>

PANTONE 3135 C	Formula
<b>FC-TW</b>	<b>51.80</b>
<b>FC-230</b>	<b>20.33</b>
<b>FC-MX</b>	<b>17.15</b>
<b>FC-325</b>	<b>10.72</b>

PANTONE 3145 C	Formula
<b>FC-TW</b>	<b>60.49</b>
<b>FC-230</b>	<b>22.76</b>
<b>FC-325</b>	<b>14.81</b>
<b>FC-SB</b>	<b>1.94</b>

PANTONE 3155 C	Formula
<b>FC-TW</b>	<b>53.29</b>
<b>FC-230</b>	<b>24.07</b>
<b>FC-325</b>	<b>18.44</b>
<b>FC-SB</b>	<b>4.20</b>

# Fascure FC

PANTONE 3165 C	Formula
<b>FC-TW</b>	<b>48.71</b>
<b>FC-325</b>	<b>21.37</b>
<b>FC-230</b>	<b>20.00</b>
<b>FC-SB</b>	<b>9.92</b>

PANTONE 317 C	Formula
<b>FC-TW</b>	<b>99.24</b>
<b>FC-230</b>	<b>0.41</b>
<b>FC-325</b>	<b>0.35</b>

PANTONE 318 C	Formula
<b>FC-TW</b>	<b>76.25</b>
<b>FC-MX</b>	<b>20.56</b>
<b>FC-230</b>	<b>1.62</b>
<b>FC-325</b>	<b>1.57</b>

PANTONE 319 C	Formula
<b>FC-TW</b>	<b>93.47</b>
<b>FC-230</b>	<b>3.35</b>
<b>FC-325</b>	<b>3.18</b>

PANTONE 320 C	Formula
<b>FC-TW</b>	<b>31.88</b>
<b>FC-MX</b>	<b>27.51</b>
<b>FC-325</b>	<b>22.28</b>
<b>FC-230</b>	<b>18.33</b>

PANTONE 321 C	Formula
<b>FC-230</b>	<b>29.68</b>
<b>FC-325</b>	<b>24.15</b>
<b>FC-TW</b>	<b>23.14</b>
<b>FC-MX</b>	<b>19.97</b>
<b>FC-066</b>	<b>3.06</b>

PANTONE 322 C	Formula
<b>FC-TW</b>	<b>43.05</b>
<b>FC-230</b>	<b>38.25</b>
<b>FC-066</b>	<b>15.07</b>
<b>FC-325</b>	<b>3.63</b>

PANTONE 323 C	Formula
<b>FC-TW</b>	<b>48.56</b>
<b>FC-325</b>	<b>27.02</b>
<b>FC-230</b>	<b>14.88</b>
<b>FC-SB</b>	<b>9.54</b>

PANTONE 324 C	Formula
<b>FC-TW</b>	<b>68.67</b>
<b>FC-MX</b>	<b>28.92</b>
<b>FC-230</b>	<b>1.37</b>
<b>FC-064</b>	<b>0.63</b>
<b>FC-325</b>	<b>0.41</b>

PANTONE 325 C	Formula
<b>FC-TW</b>	<b>93.43</b>
<b>FC-230</b>	<b>3.48</b>
<b>FC-325</b>	<b>2.33</b>
<b>FC-064</b>	<b>0.76</b>

PANTONE 326 C	Formula
<b>FC-TW</b>	<b>78.83</b>
<b>FC-325</b>	<b>9.14</b>
<b>FC-230</b>	<b>8.79</b>
<b>FC-064</b>	<b>3.24</b>

PANTONE 327 C	Formula
<b>FC-TW</b>	<b>47.78</b>
<b>FC-325</b>	<b>35.69</b>
<b>FC-230</b>	<b>15.34</b>
<b>FC-SB</b>	<b>1.19</b>

PANTONE 328 C	Formula
<b>FC-TW</b>	<b>44.78</b>
<b>FC-325</b>	<b>36.27</b>
<b>FC-230</b>	<b>15.03</b>
<b>FC-SB</b>	<b>3.92</b>

PANTONE 329 C	Formula
<b>FC-TW</b>	<b>40.31</b>
<b>FC-325</b>	<b>38.38</b>
<b>FC-230</b>	<b>14.23</b>
<b>FC-SB</b>	<b>7.08</b>

PANTONE 330 C	Formula
<b>FC-TW</b>	<b>40.82</b>
<b>FC-064</b>	<b>24.82</b>
<b>FC-230</b>	<b>20.35</b>
<b>FC-SB</b>	<b>14.01</b>

PANTONE 3242 C	Formula
<b>FC-TW</b>	<b>94.82</b>
<b>FC-325</b>	<b>2.24</b>
<b>FC-MX</b>	<b>1.91</b>
<b>FC-230</b>	<b>1.03</b>

# Fascure FC

PANTONE 3252 C	Formula
<b>FC-TW</b>	<b>82.83</b>
<b>FC-MX</b>	<b>10.67</b>
<b>FC-325</b>	<b>4.93</b>
<b>FC-230</b>	<b>1.57</b>

PANTONE 3262 C	Formula
<b>FC-TW</b>	<b>71.21</b>
<b>FC-MX</b>	<b>14.21</b>
<b>FC-325</b>	<b>11.58</b>
<b>FC-230</b>	<b>3.00</b>

PANTONE 3272 C	Formula
<b>FC-TW</b>	<b>51.21</b>
<b>FC-325</b>	<b>24.81</b>
<b>FC-MX</b>	<b>17.67</b>
<b>FC-230</b>	<b>6.31</b>

PANTONE 3282 C	Formula
<b>FC-TW</b>	<b>59.58</b>
<b>FC-325</b>	<b>31.39</b>
<b>FC-230</b>	<b>6.47</b>
<b>FC-SB</b>	<b>2.56</b>

PANTONE 3292 C	Formula
<b>FC-325</b>	<b>43.54</b>
<b>FC-TW</b>	<b>39.68</b>
<b>FC-SB</b>	<b>11.70</b>
<b>FC-114</b>	<b>5.08</b>

PANTONE 3302 C	Formula
<b>FC-TW</b>	<b>43.74</b>
<b>FC-325</b>	<b>33.47</b>
<b>FC-SB</b>	<b>20.06</b>
<b>FC-064</b>	<b>2.73</b>

PANTONE 3245 C	Formula
<b>FC-TW</b>	<b>96.58</b>
<b>FC-325</b>	<b>2.72</b>
<b>FC-230</b>	<b>0.70</b>

PANTONE 3255 C	Formula
<b>FC-TW</b>	<b>85.75</b>
<b>FC-325</b>	<b>7.03</b>
<b>FC-MX</b>	<b>5.84</b>
<b>FC-230</b>	<b>1.38</b>

PANTONE 3265 C	Formula
<b>FC-TW</b>	<b>72.51</b>
<b>FC-325</b>	<b>16.58</b>
<b>FC-MX</b>	<b>9.40</b>
<b>FC-230</b>	<b>1.51</b>

PANTONE 3275 C	Formula
<b>FC-TW</b>	<b>53.56</b>
<b>FC-325</b>	<b>29.84</b>
<b>FC-MX</b>	<b>13.25</b>
<b>FC-230</b>	<b>3.35</b>

PANTONE 3285 C	Formula
<b>FC-TW</b>	<b>59.40</b>
<b>FC-325</b>	<b>33.66</b>
<b>FC-230</b>	<b>4.19</b>
<b>FC-SB</b>	<b>2.75</b>

PANTONE 3295 C	Formula
<b>FC-TW</b>	<b>57.68</b>
<b>FC-325</b>	<b>33.53</b>
<b>FC-SB</b>	<b>4.72</b>
<b>FC-230</b>	<b>4.07</b>

PANTONE 3305 C	Formula
<b>FC-TW</b>	<b>39.30</b>
<b>FC-325</b>	<b>33.61</b>
<b>FC-SB</b>	<b>20.70</b>
<b>FC-064</b>	<b>6.39</b>

PANTONE 3248 C	Formula
<b>FC-TW</b>	<b>94.19</b>
<b>FC-325</b>	<b>2.10</b>
<b>FC-230</b>	<b>1.87</b>
<b>FC-064</b>	<b>1.84</b>

PANTONE 3258 C	Formula
<b>FC-TW</b>	<b>86.75</b>
<b>FC-064</b>	<b>4.92</b>
<b>FC-230</b>	<b>4.36</b>
<b>FC-325</b>	<b>3.97</b>

PANTONE 3268 C	Formula
<b>FC-TW</b>	<b>73.13</b>
<b>FC-325</b>	<b>10.80</b>
<b>FC-230</b>	<b>8.09</b>
<b>FC-064</b>	<b>7.98</b>

# Fascure FC

PANTONE 3278 C	Formula
<b>FC-TW</b>	<b>48.11</b>
<b>FC-325</b>	<b>23.31</b>
<b>FC-230</b>	<b>14.87</b>
<b>FC-064</b>	<b>13.71</b>

PANTONE 3288 C	Formula
<b>FC-TW</b>	<b>36.85</b>
<b>FC-064</b>	<b>34.47</b>
<b>FC-230</b>	<b>28.28</b>
<b>FC-SB</b>	<b>0.40</b>

PANTONE 3298 C	Formula
<b>FC-064</b>	<b>36.10</b>
<b>FC-TW</b>	<b>28.52</b>
<b>FC-230</b>	<b>27.98</b>
<b>FC-SB</b>	<b>7.40</b>

PANTONE 3308 C	Formula
<b>FC-064</b>	<b>33.44</b>
<b>FC-TW</b>	<b>23.56</b>
<b>FC-SB</b>	<b>22.62</b>
<b>FC-230</b>	<b>20.38</b>

PANTONE 331 C	Formula
<b>FC-TW</b>	<b>98.02</b>
<b>FC-325</b>	<b>1.98</b>

PANTONE 332 C	Formula
<b>FC-TW</b>	<b>96.53</b>
<b>FC-325</b>	<b>3.15</b>
<b>FC-064</b>	<b>0.32</b>

PANTONE 333 C	Formula
<b>FC-TW</b>	<b>64.97</b>
<b>FC-MX</b>	<b>27.86</b>
<b>FC-325</b>	<b>6.55</b>
<b>FC-064</b>	<b>0.62</b>

PANTONE Green C	Formula
<b>FC-325</b>	<b>53.66</b>
<b>FC-TW</b>	<b>24.73</b>
<b>FC-MX</b>	<b>21.61</b>

PANTONE 334 C	Formula
<b>FC-325</b>	<b>54.83</b>
<b>FC-TW</b>	<b>42.42</b>
<b>FC-SB</b>	<b>1.92</b>
<b>FC-064</b>	<b>0.83</b>

PANTONE 335 C	Formula
<b>FC-325</b>	<b>44.79</b>
<b>FC-TW</b>	<b>43.52</b>
<b>FC-SB</b>	<b>6.52</b>
<b>FC-064</b>	<b>5.17</b>

PANTONE 336 C	Formula
<b>FC-TW</b>	<b>46.38</b>
<b>FC-325</b>	<b>36.49</b>
<b>FC-SB</b>	<b>10.83</b>
<b>FC-064</b>	<b>6.30</b>

PANTONE 337 C	Formula
<b>FC-TW</b>	<b>83.35</b>
<b>FC-MX</b>	<b>11.15</b>
<b>FC-064</b>	<b>2.61</b>
<b>FC-230</b>	<b>1.57</b>
<b>FC-325</b>	<b>1.32</b>

PANTONE 338 C	Formula
<b>FC-TW</b>	<b>71.45</b>
<b>FC-MX</b>	<b>19.55</b>
<b>FC-064</b>	<b>4.65</b>
<b>FC-230</b>	<b>2.82</b>
<b>FC-325</b>	<b>1.53</b>

PANTONE 339 C	Formula
<b>FC-TW</b>	<b>54.67</b>
<b>FC-MX</b>	<b>15.52</b>
<b>FC-064</b>	<b>13.54</b>
<b>FC-325</b>	<b>8.87</b>
<b>FC-230</b>	<b>7.40</b>

PANTONE 340 C	Formula
<b>FC-TW</b>	<b>35.10</b>
<b>FC-325</b>	<b>21.47</b>
<b>FC-064</b>	<b>20.85</b>
<b>FC-230</b>	<b>12.95</b>
<b>FC-MX</b>	<b>9.63</b>

PANTONE 341 C	Formula
<b>FC-064</b>	<b>43.78</b>
<b>FC-TW</b>	<b>27.61</b>
<b>FC-230</b>	<b>25.34</b>
<b>FC-SB</b>	<b>3.27</b>

# Fascure FC

PANTONE 342 C		Formula
<b>FC-064</b>	<b>32.47</b>	
<b>FC-TW</b>	<b>30.48</b>	
<b>FC-230</b>	<b>27.97</b>	
<b>FC-SB</b>	<b>9.08</b>	

PANTONE 343 C		Formula
<b>FC-064</b>	<b>30.76</b>	
<b>FC-TW</b>	<b>26.59</b>	
<b>FC-230</b>	<b>24.05</b>	
<b>FC-SB</b>	<b>18.60</b>	

PANTONE 3375 C		Formula
<b>FC-TW</b>	<b>95.20</b>	
<b>FC-325</b>	<b>4.65</b>	
<b>FC-064</b>	<b>0.15</b>	

PANTONE 3385 C		Formula
<b>FC-TW</b>	<b>74.58</b>	
<b>FC-MX</b>	<b>14.72</b>	
<b>FC-325</b>	<b>8.09</b>	
<b>FC-064</b>	<b>2.61</b>	

PANTONE 3395 C		Formula
<b>FC-TW</b>	<b>53.23</b>	
<b>FC-MX</b>	<b>21.62</b>	
<b>FC-325</b>	<b>18.84</b>	
<b>FC-064</b>	<b>6.31</b>	

PANTONE 3405 C		Formula
<b>FC-325</b>	<b>34.17</b>	
<b>FC-MX</b>	<b>33.73</b>	
<b>FC-TW</b>	<b>21.11</b>	
<b>FC-064</b>	<b>10.99</b>	

PANTONE 3415 C		Formula
<b>FC-064</b>	<b>47.55</b>	
<b>FC-TW</b>	<b>25.30</b>	
<b>FC-230</b>	<b>20.66</b>	
<b>FC-MX</b>	<b>4.06</b>	
<b>FC-SB</b>	<b>2.43</b>	

PANTONE 3425 C		Formula
<b>FC-064</b>	<b>48.88</b>	
<b>FC-TW</b>	<b>23.79</b>	
<b>FC-230</b>	<b>20.47</b>	
<b>FC-SB</b>	<b>6.86</b>	

PANTONE 3435 C		Formula
<b>FC-064</b>	<b>45.85</b>	
<b>FC-SB</b>	<b>19.47</b>	
<b>FC-230</b>	<b>18.12</b>	
<b>FC-TW</b>	<b>16.56</b>	

PANTONE 344 C		Formula
<b>FC-TW</b>	<b>96.68</b>	
<b>FC-325</b>	<b>1.67</b>	
<b>FC-064</b>	<b>1.37</b>	
<b>FC-SB</b>	<b>0.28</b>	

PANTONE 345 C		Formula
<b>FC-TW</b>	<b>90.98</b>	
<b>FC-325</b>	<b>4.15</b>	
<b>FC-064</b>	<b>4.07</b>	
<b>FC-SB</b>	<b>0.80</b>	

PANTONE 346 C		Formula
<b>FC-TW</b>	<b>87.06</b>	
<b>FC-325</b>	<b>6.61</b>	
<b>FC-064</b>	<b>5.67</b>	
<b>FC-SB</b>	<b>0.66</b>	

PANTONE 347 C		Formula
<b>FC-064</b>	<b>45.99</b>	
<b>FC-325</b>	<b>21.37</b>	
<b>FC-MX</b>	<b>13.68</b>	
<b>FC-230</b>	<b>12.84</b>	
<b>FC-TW</b>	<b>6.12</b>	

PANTONE 348 C		Formula
<b>FC-064</b>	<b>61.44</b>	
<b>FC-230</b>	<b>22.73</b>	
<b>FC-TW</b>	<b>14.00</b>	
<b>FC-SB</b>	<b>1.83</b>	

PANTONE 349 C		Formula
<b>FC-064</b>	<b>57.11</b>	
<b>FC-230</b>	<b>19.49</b>	
<b>FC-TW</b>	<b>14.30</b>	
<b>FC-SB</b>	<b>9.10</b>	

PANTONE 350 C		Formula
<b>FC-064</b>	<b>41.80</b>	
<b>FC-TW</b>	<b>26.44</b>	
<b>FC-SB</b>	<b>19.63</b>	
<b>FC-230</b>	<b>12.13</b>	

# Fascure FC

PANTONE 351 C	Formula
<b>FC-TW</b> <b>94.40</b>	
<b>FC-064</b> <b>3.63</b>	
<b>FC-325</b> <b>1.97</b>	

PANTONE 352 C	Formula
<b>FC-TW</b> <b>90.34</b>	
<b>FC-064</b> <b>6.26</b>	
<b>FC-325</b> <b>3.40</b>	

PANTONE 353 C	Formula
<b>FC-TW</b> <b>85.84</b>	
<b>FC-064</b> <b>9.17</b>	
<b>FC-325</b> <b>4.99</b>	

PANTONE 354 C	Formula
<b>FC-064</b> <b>41.46</b>	
<b>FC-325</b> <b>31.88</b>	
<b>FC-TW</b> <b>15.47</b>	
<b>FC-MX</b> <b>11.19</b>	

PANTONE 355 C	Formula
<b>FC-064</b> <b>47.11</b>	
<b>FC-325</b> <b>38.00</b>	
<b>FC-TW</b> <b>12.58</b>	
<b>FC-SB</b> <b>2.31</b>	

PANTONE 356 C	Formula
<b>FC-064</b> <b>44.24</b>	
<b>FC-325</b> <b>35.92</b>	
<b>FC-TW</b> <b>11.57</b>	
<b>FC-SB</b> <b>8.27</b>	

PANTONE 357 C	Formula
<b>FC-064</b> <b>34.37</b>	
<b>FC-TW</b> <b>27.06</b>	
<b>FC-325</b> <b>21.38</b>	
<b>FC-SB</b> <b>17.19</b>	

PANTONE 358 C	Formula
<b>FC-TW</b> <b>84.78</b>	
<b>FC-064</b> <b>12.70</b>	
<b>FC-325</b> <b>1.75</b>	
<b>FC-230</b> <b>0.77</b>	

PANTONE 359 C	Formula
<b>FC-TW</b> <b>81.28</b>	
<b>FC-064</b> <b>15.60</b>	
<b>FC-325</b> <b>2.05</b>	
<b>FC-230</b> <b>1.07</b>	

PANTONE 360 C	Formula
<b>FC-TW</b> <b>47.40</b>	
<b>FC-064</b> <b>37.99</b>	
<b>FC-MX</b> <b>7.07</b>	
<b>FC-325</b> <b>4.50</b>	
<b>FC-230</b> <b>3.04</b>	

PANTONE 361 C	Formula
<b>FC-064</b> <b>60.85</b>	
<b>FC-TW</b> <b>24.87</b>	
<b>FC-325</b> <b>8.70</b>	
<b>FC-230</b> <b>5.58</b>	

PANTONE 362 C	Formula
<b>FC-064</b> <b>67.89</b>	
<b>FC-325</b> <b>18.10</b>	
<b>FC-TW</b> <b>7.51</b>	
<b>FC-SB</b> <b>6.50</b>	

PANTONE 363 C	Formula
<b>FC-064</b> <b>66.78</b>	
<b>FC-TW</b> <b>20.73</b>	
<b>FC-230</b> <b>9.11</b>	
<b>FC-SB</b> <b>3.38</b>	

PANTONE 364 C	Formula
<b>FC-064</b> <b>69.08</b>	
<b>FC-TW</b> <b>17.08</b>	
<b>FC-230</b> <b>7.03</b>	
<b>FC-SB</b> <b>6.81</b>	

PANTONE 365 C	Formula
<b>FC-TW</b> <b>86.70</b>	
<b>FC-064</b> <b>10.68</b>	
<b>FC-MX</b> <b>1.67</b>	
<b>FC-325</b> <b>0.95</b>	

PANTONE 366 C	Formula
<b>FC-TW</b> <b>81.39</b>	
<b>FC-064</b> <b>15.59</b>	
<b>FC-325</b> <b>1.57</b>	
<b>FC-MX</b> <b>1.45</b>	

# Fascure FC

PANTONE 367 C	Formula
<b>FC-TW</b> <b>67.90</b>	
<b>FC-064</b> <b>28.08</b>	
<b>FC-325</b> <b>2.60</b>	
<b>FC-MX</b> <b>1.21</b>	
<b>FC-230</b> <b>0.21</b>	

PANTONE 368 C	Formula
<b>FC-064</b> <b>80.08</b>	
<b>FC-TW</b> <b>11.47</b>	
<b>FC-325</b> <b>4.24</b>	
<b>FC-230</b> <b>4.21</b>	

PANTONE 369 C	Formula
<b>FC-064</b> <b>85.40</b>	
<b>FC-230</b> <b>7.03</b>	
<b>FC-TW</b> <b>6.67</b>	
<b>FC-SB</b> <b>0.90</b>	

PANTONE 370 C	Formula
<b>FC-064</b> <b>83.28</b>	
<b>FC-230</b> <b>6.58</b>	
<b>FC-TW</b> <b>6.17</b>	
<b>FC-SB</b> <b>3.97</b>	

PANTONE 371 C	Formula
<b>FC-064</b> <b>70.61</b>	
<b>FC-SB</b> <b>12.93</b>	
<b>FC-TW</b> <b>11.62</b>	
<b>FC-230</b> <b>4.84</b>	

PANTONE 372 C	Formula
<b>FC-TW</b> <b>83.56</b>	
<b>FC-064</b> <b>15.31</b>	
<b>FC-325</b> <b>1.13</b>	

PANTONE 373 C	Formula
<b>FC-TW</b> <b>75.65</b>	
<b>FC-064</b> <b>22.93</b>	
<b>FC-325</b> <b>1.42</b>	

PANTONE 374 C	Formula
<b>FC-TW</b> <b>62.99</b>	
<b>FC-064</b> <b>34.88</b>	
<b>FC-325</b> <b>2.13</b>	

PANTONE 375 C	Formula
<b>FC-064</b> <b>78.96</b>	
<b>FC-TW</b> <b>14.99</b>	
<b>FC-325</b> <b>6.05</b>	

PANTONE 376 C	Formula
<b>FC-064</b> <b>92.53</b>	
<b>FC-230</b> <b>3.94</b>	
<b>FC-TW</b> <b>3.40</b>	
<b>FC-SB</b> <b>0.13</b>	

PANTONE 377 C	Formula
<b>FC-064</b> <b>91.17</b>	
<b>FC-230</b> <b>4.14</b>	
<b>FC-SB</b> <b>3.21</b>	
<b>FC-TW</b> <b>1.48</b>	

PANTONE 378 C	Formula
<b>FC-064</b> <b>69.55</b>	
<b>FC-SB</b> <b>13.92</b>	
<b>FC-TW</b> <b>11.18</b>	
<b>FC-325</b> <b>5.35</b>	

PANTONE 379 C	Formula
<b>FC-TW</b> <b>64.46</b>	
<b>FC-064</b> <b>31.41</b>	
<b>FC-MX</b> <b>3.43</b>	
<b>FC-325</b> <b>0.70</b>	

PANTONE 380 C	Formula
<b>FC-TW</b> <b>50.61</b>	
<b>FC-064</b> <b>45.69</b>	
<b>FC-MX</b> <b>2.69</b>	
<b>FC-325</b> <b>1.01</b>	

PANTONE 381 C	Formula
<b>FC-064</b> <b>59.36</b>	
<b>FC-TW</b> <b>37.22</b>	
<b>FC-MX</b> <b>1.98</b>	
<b>FC-325</b> <b>1.44</b>	

PANTONE 382 C	Formula
<b>FC-064</b> <b>79.39</b>	
<b>FC-TW</b> <b>15.51</b>	
<b>FC-MX</b> <b>2.88</b>	
<b>FC-325</b> <b>1.54</b>	
<b>FC-230</b> <b>0.68</b>	

# Fascure FC

PANTONE 383 C	Formula
<b>FC-064</b>	<b>88.57</b>
<b>FC-TW</b>	<b>7.76</b>
<b>FC-SB</b>	<b>2.12</b>
<b>FC-230</b>	<b>1.55</b>

PANTONE 384 C	Formula
<b>FC-064</b>	<b>87.66</b>
<b>FC-TW</b>	<b>5.95</b>
<b>FC-325</b>	<b>4.57</b>
<b>FC-127</b>	<b>1.82</b>

PANTONE 385 C	Formula
<b>FC-064</b>	<b>68.06</b>
<b>FC-TW</b>	<b>18.07</b>
<b>FC-SB</b>	<b>12.36</b>
<b>FC-325</b>	<b>1.51</b>

PANTONE 386 C	Formula
<b>FC-TW</b>	<b>65.93</b>
<b>FC-064</b>	<b>33.30</b>
<b>FC-325</b>	<b>0.77</b>

PANTONE 387 C	Formula
<b>FC-064</b>	<b>50.17</b>
<b>FC-TW</b>	<b>48.80</b>
<b>FC-325</b>	<b>1.03</b>

PANTONE 388 C	Formula
<b>FC-064</b>	<b>70.05</b>
<b>FC-TW</b>	<b>28.66</b>
<b>FC-325</b>	<b>1.29</b>

PANTONE 389 C	Formula
<b>FC-064</b>	<b>91.78</b>
<b>FC-TW</b>	<b>6.66</b>
<b>FC-325</b>	<b>1.56</b>

PANTONE 390 C	Formula
<b>FC-064</b>	<b>91.40</b>
<b>FC-TW</b>	<b>5.50</b>
<b>FC-325</b>	<b>2.02</b>
<b>FC-SB</b>	<b>1.08</b>

PANTONE 391 C	Formula
<b>FC-064</b>	<b>89.11</b>
<b>FC-SB</b>	<b>4.75</b>
<b>FC-TW</b>	<b>4.39</b>
<b>FC-325</b>	<b>1.75</b>

PANTONE 392 C	Formula
<b>FC-064</b>	<b>84.58</b>
<b>FC-SB</b>	<b>9.35</b>
<b>FC-TW</b>	<b>4.16</b>
<b>FC-325</b>	<b>1.91</b>

PANTONE 393 C	Formula
<b>FC-TW</b>	<b>81.26</b>
<b>FC-064</b>	<b>18.56</b>
<b>FC-325</b>	<b>0.18</b>

PANTONE 394 C	Formula
<b>FC-064</b>	<b>55.72</b>
<b>FC-TW</b>	<b>43.85</b>
<b>FC-325</b>	<b>0.43</b>

PANTONE 395 C	Formula
<b>FC-064</b>	<b>88.99</b>
<b>FC-TW</b>	<b>10.20</b>
<b>FC-325</b>	<b>0.81</b>

PANTONE 396 C	Formula
<b>FC-064</b>	<b>98.92</b>
<b>FC-325</b>	<b>1.08</b>

PANTONE 397 C	Formula
<b>FC-064</b>	<b>96.16</b>
<b>FC-TW</b>	<b>1.35</b>
<b>FC-325</b>	<b>1.31</b>
<b>FC-SB</b>	<b>1.18</b>

PANTONE 398 C	Formula
<b>FC-064</b>	<b>93.19</b>
<b>FC-SB</b>	<b>3.24</b>
<b>FC-TW</b>	<b>2.70</b>
<b>FC-325</b>	<b>0.87</b>

# Fascure FC

PANTONE 399 C <b>FC-064</b> <b>92.06</b> <b>FC-SB</b> <b>5.48</b> <b>FC-TW</b> <b>1.25</b> <b>FC-325</b> <b>1.21</b>	Formula	PANTONE 3935 C <b>FC-TW</b> <b>69.62</b> <b>FC-064</b> <b>30.18</b> <b>FC-325</b> <b>0.20</b>	Formula	PANTONE 3945 C <b>FC-064</b> <b>88.28</b> <b>FC-TW</b> <b>11.35</b> <b>FC-325</b> <b>0.37</b>	Formula	PANTONE 3955 C <b>FC-064</b> <b>99.05</b> <b>FC-325</b> <b>0.47</b> <b>FC-TW</b> <b>0.38</b> <b>FC-165</b> <b>0.10</b>	Formula
PANTONE 3965 C <b>FC-064</b> <b>99.18</b> <b>FC-325</b> <b>0.64</b> <b>FC-165</b> <b>0.18</b>	Formula	PANTONE 3975 C <b>FC-064</b> <b>91.55</b> <b>FC-TW</b> <b>4.80</b> <b>FC-SB</b> <b>3.51</b> <b>FC-230</b> <b>0.14</b>	Formula	PANTONE 3985 C <b>FC-064</b> <b>88.80</b> <b>FC-SB</b> <b>6.55</b> <b>FC-TW</b> <b>4.31</b> <b>FC-230</b> <b>0.34</b>	Formula	PANTONE 3995 C <b>FC-064</b> <b>73.51</b> <b>FC-SB</b> <b>16.62</b> <b>FC-TW</b> <b>9.58</b> <b>FC-121</b> <b>0.29</b>	Formula
PANTONE 400 C <b>FC-TW</b> <b>97.68</b> <b>FC-SB</b> <b>1.49</b> <b>FC-066</b> <b>0.63</b> <b>FC-127</b> <b>0.20</b>	Formula	PANTONE 401 C <b>FC-TW</b> <b>95.63</b> <b>FC-SB</b> <b>3.00</b> <b>FC-066</b> <b>1.21</b> <b>FC-127</b> <b>0.16</b>	Formula	PANTONE 402 C <b>FC-TW</b> <b>92.34</b> <b>FC-SB</b> <b>4.82</b> <b>FC-066</b> <b>2.54</b> <b>FC-127</b> <b>0.30</b>	Formula	PANTONE 403 C <b>FC-TW</b> <b>87.93</b> <b>FC-SB</b> <b>7.41</b> <b>FC-066</b> <b>4.37</b> <b>FC-127</b> <b>0.29</b>	Formula
PANTONE 404 C <b>FC-TW</b> <b>80.50</b> <b>FC-SB</b> <b>11.63</b> <b>FC-066</b> <b>7.41</b> <b>FC-127</b> <b>0.46</b>	Formula	PANTONE 405 C <b>FC-TW</b> <b>62.74</b> <b>FC-SB</b> <b>21.08</b> <b>FC-066</b> <b>15.29</b> <b>FC-164</b> <b>0.89</b>	Formula	PANTONE Black C <b>FC-SB</b> <b>38.38</b> <b>FC-TW</b> <b>34.13</b> <b>FC-066</b> <b>25.31</b> <b>FC-164</b> <b>2.18</b>	Formula	PANTONE 406 C <b>FC-TW</b> <b>96.92</b> <b>FC-SB</b> <b>1.77</b> <b>FC-066</b> <b>1.09</b> <b>FC-127</b> <b>0.22</b>	Formula

# Fascure FC

PANTONE 407 C	Formula
<b>FC-TW</b>	<b>93.56</b>
<b>FC-SB</b>	<b>3.23</b>
<b>FC-066</b>	<b>2.61</b>
<b>FC-127</b>	<b>0.60</b>

PANTONE 408 C	Formula
<b>FC-TW</b>	<b>90.45</b>
<b>FC-SB</b>	<b>5.38</b>
<b>FC-066</b>	<b>3.54</b>
<b>FC-127</b>	<b>0.63</b>

PANTONE 409 C	Formula
<b>FC-TW</b>	<b>88.18</b>
<b>FC-SB</b>	<b>7.60</b>
<b>FC-066</b>	<b>3.54</b>
<b>FC-164</b>	<b>0.68</b>

PANTONE 410 C	Formula
<b>FC-TW</b>	<b>79.69</b>
<b>FC-SB</b>	<b>12.47</b>
<b>FC-066</b>	<b>6.47</b>
<b>FC-164</b>	<b>1.37</b>

PANTONE 411 C	Formula
<b>FC-TW</b>	<b>67.59</b>
<b>FC-SB</b>	<b>18.93</b>
<b>FC-066</b>	<b>11.26</b>
<b>FC-164</b>	<b>2.22</b>

PANTONE 412 C	Formula
<b>FC-SB</b>	<b>39.15</b>
<b>FC-TW</b>	<b>33.21</b>
<b>FC-066</b>	<b>23.56</b>
<b>FC-164</b>	<b>4.08</b>

PANTONE 413 C	Formula
<b>FC-TW</b>	<b>97.07</b>
<b>FC-SB</b>	<b>2.02</b>
<b>FC-066</b>	<b>0.74</b>
<b>FC-325</b>	<b>0.17</b>

PANTONE 414 C	Formula
<b>FC-TW</b>	<b>94.56</b>
<b>FC-SB</b>	<b>3.69</b>
<b>FC-066</b>	<b>1.41</b>
<b>FC-325</b>	<b>0.34</b>

PANTONE 415 C	Formula
<b>FC-TW</b>	<b>91.01</b>
<b>FC-SB</b>	<b>5.72</b>
<b>FC-066</b>	<b>2.68</b>
<b>FC-325</b>	<b>0.59</b>

PANTONE 416 C	Formula
<b>FC-TW</b>	<b>87.50</b>
<b>FC-SB</b>	<b>8.13</b>
<b>FC-066</b>	<b>3.63</b>
<b>FC-325</b>	<b>0.74</b>

PANTONE 417 C	Formula
<b>FC-TW</b>	<b>80.01</b>
<b>FC-SB</b>	<b>12.75</b>
<b>FC-066</b>	<b>6.07</b>
<b>FC-325</b>	<b>1.17</b>

PANTONE 418 C	Formula
<b>FC-TW</b>	<b>70.96</b>
<b>FC-SB</b>	<b>18.45</b>
<b>FC-066</b>	<b>8.99</b>
<b>FC-325</b>	<b>1.60</b>

PANTONE 419 C	Formula
<b>FC-SB</b>	<b>47.28</b>
<b>FC-TW</b>	<b>27.40</b>
<b>FC-066</b>	<b>20.61</b>
<b>FC-325</b>	<b>4.71</b>

PANTONE 420 C	Formula
<b>FC-TW</b>	<b>98.26</b>
<b>FC-SB</b>	<b>1.57</b>
<b>FC-230</b>	<b>0.17</b>

PANTONE 421 C	Formula
<b>FC-TW</b>	<b>96.93</b>
<b>FC-SB</b>	<b>2.90</b>
<b>FC-230</b>	<b>0.17</b>

PANTONE 422 C	Formula
<b>FC-TW</b>	<b>95.37</b>
<b>FC-SB</b>	<b>4.46</b>
<b>FC-230</b>	<b>0.17</b>

# Fascure FC

PANTONE 423 C	Formula
<b>FC-TW</b>	<b>92.19</b>
<b>FC-SB</b>	<b>7.64</b>
<b>FC-230</b>	<b>0.17</b>

PANTONE 424 C	Formula
<b>FC-TW</b>	<b>84.55</b>
<b>FC-SB</b>	<b>12.24</b>
<b>FC-064</b>	<b>2.74</b>
<b>FC-230</b>	<b>0.47</b>

PANTONE 425 C	Formula
<b>FC-TW</b>	<b>70.27</b>
<b>FC-SB</b>	<b>20.88</b>
<b>FC-064</b>	<b>7.85</b>
<b>FC-230</b>	<b>1.00</b>

PANTONE 426 C	Formula
<b>FC-SB</b>	<b>56.13</b>
<b>FC-TW</b>	<b>33.00</b>
<b>FC-064</b>	<b>10.87</b>

PANTONE 427 C	Formula
<b>FC-TW</b>	<b>82.53</b>
<b>FC-MX</b>	<b>16.61</b>
<b>FC-SB</b>	<b>0.38</b>
<b>FC-164</b>	<b>0.25</b>
<b>FC-230</b>	<b>0.23</b>

PANTONE 428 C	Formula
<b>FC-TW</b>	<b>98.13</b>
<b>FC-SB</b>	<b>1.33</b>
<b>FC-230</b>	<b>0.34</b>
<b>FC-164</b>	<b>0.20</b>

PANTONE 429 C	Formula
<b>FC-TW</b>	<b>95.35</b>
<b>FC-SB</b>	<b>4.10</b>
<b>FC-230</b>	<b>0.45</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 430 C	Formula
<b>FC-TW</b>	<b>92.08</b>
<b>FC-SB</b>	<b>7.12</b>
<b>FC-230</b>	<b>0.70</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 431 C	Formula
<b>FC-TW</b>	<b>78.54</b>
<b>FC-SB</b>	<b>17.58</b>
<b>FC-064</b>	<b>2.11</b>
<b>FC-230</b>	<b>1.77</b>

PANTONE 432 C	Formula
<b>FC-TW</b>	<b>60.55</b>
<b>FC-SB</b>	<b>32.11</b>
<b>FC-064</b>	<b>4.61</b>
<b>FC-230</b>	<b>2.73</b>

PANTONE 433 C	Formula
<b>FC-SB</b>	<b>64.73</b>
<b>FC-TW</b>	<b>19.55</b>
<b>FC-230</b>	<b>11.27</b>
<b>FC-127</b>	<b>4.45</b>

PANTONE 434 C	Formula
<b>FC-TW</b>	<b>98.20</b>
<b>FC-121</b>	<b>0.80</b>
<b>FC-SB</b>	<b>0.60</b>
<b>FC-230</b>	<b>0.40</b>

PANTONE 435 C	Formula
<b>FC-TW</b>	<b>95.31</b>
<b>FC-121</b>	<b>2.75</b>
<b>FC-325</b>	<b>1.94</b>

PANTONE 436 C	Formula
<b>FC-TW</b>	<b>91.38</b>
<b>FC-121</b>	<b>4.44</b>
<b>FC-325</b>	<b>3.91</b>
<b>FC-127</b>	<b>0.27</b>

PANTONE 437 C	Formula
<b>FC-TW</b>	<b>78.84</b>
<b>FC-121</b>	<b>11.69</b>
<b>FC-325</b>	<b>8.87</b>
<b>FC-127</b>	<b>0.60</b>

PANTONE 438 C	Formula
<b>FC-TW</b>	<b>34.37</b>
<b>FC-121</b>	<b>34.20</b>
<b>FC-325</b>	<b>21.15</b>
<b>FC-SB</b>	<b>10.28</b>

# Fascure FC

PANTONE 439 C <b>FC-121</b> <b>32.42</b> <b>FC-TW</b> <b>28.77</b> <b>FC-325</b> <b>20.87</b> <b>FC-SB</b> <b>17.94</b>	Formula	PANTONE 440 C <b>FC-121</b> <b>33.68</b> <b>FC-325</b> <b>27.74</b> <b>FC-TW</b> <b>19.66</b> <b>FC-SB</b> <b>18.92</b>	Formula	PANTONE 441 C <b>FC-TW</b> <b>98.59</b> <b>FC-SB</b> <b>1.06</b> <b>FC-325</b> <b>0.35</b>	Formula	PANTONE 442 C <b>FC-TW</b> <b>87.74</b> <b>FC-MX</b> <b>9.18</b> <b>FC-SB</b> <b>2.46</b> <b>FC-325</b> <b>0.62</b>	Formula
PANTONE 443 C <b>FC-TW</b> <b>94.32</b> <b>FC-SB</b> <b>4.62</b> <b>FC-325</b> <b>1.06</b>	Formula	PANTONE 444 C <b>FC-TW</b> <b>90.88</b> <b>FC-SB</b> <b>7.25</b> <b>FC-325</b> <b>1.87</b>	Formula	PANTONE 445 C <b>FC-TW</b> <b>68.51</b> <b>FC-SB</b> <b>19.41</b> <b>FC-325</b> <b>6.54</b> <b>FC-114</b> <b>5.54</b>	Formula	PANTONE 446 C <b>FC-TW</b> <b>52.31</b> <b>FC-SB</b> <b>26.26</b> <b>FC-325</b> <b>10.79</b> <b>FC-114</b> <b>10.64</b>	Formula
PANTONE 447 C <b>FC-TW</b> <b>39.48</b> <b>FC-SB</b> <b>33.40</b> <b>FC-114</b> <b>14.09</b> <b>FC-325</b> <b>13.03</b>	Formula	PANTONE WARM GRAY 1 C <b>FC-TW</b> <b>98.56</b> <b>FC-SB</b> <b>0.79</b> <b>FC-064</b> <b>0.52</b> <b>FC-121</b> <b>0.13</b>	Formula	PANTONE WARM GRAY 2 C <b>FC-TW</b> <b>97.89</b> <b>FC-SB</b> <b>1.33</b> <b>FC-064</b> <b>0.58</b> <b>FC-121</b> <b>0.20</b>	Formula	PANTONE WARM GRAY 3 C <b>FC-TW</b> <b>96.10</b> <b>FC-SB</b> <b>2.43</b> <b>FC-064</b> <b>1.19</b> <b>FC-121</b> <b>0.28</b>	Formula
PANTONE WARM GRAY 4 C <b>FC-TW</b> <b>95.03</b> <b>FC-SB</b> <b>2.94</b> <b>FC-064</b> <b>1.66</b> <b>FC-121</b> <b>0.37</b>	Formula	PANTONE WARM GRAY 5 C <b>FC-TW</b> <b>92.87</b> <b>FC-SB</b> <b>3.84</b> <b>FC-064</b> <b>2.83</b> <b>FC-121</b> <b>0.46</b>	Formula	PANTONE WARM GRAY 6 C <b>FC-TW</b> <b>91.62</b> <b>FC-SB</b> <b>4.46</b> <b>FC-064</b> <b>3.39</b> <b>FC-121</b> <b>0.53</b>	Formula	PANTONE WARM GRAY 7 C <b>FC-TW</b> <b>89.69</b> <b>FC-SB</b> <b>5.54</b> <b>FC-064</b> <b>4.07</b> <b>FC-121</b> <b>0.70</b>	Formula

# Fascure FC

PANTONE WARM GRAY 8 C <b>FC-TW</b> <b>86.71</b> <b>FC-SB</b> <b>7.18</b> <b>FC-064</b> <b>5.27</b> <b>FC-121</b> <b>0.84</b>	Formula	PANTONE WARM GRAY 9 C <b>FC-TW</b> <b>83.75</b> <b>FC-SB</b> <b>8.83</b> <b>FC-064</b> <b>6.45</b> <b>FC-121</b> <b>0.97</b>	Formula	PANTONE WARM GRAY 10 C <b>FC-TW</b> <b>79.58</b> <b>FC-SB</b> <b>10.54</b> <b>FC-066</b> <b>8.74</b> <b>FC-164</b> <b>1.14</b>	Formula	PANTONE WARM GRAY 11 C <b>FC-TW</b> <b>67.02</b> <b>FC-SB</b> <b>16.91</b> <b>FC-066</b> <b>14.43</b> <b>FC-164</b> <b>1.64</b>	Formula
PANTONE COOL GRAY 1 C <b>FC-TW</b> <b>99.62</b> <b>FC-SB</b> <b>0.28</b> <b>FC-230</b> <b>0.10</b>	Formula	PANTONE COOL GRAY 2 C <b>FC-TW</b> <b>98.78</b> <b>FC-SB</b> <b>1.02</b> <b>FC-230</b> <b>0.10</b> <b>FC-127</b> <b>0.10</b>	Formula	PANTONE COOL GRAY 3 C <b>FC-TW</b> <b>98.16</b> <b>FC-SB</b> <b>1.64</b> <b>FC-230</b> <b>0.10</b> <b>FC-127</b> <b>0.10</b>	Formula	PANTONE COOL GRAY 4 C <b>FC-TW</b> <b>97.07</b> <b>FC-SB</b> <b>2.73</b> <b>FC-230</b> <b>0.10</b> <b>FC-127</b> <b>0.10</b>	Formula
PANTONE COOL GRAY 5 C <b>FC-TW</b> <b>96.49</b> <b>FC-SB</b> <b>3.31</b> <b>FC-230</b> <b>0.10</b> <b>FC-127</b> <b>0.10</b>	Formula	PANTONE COOL GRAY 6 C <b>FC-TW</b> <b>95.72</b> <b>FC-SB</b> <b>4.12</b> <b>FC-230</b> <b>0.16</b>	Formula	PANTONE COOL GRAY 7 C <b>FC-TW</b> <b>93.88</b> <b>FC-SB</b> <b>5.96</b> <b>FC-230</b> <b>0.16</b>	Formula	PANTONE COOL GRAY 8 C <b>FC-TW</b> <b>90.81</b> <b>FC-SB</b> <b>9.04</b> <b>FC-230</b> <b>0.15</b>	Formula
PANTONE COOL GRAY 9 C <b>FC-TW</b> <b>89.85</b> <b>FC-SB</b> <b>10.01</b> <b>FC-230</b> <b>0.14</b>	Formula	PANTONE COOL GRAY 10 C <b>FC-TW</b> <b>83.61</b> <b>FC-SB</b> <b>14.91</b> <b>FC-064</b> <b>1.48</b>	Formula	PANTONE COOL GRAY 11 C <b>FC-TW</b> <b>76.52</b> <b>FC-SB</b> <b>20.19</b> <b>FC-064</b> <b>3.29</b>	Formula	PANTONE 448 C <b>FC-064</b> <b>46.40</b> <b>FC-TW</b> <b>26.24</b> <b>FC-SB</b> <b>25.52</b> <b>FC-127</b> <b>1.84</b>	Formula

# Fascure FC

PANTONE 449 C	Formula
<b>FC-064</b>	<b>52.53</b>
<b>FC-TW</b>	<b>23.86</b>
<b>FC-SB</b>	<b>21.53</b>
<b>FC-127</b>	<b>2.08</b>

PANTONE 450 C	Formula
<b>FC-064</b>	<b>55.94</b>
<b>FC-TW</b>	<b>23.86</b>
<b>FC-SB</b>	<b>17.98</b>
<b>FC-127</b>	<b>2.22</b>

PANTONE 451 C	Formula
<b>FC-TW</b>	<b>83.58</b>
<b>FC-064</b>	<b>11.67</b>
<b>FC-SB</b>	<b>4.62</b>
<b>FC-127</b>	<b>0.13</b>

PANTONE 452 C	Formula
<b>FC-TW</b>	<b>83.33</b>
<b>FC-064</b>	<b>11.47</b>
<b>FC-SB</b>	<b>5.07</b>
<b>FC-127</b>	<b>0.13</b>

PANTONE 453 C	Formula
<b>FC-TW</b>	<b>94.77</b>
<b>FC-064</b>	<b>3.79</b>
<b>FC-SB</b>	<b>1.34</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 454 C	Formula
<b>FC-TW</b>	<b>97.33</b>
<b>FC-064</b>	<b>1.77</b>
<b>FC-SB</b>	<b>0.90</b>

PANTONE 4485 C	Formula
<b>FC-064</b>	<b>64.41</b>
<b>FC-SB</b>	<b>21.05</b>
<b>FC-TW</b>	<b>12.27</b>
<b>FC-164</b>	<b>2.27</b>

PANTONE 4495 C	Formula
<b>FC-064</b>	<b>48.99</b>
<b>FC-TW</b>	<b>40.91</b>
<b>FC-SB</b>	<b>9.12</b>
<b>FC-164</b>	<b>0.98</b>

PANTONE 4505 C	Formula
<b>FC-TW</b>	<b>62.01</b>
<b>FC-064</b>	<b>31.88</b>
<b>FC-SB</b>	<b>5.58</b>
<b>FC-164</b>	<b>0.53</b>

PANTONE 4515 C	Formula
<b>FC-TW</b>	<b>79.31</b>
<b>FC-064</b>	<b>17.24</b>
<b>FC-SB</b>	<b>3.19</b>
<b>FC-164</b>	<b>0.26</b>

PANTONE 4525 C	Formula
<b>FC-TW</b>	<b>89.27</b>
<b>FC-064</b>	<b>8.79</b>
<b>FC-SB</b>	<b>1.75</b>
<b>FC-164</b>	<b>0.19</b>

PANTONE 4535 C	Formula
<b>FC-TW</b>	<b>94.25</b>
<b>FC-064</b>	<b>4.76</b>
<b>FC-SB</b>	<b>0.88</b>
<b>FC-164</b>	<b>0.11</b>

PANTONE 4545 C	Formula
<b>FC-TW</b>	<b>97.35</b>
<b>FC-064</b>	<b>2.20</b>
<b>FC-SB</b>	<b>0.35</b>
<b>FC-164</b>	<b>0.10</b>

PANTONE 455 C	Formula
<b>FC-064</b>	<b>77.96</b>
<b>FC-SB</b>	<b>19.54</b>
<b>FC-TW</b>	<b>1.53</b>
<b>FC-121</b>	<b>0.97</b>

PANTONE 456 C	Formula
<b>FC-064</b>	<b>89.30</b>
<b>FC-SB</b>	<b>7.93</b>
<b>FC-TW</b>	<b>1.65</b>
<b>FC-121</b>	<b>1.12</b>

PANTONE 457 C	Formula
<b>FC-064</b>	<b>93.21</b>
<b>FC-SB</b>	<b>4.59</b>
<b>FC-121</b>	<b>1.16</b>
<b>FC-TW</b>	<b>1.04</b>

# Fascure FC

PANTONE 458 C	Formula
<b>FC-TW</b>	<b>66.41</b>
<b>FC-064</b>	<b>32.00</b>
<b>FC-164</b>	<b>0.83</b>
<b>FC-325</b>	<b>0.76</b>

PANTONE 459 C	Formula
<b>FC-TW</b>	<b>78.71</b>
<b>FC-064</b>	<b>20.33</b>
<b>FC-164</b>	<b>0.49</b>
<b>FC-325</b>	<b>0.47</b>

PANTONE 460 C	Formula
<b>FC-TW</b>	<b>86.36</b>
<b>FC-064</b>	<b>12.89</b>
<b>FC-325</b>	<b>0.43</b>
<b>FC-164</b>	<b>0.32</b>

PANTONE 461 C	Formula
<b>FC-TW</b>	<b>92.63</b>
<b>FC-064</b>	<b>7.16</b>
<b>FC-164</b>	<b>0.11</b>
<b>FC-230</b>	<b>0.10</b>

PANTONE 462 C	Formula
<b>FC-064</b>	<b>54.42</b>
<b>FC-TW</b>	<b>23.03</b>
<b>FC-SB</b>	<b>18.30</b>
<b>FC-164</b>	<b>4.25</b>

PANTONE 463 C	Formula
<b>FC-064</b>	<b>62.37</b>
<b>FC-TW</b>	<b>19.28</b>
<b>FC-SB</b>	<b>13.02</b>
<b>FC-164</b>	<b>5.33</b>

PANTONE 464 C	Formula
<b>FC-064</b>	<b>64.37</b>
<b>FC-TW</b>	<b>20.48</b>
<b>FC-SB</b>	<b>9.48</b>
<b>FC-164</b>	<b>5.67</b>

PANTONE 465 C	Formula
<b>FC-TW</b>	<b>78.68</b>
<b>FC-064</b>	<b>17.75</b>
<b>FC-SB</b>	<b>2.44</b>
<b>FC-164</b>	<b>1.13</b>

PANTONE 466 C	Formula
<b>FC-TW</b>	<b>87.46</b>
<b>FC-064</b>	<b>10.52</b>
<b>FC-SB</b>	<b>1.41</b>
<b>FC-164</b>	<b>0.61</b>

PANTONE 467 C	Formula
<b>FC-TW</b>	<b>92.00</b>
<b>FC-064</b>	<b>6.46</b>
<b>FC-SB</b>	<b>1.03</b>
<b>FC-164</b>	<b>0.51</b>

PANTONE 468 C	Formula
<b>FC-TW</b>	<b>95.27</b>
<b>FC-064</b>	<b>3.88</b>
<b>FC-SB</b>	<b>0.56</b>
<b>FC-164</b>	<b>0.29</b>

PANTONE 4625 C	Formula
<b>FC-SB</b>	<b>32.60</b>
<b>FC-064</b>	<b>27.33</b>
<b>FC-121</b>	<b>26.25</b>
<b>FC-TW</b>	<b>13.82</b>

PANTONE 4635 C	Formula
<b>FC-064</b>	<b>44.09</b>
<b>FC-TW</b>	<b>31.64</b>
<b>FC-121</b>	<b>12.71</b>
<b>FC-SB</b>	<b>11.56</b>

PANTONE 4645 C	Formula
<b>FC-TW</b>	<b>66.37</b>
<b>FC-064</b>	<b>21.37</b>
<b>FC-121</b>	<b>6.31</b>
<b>FC-SB</b>	<b>5.95</b>

PANTONE 4655 C	Formula
<b>FC-TW</b>	<b>82.77</b>
<b>FC-064</b>	<b>10.45</b>
<b>FC-121</b>	<b>3.53</b>
<b>FC-SB</b>	<b>3.25</b>

PANTONE 4665 C	Formula
<b>FC-TW</b>	<b>91.18</b>
<b>FC-064</b>	<b>5.31</b>
<b>FC-121</b>	<b>1.89</b>
<b>FC-SB</b>	<b>1.62</b>

# Fascure FC

PANTONE 4675 C	Formula
<b>FC-TW</b>	<b>95.25</b>
<b>FC-064</b>	<b>2.82</b>
<b>FC-121</b>	<b>1.11</b>
<b>FC-SB</b>	<b>0.82</b>

PANTONE 4685 C	Formula
<b>FC-TW</b>	<b>96.34</b>
<b>FC-064</b>	<b>2.97</b>
<b>FC-164</b>	<b>0.46</b>
<b>FC-SB</b>	<b>0.23</b>

PANTONE 469 C	Formula
<b>FC-066</b>	<b>36.52</b>
<b>FC-TW</b>	<b>30.45</b>
<b>FC-SB</b>	<b>17.14</b>
<b>FC-121</b>	<b>15.89</b>

PANTONE 470 C	Formula
<b>FC-TW</b>	<b>40.15</b>
<b>FC-066</b>	<b>37.22</b>
<b>FC-121</b>	<b>15.35</b>
<b>FC-SB</b>	<b>7.28</b>

PANTONE 471 C	Formula
<b>FC-TW</b>	<b>41.23</b>
<b>FC-066</b>	<b>38.96</b>
<b>FC-121</b>	<b>15.93</b>
<b>FC-SB</b>	<b>3.88</b>

PANTONE 472 C	Formula
<b>FC-TW</b>	<b>89.17</b>
<b>FC-066</b>	<b>6.78</b>
<b>FC-121</b>	<b>3.31</b>
<b>FC-SB</b>	<b>0.74</b>

PANTONE 473 C	Formula
<b>FC-TW</b>	<b>90.99</b>
<b>FC-064</b>	<b>6.44</b>
<b>FC-121</b>	<b>2.20</b>
<b>FC-SB</b>	<b>0.37</b>

PANTONE 474 C	Formula
<b>FC-TW</b>	<b>95.82</b>
<b>FC-064</b>	<b>2.26</b>
<b>FC-114</b>	<b>1.08</b>
<b>FC-121</b>	<b>0.84</b>

PANTONE 475 C	Formula
<b>FC-TW</b>	<b>96.88</b>
<b>FC-064</b>	<b>1.58</b>
<b>FC-114</b>	<b>1.09</b>
<b>FC-121</b>	<b>0.45</b>

PANTONE 4695 C	Formula
<b>FC-066</b>	<b>55.48</b>
<b>FC-164</b>	<b>22.37</b>
<b>FC-230</b>	<b>13.05</b>
<b>FC-TW</b>	<b>9.10</b>

PANTONE 4705 C	Formula
<b>FC-064</b>	<b>47.98</b>
<b>FC-TW</b>	<b>24.82</b>
<b>FC-SB</b>	<b>16.60</b>
<b>FC-164</b>	<b>10.60</b>

PANTONE 4715 C	Formula
<b>FC-TW</b>	<b>60.10</b>
<b>FC-064</b>	<b>25.49</b>
<b>FC-SB</b>	<b>9.07</b>
<b>FC-164</b>	<b>5.34</b>

PANTONE 4725 C	Formula
<b>FC-TW</b>	<b>80.88</b>
<b>FC-064</b>	<b>11.46</b>
<b>FC-SB</b>	<b>5.10</b>
<b>FC-164</b>	<b>2.56</b>

PANTONE 4735 C	Formula
<b>FC-TW</b>	<b>89.62</b>
<b>FC-064</b>	<b>6.35</b>
<b>FC-SB</b>	<b>2.67</b>
<b>FC-164</b>	<b>1.36</b>

PANTONE 4745 C	Formula
<b>FC-TW</b>	<b>93.56</b>
<b>FC-064</b>	<b>3.98</b>
<b>FC-SB</b>	<b>1.56</b>
<b>FC-164</b>	<b>0.90</b>

PANTONE 4755 C	Formula
<b>FC-TW</b>	<b>97.19</b>
<b>FC-064</b>	<b>1.68</b>
<b>FC-SB</b>	<b>0.64</b>
<b>FC-164</b>	<b>0.49</b>

# Fascure FC

PANTONE 476 C	Formula
<b>FC-064</b>	<b>41.67</b>
<b>FC-SB</b>	<b>32.26</b>
<b>FC-TW</b>	<b>16.12</b>
<b>FC-164</b>	<b>9.95</b>

PANTONE 477 C	Formula
<b>FC-064</b>	<b>51.36</b>
<b>FC-SB</b>	<b>24.69</b>
<b>FC-164</b>	<b>14.45</b>
<b>FC-TW</b>	<b>9.50</b>

PANTONE 478 C	Formula
<b>FC-064</b>	<b>52.94</b>
<b>FC-SB</b>	<b>19.38</b>
<b>FC-164</b>	<b>16.70</b>
<b>FC-TW</b>	<b>10.98</b>

PANTONE 479 C	Formula
<b>FC-TW</b>	<b>73.82</b>
<b>FC-064</b>	<b>16.92</b>
<b>FC-SB</b>	<b>5.74</b>
<b>FC-164</b>	<b>3.52</b>

PANTONE 480 C	Formula
<b>FC-TW</b>	<b>90.15</b>
<b>FC-064</b>	<b>5.73</b>
<b>FC-SB</b>	<b>2.69</b>
<b>FC-164</b>	<b>1.43</b>

PANTONE 481 C	Formula
<b>FC-TW</b>	<b>96.39</b>
<b>FC-064</b>	<b>2.02</b>
<b>FC-SB</b>	<b>1.03</b>
<b>FC-164</b>	<b>0.56</b>

PANTONE 482 C	Formula
<b>FC-TW</b>	<b>97.54</b>
<b>FC-064</b>	<b>1.43</b>
<b>FC-SB</b>	<b>0.64</b>
<b>FC-164</b>	<b>0.39</b>

PANTONE 483 C	Formula
<b>FC-064</b>	<b>58.28</b>
<b>FC-SB</b>	<b>16.74</b>
<b>FC-164</b>	<b>16.18</b>
<b>FC-TW</b>	<b>8.80</b>

PANTONE 484 C	Formula
<b>FC-064</b>	<b>66.08</b>
<b>FC-164</b>	<b>21.78</b>
<b>FC-SB</b>	<b>6.48</b>
<b>FC-TW</b>	<b>5.66</b>

PANTONE 485 C	Formula
<b>FC-064</b>	<b>64.30</b>
<b>FC-164</b>	<b>16.18</b>
<b>FC-SB</b>	<b>1.67</b>
<b>FC-121</b>	<b>17.85</b>

PANTONE 486 C	Formula
<b>FC-TW</b>	<b>79.63</b>
<b>FC-064</b>	<b>16.22</b>
<b>FC-164</b>	<b>3.97</b>
<b>FC-SB</b>	<b>0.18</b>

PANTONE 487 C	Formula
<b>FC-TW</b>	<b>90.13</b>
<b>FC-064</b>	<b>7.76</b>
<b>FC-164</b>	<b>2.01</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 488 C	Formula
<b>FC-TW</b>	<b>95.53</b>
<b>FC-121</b>	<b>2.09</b>
<b>FC-064</b>	<b>1.86</b>
<b>FC-SB</b>	<b>0.52</b>

PANTONE 489 C	Formula
<b>FC-TW</b>	<b>97.09</b>
<b>FC-121</b>	<b>1.30</b>
<b>FC-064</b>	<b>1.30</b>
<b>FC-SB</b>	<b>0.31</b>

PANTONE 490 C	Formula
<b>FC-SB</b>	<b>35.02</b>
<b>FC-121</b>	<b>33.33</b>
<b>FC-TW</b>	<b>24.15</b>
<b>FC-114</b>	<b>7.50</b>

PANTONE 491 C	Formula
<b>FC-064</b>	<b>50.42</b>
<b>FC-164</b>	<b>22.16</b>
<b>FC-SB</b>	<b>18.20</b>
<b>FC-TW</b>	<b>9.22</b>

# Fascure FC

PANTONE 492 C	Formula
<b>FC-TW</b>	<b>33.44</b>
<b>FC-165</b>	<b>33.26</b>
<b>FC-114</b>	<b>28.44</b>
<b>FC-325</b>	<b>4.86</b>

PANTONE 493 C	Formula
<b>FC-TW</b>	<b>83.50</b>
<b>FC-121</b>	<b>9.24</b>
<b>FC-165</b>	<b>6.03</b>
<b>FC-325</b>	<b>1.23</b>

PANTONE 494 C	Formula
<b>FC-TW</b>	<b>84.20</b>
<b>FC-MX</b>	<b>11.11</b>
<b>FC-121</b>	<b>3.03</b>
<b>FC-165</b>	<b>1.46</b>
<b>FC-127</b>	<b>0.20</b>

PANTONE 495 C	Formula
<b>FC-TW</b>	<b>84.93</b>
<b>FC-MX</b>	<b>11.21</b>
<b>FC-121</b>	<b>2.25</b>
<b>FC-165</b>	<b>1.47</b>
<b>FC-127</b>	<b>0.14</b>

PANTONE 496 C	Formula
<b>FC-TW</b>	<b>97.40</b>
<b>FC-121</b>	<b>1.32</b>
<b>FC-165</b>	<b>1.18</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 497 C	Formula
<b>FC-121</b>	<b>50.40</b>
<b>FC-066</b>	<b>19.22</b>
<b>FC-230</b>	<b>18.28</b>
<b>FC-TW</b>	<b>12.10</b>

PANTONE 498 C	Formula
<b>FC-121</b>	<b>51.85</b>
<b>FC-TW</b>	<b>27.83</b>
<b>FC-325</b>	<b>16.54</b>
<b>FC-114</b>	<b>3.78</b>

PANTONE 499 C	Formula
<b>FC-121</b>	<b>53.12</b>
<b>FC-TW</b>	<b>28.27</b>
<b>FC-325</b>	<b>13.54</b>
<b>FC-114</b>	<b>5.07</b>

PANTONE 500 C	Formula
<b>FC-TW</b>	<b>87.54</b>
<b>FC-121</b>	<b>10.48</b>
<b>FC-325</b>	<b>1.52</b>
<b>FC-127</b>	<b>0.46</b>

PANTONE 501 C	Formula
<b>FC-TW</b>	<b>77.87</b>
<b>FC-MX</b>	<b>18.35</b>
<b>FC-165</b>	<b>2.08</b>
<b>FC-114</b>	<b>1.32</b>
<b>FC-325</b>	<b>0.38</b>

PANTONE 502 C	Formula
<b>FC-TW</b>	<b>79.64</b>
<b>FC-MX</b>	<b>18.28</b>
<b>FC-165</b>	<b>1.70</b>
<b>FC-114</b>	<b>0.23</b>
<b>FC-325</b>	<b>0.15</b>

PANTONE 503 C	Formula
<b>FC-TW</b>	<b>80.35</b>
<b>FC-MX</b>	<b>18.21</b>
<b>FC-165</b>	<b>1.15</b>
<b>FC-114</b>	<b>0.19</b>
<b>FC-325</b>	<b>0.10</b>

PANTONE 4975 C	Formula
<b>FC-SB</b>	<b>34.07</b>
<b>FC-121</b>	<b>32.80</b>
<b>FC-TW</b>	<b>23.08</b>
<b>FC-066</b>	<b>10.05</b>

PANTONE 4985 C	Formula
<b>FC-TW</b>	<b>54.29</b>
<b>FC-064</b>	<b>25.33</b>
<b>FC-164</b>	<b>10.57</b>
<b>FC-SB</b>	<b>9.81</b>

PANTONE 4995 C	Formula
<b>FC-TW</b>	<b>75.82</b>
<b>FC-064</b>	<b>13.05</b>
<b>FC-164</b>	<b>5.78</b>
<b>FC-SB</b>	<b>5.35</b>

PANTONE 5005 C	Formula
<b>FC-TW</b>	<b>87.27</b>
<b>FC-064</b>	<b>6.52</b>
<b>FC-164</b>	<b>3.35</b>
<b>FC-SB</b>	<b>2.86</b>

# Fascure FC

PANTONE 5015 C	Formula
<b>FC-TW</b>	<b>93.57</b>
<b>FC-064</b>	<b>3.52</b>
<b>FC-164</b>	<b>1.66</b>
<b>FC-SB</b>	<b>1.25</b>

PANTONE 5025 C	Formula
<b>FC-TW</b>	<b>95.63</b>
<b>FC-121</b>	<b>2.65</b>
<b>FC-SB</b>	<b>1.72</b>

PANTONE 5035 C	Formula
<b>FC-TW</b>	<b>98.22</b>
<b>FC-121</b>	<b>1.17</b>
<b>FC-SB</b>	<b>0.61</b>

PANTONE 504 C	Formula
<b>FC-SB</b>	<b>39.23</b>
<b>FC-165</b>	<b>26.62</b>
<b>FC-114</b>	<b>20.95</b>
<b>FC-TW</b>	<b>13.20</b>

PANTONE 505 C	Formula
<b>FC-165</b>	<b>38.43</b>
<b>FC-SB</b>	<b>25.22</b>
<b>FC-114</b>	<b>22.03</b>
<b>FC-TW</b>	<b>14.32</b>

PANTONE 506 C	Formula
<b>FC-165</b>	<b>42.32</b>
<b>FC-114</b>	<b>22.33</b>
<b>FC-SB</b>	<b>19.39</b>
<b>FC-TW</b>	<b>15.96</b>

PANTONE 507 C	Formula
<b>FC-TW</b>	<b>86.52</b>
<b>FC-114</b>	<b>6.42</b>
<b>FC-165</b>	<b>5.28</b>
<b>FC-127</b>	<b>1.78</b>

PANTONE 508 C	Formula
<b>FC-TW</b>	<b>91.03</b>
<b>FC-114</b>	<b>4.23</b>
<b>FC-165</b>	<b>3.86</b>
<b>FC-127</b>	<b>0.88</b>

PANTONE 509 C	Formula
<b>FC-TW</b>	<b>95.14</b>
<b>FC-165</b>	<b>3.74</b>
<b>FC-114</b>	<b>1.12</b>

PANTONE 510 C	Formula
<b>FC-TW</b>	<b>96.52</b>
<b>FC-165</b>	<b>2.68</b>
<b>FC-114</b>	<b>0.80</b>

PANTONE 511 C	Formula
<b>FC-165</b>	<b>40.91</b>
<b>FC-TW</b>	<b>27.54</b>
<b>FC-121</b>	<b>17.54</b>
<b>FC-325</b>	<b>14.01</b>

PANTONE 512 C	Formula
<b>FC-165</b>	<b>52.02</b>
<b>FC-TW</b>	<b>37.50</b>
<b>FC-325</b>	<b>5.69</b>
<b>FC-121</b>	<b>4.79</b>

PANTONE 513 C	Formula
<b>FC-TW</b>	<b>49.59</b>
<b>FC-165</b>	<b>45.33</b>
<b>FC-121</b>	<b>2.55</b>
<b>FC-230</b>	<b>2.53</b>

PANTONE 514 C	Formula
<b>FC-TW</b>	<b>86.23</b>
<b>FC-165</b>	<b>12.84</b>
<b>FC-325</b>	<b>0.73</b>
<b>FC-127</b>	<b>0.20</b>

PANTONE 515 C	Formula
<b>FC-TW</b>	<b>77.36</b>
<b>FC-MX</b>	<b>17.15</b>
<b>FC-165</b>	<b>5.35</b>
<b>FC-230</b>	<b>0.14</b>

PANTONE 516 C	Formula
<b>FC-TW</b>	<b>77.37</b>
<b>FC-MX</b>	<b>19.08</b>
<b>FC-165</b>	<b>3.39</b>
<b>FC-230</b>	<b>0.16</b>

# Fascure FC

PANTONE 517 C	Formula
<b>FC-TW</b>	<b>87.51</b>
<b>FC-MX</b>	<b>10.50</b>
<b>FC-165</b>	<b>1.89</b>
<b>FC-230</b>	<b>0.10</b>

PANTONE 5115 C	Formula
<b>FC-SB</b>	<b>39.11</b>
<b>FC-TW</b>	<b>38.62</b>
<b>FC-064</b>	<b>21.69</b>
<b>FC-164</b>	<b>0.58</b>

PANTONE 5125 C	Formula
<b>FC-TW</b>	<b>70.26</b>
<b>FC-SB</b>	<b>15.95</b>
<b>FC-164</b>	<b>11.64</b>
<b>FC-127</b>	<b>2.15</b>

PANTONE 5135 C	Formula
<b>FC-TW</b>	<b>82.87</b>
<b>FC-SB</b>	<b>9.61</b>
<b>FC-164</b>	<b>6.09</b>
<b>FC-127</b>	<b>1.43</b>

PANTONE 5145 C	Formula
<b>FC-TW</b>	<b>90.87</b>
<b>FC-SB</b>	<b>5.56</b>
<b>FC-164</b>	<b>2.68</b>
<b>FC-127</b>	<b>0.89</b>

PANTONE 5155 C	Formula
<b>FC-TW</b>	<b>95.91</b>
<b>FC-SB</b>	<b>2.56</b>
<b>FC-164</b>	<b>0.99</b>
<b>FC-127</b>	<b>0.54</b>

PANTONE 5165 C	Formula
<b>FC-TW</b>	<b>98.67</b>
<b>FC-SB</b>	<b>0.59</b>
<b>FC-127</b>	<b>0.42</b>
<b>FC-164</b>	<b>0.32</b>

PANTONE 5175 C	Formula
<b>FC-TW</b>	<b>99.40</b>
<b>FC-127</b>	<b>0.30</b>
<b>FC-164</b>	<b>0.20</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 518 C	Formula
<b>FC-TW</b>	<b>62.01</b>
<b>FC-SB</b>	<b>23.39</b>
<b>FC-164</b>	<b>14.48</b>
<b>FC-066</b>	<b>0.12</b>

PANTONE 519 C	Formula
<b>FC-TW</b>	<b>55.03</b>
<b>FC-164</b>	<b>30.58</b>
<b>FC-325</b>	<b>13.52</b>
<b>FC-SB</b>	<b>0.87</b>

PANTONE 520 C	Formula
<b>FC-TW</b>	<b>46.40</b>
<b>FC-165</b>	<b>28.89</b>
<b>FC-164</b>	<b>13.56</b>
<b>FC-325</b>	<b>11.15</b>

PANTONE 521 C	Formula
<b>FC-TW</b>	<b>92.08</b>
<b>FC-164</b>	<b>3.23</b>
<b>FC-165</b>	<b>3.18</b>
<b>FC-230</b>	<b>1.51</b>

PANTONE 522 C	Formula
<b>FC-TW</b>	<b>94.06</b>
<b>FC-165</b>	<b>3.42</b>
<b>FC-164</b>	<b>1.42</b>
<b>FC-230</b>	<b>1.10</b>

PANTONE 523 C	Formula
<b>FC-TW</b>	<b>98.53</b>
<b>FC-127</b>	<b>0.94</b>
<b>FC-165</b>	<b>0.53</b>

PANTONE 524 C	Formula
<b>FC-TW</b>	<b>99.14</b>
<b>FC-127</b>	<b>0.55</b>
<b>FC-165</b>	<b>0.31</b>

PANTONE 5185 C	Formula
<b>FC-TW</b>	<b>44.61</b>
<b>FC-SB</b>	<b>34.19</b>
<b>FC-121</b>	<b>15.18</b>
<b>FC-127</b>	<b>6.02</b>

# Fascure FC

PANTONE 5195 C	Formula
<b>FC-TW</b>	<b>48.63</b>
<b>FC-SB</b>	<b>25.50</b>
<b>FC-121</b>	<b>16.83</b>
<b>FC-127</b>	<b>9.04</b>

PANTONE 5205 C	Formula
<b>FC-TW</b>	<b>81.19</b>
<b>FC-SB</b>	<b>10.23</b>
<b>FC-121</b>	<b>5.86</b>
<b>FC-127</b>	<b>2.72</b>

PANTONE 5215 C	Formula
<b>FC-TW</b>	<b>91.66</b>
<b>FC-SB</b>	<b>4.71</b>
<b>FC-121</b>	<b>2.47</b>
<b>FC-127</b>	<b>1.16</b>

PANTONE 5225 C	Formula
<b>FC-TW</b>	<b>95.35</b>
<b>FC-SB</b>	<b>2.60</b>
<b>FC-121</b>	<b>1.36</b>
<b>FC-127</b>	<b>0.69</b>

PANTONE 5235 C	Formula
<b>FC-TW</b>	<b>98.08</b>
<b>FC-SB</b>	<b>0.98</b>
<b>FC-121</b>	<b>0.52</b>
<b>FC-127</b>	<b>0.42</b>

PANTONE 5245 C	Formula
<b>FC-TW</b>	<b>99.14</b>
<b>FC-121</b>	<b>0.30</b>
<b>FC-SB</b>	<b>0.29</b>
<b>FC-127</b>	<b>0.27</b>

PANTONE 525 C	Formula
<b>FC-TW</b>	<b>56.67</b>
<b>FC-SB</b>	<b>19.65</b>
<b>FC-127</b>	<b>14.24</b>
<b>FC-164</b>	<b>9.44</b>

PANTONE 526 C	Formula
<b>FC-TW</b>	<b>64.76</b>
<b>FC-127</b>	<b>23.59</b>
<b>FC-164</b>	<b>8.19</b>
<b>FC-SB</b>	<b>3.46</b>

PANTONE 527 C	Formula
<b>FC-TW</b>	<b>44.07</b>
<b>FC-MX</b>	<b>28.78</b>
<b>FC-127</b>	<b>21.97</b>
<b>FC-164</b>	<b>5.18</b>

PANTONE 528 C	Formula
<b>FC-TW</b>	<b>67.76</b>
<b>FC-MX</b>	<b>24.87</b>
<b>FC-127</b>	<b>7.00</b>
<b>FC-SB</b>	<b>0.37</b>

PANTONE 529 C	Formula
<b>FC-TW</b>	<b>70.61</b>
<b>FC-MX</b>	<b>25.91</b>
<b>FC-127</b>	<b>3.38</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 530 C	Formula
<b>FC-TW</b>	<b>74.46</b>
<b>FC-MX</b>	<b>23.47</b>
<b>FC-127</b>	<b>1.97</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 531 C	Formula
<b>FC-TW</b>	<b>98.55</b>
<b>FC-127</b>	<b>1.35</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 5255 C	Formula
<b>FC-TW</b>	<b>53.34</b>
<b>FC-SB</b>	<b>18.10</b>
<b>FC-164</b>	<b>17.14</b>
<b>FC-230</b>	<b>11.42</b>

PANTONE 5265 C	Formula
<b>FC-TW</b>	<b>60.17</b>
<b>FC-066</b>	<b>16.43</b>
<b>FC-127</b>	<b>15.75</b>
<b>FC-230</b>	<b>7.65</b>

PANTONE 5275 C	Formula
<b>FC-TW</b>	<b>74.47</b>
<b>FC-066</b>	<b>11.47</b>
<b>FC-127</b>	<b>8.67</b>
<b>FC-230</b>	<b>5.39</b>

# Fascure FC

PANTONE 5285 C	Formula
<b>FC-TW</b>	<b>87.96</b>
<b>FC-066</b>	<b>5.74</b>
<b>FC-127</b>	<b>3.83</b>
<b>FC-230</b>	<b>2.47</b>

PANTONE 5295 C	Formula
<b>FC-TW</b>	<b>96.14</b>
<b>FC-SB</b>	<b>2.49</b>
<b>FC-127</b>	<b>0.92</b>
<b>FC-230</b>	<b>0.45</b>

PANTONE 5305 C	Formula
<b>FC-TW</b>	<b>75.09</b>
<b>FC-MX</b>	<b>21.75</b>
<b>FC-114</b>	<b>1.46</b>
<b>FC-230</b>	<b>1.08</b>
<b>FC-127</b>	<b>0.62</b>

PANTONE 5315 C	Formula
<b>FC-TW</b>	<b>99.02</b>
<b>FC-127</b>	<b>0.39</b>
<b>FC-230</b>	<b>0.30</b>
<b>FC-114</b>	<b>0.29</b>

PANTONE 532 C	Formula
<b>FC-TW</b>	<b>53.23</b>
<b>FC-SB</b>	<b>26.35</b>
<b>FC-325</b>	<b>10.64</b>
<b>FC-164</b>	<b>9.78</b>

PANTONE 533 C	Formula
<b>FC-TW</b>	<b>47.87</b>
<b>FC-325</b>	<b>27.64</b>
<b>FC-164</b>	<b>21.24</b>
<b>FC-066</b>	<b>3.25</b>

PANTONE 534 C	Formula
<b>FC-TW</b>	<b>52.64</b>
<b>FC-325</b>	<b>27.23</b>
<b>FC-164</b>	<b>15.91</b>
<b>FC-127</b>	<b>4.22</b>

PANTONE 535 C	Formula
<b>FC-TW</b>	<b>93.78</b>
<b>FC-325</b>	<b>3.29</b>
<b>FC-164</b>	<b>2.19</b>
<b>FC-127</b>	<b>0.74</b>

PANTONE 536 C	Formula
<b>FC-TW</b>	<b>95.15</b>
<b>FC-165</b>	<b>2.37</b>
<b>FC-230</b>	<b>1.43</b>
<b>FC-SB</b>	<b>1.05</b>

PANTONE 537 C	Formula
<b>FC-TW</b>	<b>98.50</b>
<b>FC-230</b>	<b>0.62</b>
<b>FC-SB</b>	<b>0.48</b>
<b>FC-127</b>	<b>0.40</b>

PANTONE 538 C	Formula
<b>FC-TW</b>	<b>99.25</b>
<b>FC-127</b>	<b>0.42</b>
<b>FC-230</b>	<b>0.33</b>

PANTONE 539 C	Formula
<b>FC-230</b>	<b>32.84</b>
<b>FC-SB</b>	<b>33.75</b>
<b>FC-TW</b>	<b>24.05</b>
<b>FC-127</b>	<b>9.36</b>

PANTONE 540 C	Formula
<b>FC-230</b>	<b>48.09</b>
<b>FC-SB</b>	<b>21.12</b>
<b>FC-TW</b>	<b>20.79</b>
<b>FC-127</b>	<b>10.00</b>

PANTONE 541 C	Formula
<b>FC-230</b>	<b>57.35</b>
<b>FC-TW</b>	<b>28.07</b>
<b>FC-127</b>	<b>8.33</b>
<b>FC-SB</b>	<b>6.25</b>

PANTONE 542 C	Formula
<b>FC-TW</b>	<b>90.80</b>
<b>FC-230</b>	<b>5.16</b>
<b>FC-064</b>	<b>2.14</b>
<b>FC-127</b>	<b>1.90</b>

PANTONE 543 C	Formula
<b>FC-TW</b>	<b>96.16</b>
<b>FC-230</b>	<b>2.25</b>
<b>FC-127</b>	<b>0.87</b>
<b>FC-064</b>	<b>0.72</b>

# Fascure FC

PANTONE 544 C	Formula
<b>FC-TW</b>	<b>98.59</b>
<b>FC-230</b>	<b>0.86</b>
<b>FC-127</b>	<b>0.43</b>
<b>FC-064</b>	<b>0.12</b>

PANTONE 545 C	Formula
<b>FC-TW</b>	<b>98.56</b>
<b>FC-230</b>	<b>0.88</b>
<b>FC-127</b>	<b>0.44</b>
<b>FC-064</b>	<b>0.12</b>

PANTONE 5395 C	Formula
<b>FC-SB</b>	<b>45.67</b>
<b>FC-TW</b>	<b>24.60</b>
<b>FC-230</b>	<b>24.40</b>
<b>FC-127</b>	<b>5.33</b>

PANTONE 5405 C	Formula
<b>FC-TW</b>	<b>67.76</b>
<b>FC-SB</b>	<b>17.25</b>
<b>FC-230</b>	<b>11.96</b>
<b>FC-127</b>	<b>3.03</b>

PANTONE 5415 C	Formula
<b>FC-TW</b>	<b>79.89</b>
<b>FC-SB</b>	<b>11.14</b>
<b>FC-230</b>	<b>7.42</b>
<b>FC-127</b>	<b>1.55</b>

PANTONE 5425 C	Formula
<b>FC-TW</b>	<b>90.01</b>
<b>FC-SB</b>	<b>5.70</b>
<b>FC-230</b>	<b>3.53</b>
<b>FC-127</b>	<b>0.76</b>

PANTONE 5435 C	Formula
<b>FC-TW</b>	<b>95.02</b>
<b>FC-SB</b>	<b>2.74</b>
<b>FC-230</b>	<b>1.77</b>
<b>FC-127</b>	<b>0.47</b>

PANTONE 5445 C	Formula
<b>FC-TW</b>	<b>97.67</b>
<b>FC-230</b>	<b>1.01</b>
<b>FC-SB</b>	<b>1.00</b>
<b>FC-127</b>	<b>0.32</b>

PANTONE 5455 C	Formula
<b>FC-TW</b>	<b>99.04</b>
<b>FC-SB</b>	<b>0.48</b>
<b>FC-230</b>	<b>0.35</b>
<b>FC-127</b>	<b>0.13</b>

PANTONE 546 C	Formula
<b>FC-SB</b>	<b>35.27</b>
<b>FC-230</b>	<b>31.68</b>
<b>FC-TW</b>	<b>24.97</b>
<b>FC-325</b>	<b>8.08</b>

PANTONE 547 C	Formula
<b>FC-230</b>	<b>49.83</b>
<b>FC-SB</b>	<b>25.66</b>
<b>FC-TW</b>	<b>22.65</b>
<b>FC-325</b>	<b>1.86</b>

PANTONE 548 C	Formula
<b>FC-230</b>	<b>48.12</b>
<b>FC-TW</b>	<b>30.49</b>
<b>FC-SB</b>	<b>20.93</b>
<b>FC-325</b>	<b>0.46</b>

PANTONE 549 C	Formula
<b>FC-TW</b>	<b>70.25</b>
<b>FC-MX</b>	<b>11.99</b>
<b>FC-064</b>	<b>8.26</b>
<b>FC-230</b>	<b>7.46</b>
<b>FC-127</b>	<b>2.04</b>

PANTONE 550 C	Formula
<b>FC-TW</b>	<b>76.19</b>
<b>FC-MX</b>	<b>14.45</b>
<b>FC-064</b>	<b>4.63</b>
<b>FC-230</b>	<b>3.58</b>
<b>FC-127</b>	<b>1.15</b>

PANTONE 551 C	Formula
<b>FC-TW</b>	<b>78.75</b>
<b>FC-MX</b>	<b>14.94</b>
<b>FC-064</b>	<b>3.17</b>
<b>FC-230</b>	<b>2.29</b>
<b>FC-127</b>	<b>0.85</b>

PANTONE 552 C	Formula
<b>FC-TW</b>	<b>82.28</b>
<b>FC-MX</b>	<b>15.61</b>
<b>FC-064</b>	<b>0.91</b>
<b>FC-230</b>	<b>0.88</b>
<b>FC-127</b>	<b>0.32</b>

# Fascure FC

PANTONE 5463 C	Formula
<b>FC-SB</b>	<b>39.80</b>
<b>FC-230</b>	<b>31.54</b>
<b>FC-TW</b>	<b>14.93</b>
<b>FC-325</b>	<b>13.73</b>

PANTONE 5473 C	Formula
<b>FC-TW</b>	<b>60.63</b>
<b>FC-230</b>	<b>19.55</b>
<b>FC-SB</b>	<b>13.41</b>
<b>FC-066</b>	<b>6.41</b>

PANTONE 5483 C	Formula
<b>FC-TW</b>	<b>82.64</b>
<b>FC-230</b>	<b>7.83</b>
<b>FC-SB</b>	<b>7.05</b>
<b>FC-066</b>	<b>2.48</b>

PANTONE 5493 C	Formula
<b>FC-TW</b>	<b>92.52</b>
<b>FC-SB</b>	<b>3.60</b>
<b>FC-230</b>	<b>3.05</b>
<b>FC-066</b>	<b>0.83</b>

PANTONE 5503 C	Formula
<b>FC-TW</b>	<b>95.79</b>
<b>FC-SB</b>	<b>1.95</b>
<b>FC-230</b>	<b>1.89</b>
<b>FC-066</b>	<b>0.37</b>

PANTONE 5513 C	Formula
<b>FC-TW</b>	<b>98.63</b>
<b>FC-230</b>	<b>0.77</b>
<b>FC-SB</b>	<b>0.50</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 5523 C	Formula
<b>FC-TW</b>	<b>99.16</b>
<b>FC-230</b>	<b>0.56</b>
<b>FC-SB</b>	<b>0.18</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 5467 C	Formula
<b>FC-SB</b>	<b>32.25</b>
<b>FC-064</b>	<b>26.64</b>
<b>FC-TW</b>	<b>23.81</b>
<b>FC-230</b>	<b>17.30</b>

PANTONE 5477 C	Formula
<b>FC-064</b>	<b>46.48</b>
<b>FC-TW</b>	<b>34.63</b>
<b>FC-230</b>	<b>11.80</b>
<b>FC-127</b>	<b>7.09</b>

PANTONE 5487 C	Formula
<b>FC-TW</b>	<b>63.85</b>
<b>FC-064</b>	<b>26.18</b>
<b>FC-230</b>	<b>6.07</b>
<b>FC-127</b>	<b>3.90</b>

PANTONE 5497 C	Formula
<b>FC-TW</b>	<b>83.72</b>
<b>FC-064</b>	<b>11.89</b>
<b>FC-230</b>	<b>2.64</b>
<b>FC-127</b>	<b>1.75</b>

PANTONE 5507 C	Formula
<b>FC-TW</b>	<b>91.02</b>
<b>FC-064</b>	<b>6.47</b>
<b>FC-230</b>	<b>1.49</b>
<b>FC-127</b>	<b>1.02</b>

PANTONE 5517 C	Formula
<b>FC-TW</b>	<b>94.78</b>
<b>FC-064</b>	<b>3.65</b>
<b>FC-230</b>	<b>0.92</b>
<b>FC-127</b>	<b>0.65</b>

PANTONE 5527 C	Formula
<b>FC-TW</b>	<b>96.98</b>
<b>FC-064</b>	<b>2.09</b>
<b>FC-230</b>	<b>0.57</b>
<b>FC-127</b>	<b>0.36</b>

PANTONE 553 C	Formula
<b>FC-064</b>	<b>35.66</b>
<b>FC-TW</b>	<b>28.70</b>
<b>FC-SB</b>	<b>23.13</b>
<b>FC-230</b>	<b>12.51</b>

PANTONE 554 C	Formula
<b>FC-064</b>	<b>38.77</b>
<b>FC-TW</b>	<b>33.11</b>
<b>FC-230</b>	<b>15.87</b>
<b>FC-SB</b>	<b>12.25</b>

# Fascure FC

PANTONE 555 C	Formula
<b>FC-064</b>	<b>39.10</b>
<b>FC-TW</b>	<b>35.84</b>
<b>FC-230</b>	<b>16.90</b>
<b>FC-SB</b>	<b>8.16</b>

PANTONE 556 C	Formula
<b>FC-TW</b>	<b>78.84</b>
<b>FC-064</b>	<b>15.69</b>
<b>FC-230</b>	<b>4.23</b>
<b>FC-127</b>	<b>1.24</b>

PANTONE 557 C	Formula
<b>FC-TW</b>	<b>89.69</b>
<b>FC-064</b>	<b>7.51</b>
<b>FC-230</b>	<b>2.15</b>
<b>FC-127</b>	<b>0.65</b>

PANTONE 558 C	Formula
<b>FC-TW</b>	<b>94.67</b>
<b>FC-064</b>	<b>3.10</b>
<b>FC-230</b>	<b>1.23</b>
<b>FC-SB</b>	<b>1.00</b>

PANTONE 559 C	Formula
<b>FC-TW</b>	<b>96.85</b>
<b>FC-064</b>	<b>1.85</b>
<b>FC-230</b>	<b>0.77</b>
<b>FC-SB</b>	<b>0.53</b>

PANTONE 5535 C	Formula
<b>FC-066</b>	<b>31.44</b>
<b>FC-TW</b>	<b>29.96</b>
<b>FC-325</b>	<b>29.03</b>
<b>FC-127</b>	<b>9.57</b>

PANTONE 5545 C	Formula
<b>FC-TW</b>	<b>63.48</b>
<b>FC-066</b>	<b>18.07</b>
<b>FC-325</b>	<b>13.89</b>
<b>FC-127</b>	<b>4.56</b>

PANTONE 5555 C	Formula
<b>FC-TW</b>	<b>81.43</b>
<b>FC-066</b>	<b>9.24</b>
<b>FC-325</b>	<b>6.80</b>
<b>FC-127</b>	<b>2.53</b>

PANTONE 5565 C	Formula
<b>FC-TW</b>	<b>90.89</b>
<b>FC-325</b>	<b>3.71</b>
<b>FC-SB</b>	<b>3.00</b>
<b>FC-114</b>	<b>2.40</b>

PANTONE 5575 C	Formula
<b>FC-TW</b>	<b>95.17</b>
<b>FC-064</b>	<b>2.00</b>
<b>FC-SB</b>	<b>1.99</b>
<b>FC-230</b>	<b>0.84</b>

PANTONE 5585 C	Formula
<b>FC-TW</b>	<b>96.10</b>
<b>FC-064</b>	<b>2.02</b>
<b>FC-SB</b>	<b>1.19</b>
<b>FC-230</b>	<b>0.69</b>

PANTONE 5595 C	Formula
<b>FC-TW</b>	<b>97.73</b>
<b>FC-064</b>	<b>1.15</b>
<b>FC-SB</b>	<b>0.67</b>
<b>FC-230</b>	<b>0.45</b>

PANTONE 560 C	Formula
<b>FC-325</b>	<b>51.12</b>
<b>FC-121</b>	<b>24.18</b>
<b>FC-TW</b>	<b>22.22</b>
<b>FC-114</b>	<b>2.48</b>

PANTONE 561 C	Formula
<b>FC-325</b>	<b>44.25</b>
<b>FC-TW</b>	<b>39.72</b>
<b>FC-121</b>	<b>14.25</b>
<b>FC-114</b>	<b>1.78</b>

PANTONE 562 C	Formula
<b>FC-TW</b>	<b>58.46</b>
<b>FC-325</b>	<b>32.73</b>
<b>FC-121</b>	<b>7.63</b>
<b>FC-114</b>	<b>1.18</b>

PANTONE 563 C	Formula
<b>FC-TW</b>	<b>79.84</b>
<b>FC-MX</b>	<b>12.65</b>
<b>FC-325</b>	<b>5.58</b>
<b>FC-114</b>	<b>1.47</b>
<b>FC-127</b>	<b>0.46</b>

# Fascure FC

PANTONE 564 C	Formula
<b>FC-TW</b>	<b>95.31</b>
<b>FC-325</b>	<b>3.50</b>
<b>FC-114</b>	<b>0.89</b>
<b>FC-127</b>	<b>0.30</b>

PANTONE 565 C	Formula
<b>FC-TW</b>	<b>82.42</b>
<b>FC-MX</b>	<b>14.80</b>
<b>FC-325</b>	<b>2.09</b>
<b>FC-121</b>	<b>0.69</b>

PANTONE 566 C	Formula
<b>FC-TW</b>	<b>82.66</b>
<b>FC-MX</b>	<b>16.28</b>
<b>FC-325</b>	<b>0.96</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 5605 C	Formula
<b>FC-SB</b>	<b>35.25</b>
<b>FC-064</b>	<b>34.31</b>
<b>FC-TW</b>	<b>17.34</b>
<b>FC-230</b>	<b>13.10</b>

PANTONE 5615 C	Formula
<b>FC-TW</b>	<b>58.05</b>
<b>FC-064</b>	<b>22.43</b>
<b>FC-SB</b>	<b>14.76</b>
<b>FC-230</b>	<b>4.76</b>

PANTONE 5625 C	Formula
<b>FC-TW</b>	<b>76.62</b>
<b>FC-064</b>	<b>11.62</b>
<b>FC-SB</b>	<b>8.98</b>
<b>FC-230</b>	<b>2.78</b>

PANTONE 5635 C	Formula
<b>FC-TW</b>	<b>90.23</b>
<b>FC-064</b>	<b>4.35</b>
<b>FC-SB</b>	<b>4.21</b>
<b>FC-230</b>	<b>1.21</b>

PANTONE 5645 C	Formula
<b>FC-TW</b>	<b>93.14</b>
<b>FC-064</b>	<b>4.81</b>
<b>FC-230</b>	<b>1.27</b>
<b>FC-127</b>	<b>0.78</b>

PANTONE 5655 C	Formula
<b>FC-TW</b>	<b>95.74</b>
<b>FC-064</b>	<b>2.78</b>
<b>FC-230</b>	<b>0.90</b>
<b>FC-127</b>	<b>0.58</b>

PANTONE 5665 C	Formula
<b>FC-TW</b>	<b>98.64</b>
<b>FC-230</b>	<b>0.55</b>
<b>FC-064</b>	<b>0.50</b>
<b>FC-127</b>	<b>0.31</b>

PANTONE 567 C	Formula
<b>FC-TW</b>	<b>35.96</b>
<b>FC-SB</b>	<b>31.29</b>
<b>FC-325</b>	<b>31.10</b>
<b>FC-064</b>	<b>1.65</b>

PANTONE 568 C	Formula
<b>FC-TW</b>	<b>46.23</b>
<b>FC-325</b>	<b>37.81</b>
<b>FC-SB</b>	<b>15.30</b>
<b>FC-064</b>	<b>0.66</b>

PANTONE 569 C	Formula
<b>FC-TW</b>	<b>50.09</b>
<b>FC-325</b>	<b>40.97</b>
<b>FC-SB</b>	<b>8.94</b>

PANTONE 570 C	Formula
<b>FC-TW</b>	<b>92.19</b>
<b>FC-325</b>	<b>6.11</b>
<b>FC-SB</b>	<b>1.40</b>
<b>FC-230</b>	<b>0.30</b>

PANTONE 571 C	Formula
<b>FC-TW</b>	<b>95.78</b>
<b>FC-325</b>	<b>3.17</b>
<b>FC-SB</b>	<b>0.73</b>
<b>FC-230</b>	<b>0.32</b>

PANTONE 572 C	Formula
<b>FC-TW</b>	<b>97.60</b>
<b>FC-325</b>	<b>1.87</b>
<b>FC-230</b>	<b>0.28</b>
<b>FC-SB</b>	<b>0.25</b>

# Fascure FC

PANTONE 573 C	Formula
<b>FC-TW</b>	<b>98.57</b>
<b>FC-325</b>	<b>1.11</b>
<b>FC-230</b>	<b>0.22</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 574 C	Formula
<b>FC-064</b>	<b>60.81</b>
<b>FC-SB</b>	<b>23.25</b>
<b>FC-TW</b>	<b>9.94</b>
<b>FC-230</b>	<b>6.00</b>

PANTONE 575 C	Formula
<b>FC-064</b>	<b>65.52</b>
<b>FC-SB</b>	<b>14.16</b>
<b>FC-TW</b>	<b>12.73</b>
<b>FC-230</b>	<b>7.59</b>

PANTONE 576 C	Formula
<b>FC-064</b>	<b>80.78</b>
<b>FC-TW</b>	<b>8.75</b>
<b>FC-230</b>	<b>4.76</b>
<b>FC-SB</b>	<b>5.71</b>

PANTONE 577 C	Formula
<b>FC-TW</b>	<b>68.99</b>
<b>FC-064</b>	<b>14.38</b>
<b>FC-MX</b>	<b>12.02</b>
<b>FC-SB</b>	<b>2.34</b>
<b>FC-325</b>	<b>2.27</b>

PANTONE 578 C	Formula
<b>FC-TW</b>	<b>72.12</b>
<b>FC-MX</b>	<b>12.56</b>
<b>FC-064</b>	<b>11.72</b>
<b>FC-325</b>	<b>1.85</b>
<b>FC-SB</b>	<b>1.75</b>

PANTONE 579 C	Formula
<b>FC-TW</b>	<b>76.86</b>
<b>FC-MX</b>	<b>12.71</b>
<b>FC-064</b>	<b>8.00</b>
<b>FC-325</b>	<b>1.27</b>
<b>FC-SB</b>	<b>1.16</b>

PANTONE 580 C	Formula
<b>FC-TW</b>	<b>79.43</b>
<b>FC-MX</b>	<b>13.87</b>
<b>FC-064</b>	<b>5.21</b>
<b>FC-325</b>	<b>0.79</b>
<b>FC-SB</b>	<b>0.70</b>

PANTONE 5743 C	Formula
<b>FC-064</b>	<b>72.15</b>
<b>FC-325</b>	<b>17.24</b>
<b>FC-127</b>	<b>10.61</b>

PANTONE 5753 C	Formula
<b>FC-064</b>	<b>63.04</b>
<b>FC-TW</b>	<b>19.38</b>
<b>FC-325</b>	<b>10.93</b>
<b>FC-127</b>	<b>6.65</b>

PANTONE 5763 C	Formula
<b>FC-064</b>	<b>49.96</b>
<b>FC-TW</b>	<b>38.29</b>
<b>FC-325</b>	<b>7.04</b>
<b>FC-127</b>	<b>4.71</b>

PANTONE 5773 C	Formula
<b>FC-MX</b>	<b>69.13</b>
<b>FC-064</b>	<b>25.27</b>
<b>FC-325</b>	<b>3.23</b>
<b>FC-127</b>	<b>2.37</b>

PANTONE 5783 C	Formula
<b>FC-TW</b>	<b>76.99</b>
<b>FC-MX</b>	<b>11.02</b>
<b>FC-064</b>	<b>8.44</b>
<b>FC-SB</b>	<b>2.89</b>
<b>FC-230</b>	<b>0.66</b>

PANTONE 5793 C	Formula
<b>FC-TW</b>	<b>81.46</b>
<b>FC-MX</b>	<b>10.28</b>
<b>FC-064</b>	<b>5.96</b>
<b>FC-SB</b>	<b>1.67</b>
<b>FC-230</b>	<b>0.63</b>

PANTONE 5803 C	Formula
<b>FC-TW</b>	<b>96.27</b>
<b>FC-064</b>	<b>2.62</b>
<b>FC-SB</b>	<b>0.92</b>
<b>FC-230</b>	<b>0.19</b>

PANTONE 5747 C	Formula
<b>FC-064</b>	<b>53.18</b>
<b>FC-SB</b>	<b>38.06</b>
<b>FC-325</b>	<b>8.76</b>

# Fascure FC

PANTONE 5757 C	Formula
<b>FC-064</b>	<b>63.50</b>
<b>FC-SB</b>	<b>20.06</b>
<b>FC-TW</b>	<b>11.13</b>
<b>FC-325</b>	<b>5.31</b>

PANTONE 5767 C	Formula
<b>FC-TW</b>	<b>53.13</b>
<b>FC-064</b>	<b>35.67</b>
<b>FC-SB</b>	<b>9.10</b>
<b>FC-325</b>	<b>2.10</b>

PANTONE 5777 C	Formula
<b>FC-TW</b>	<b>73.06</b>
<b>FC-064</b>	<b>20.42</b>
<b>FC-SB</b>	<b>5.34</b>
<b>FC-325</b>	<b>1.18</b>

PANTONE 5787 C	Formula
<b>FC-TW</b>	<b>88.73</b>
<b>FC-064</b>	<b>8.58</b>
<b>FC-SB</b>	<b>2.19</b>
<b>FC-325</b>	<b>0.50</b>

PANTONE 5797 C	Formula
<b>FC-TW</b>	<b>92.84</b>
<b>FC-064</b>	<b>5.55</b>
<b>FC-SB</b>	<b>1.27</b>
<b>FC-325</b>	<b>0.34</b>

PANTONE 5807 C	Formula
<b>FC-TW</b>	<b>95.78</b>
<b>FC-064</b>	<b>3.30</b>
<b>FC-SB</b>	<b>0.72</b>
<b>FC-325</b>	<b>0.20</b>

PANTONE 581 C	Formula
<b>FC-064</b>	<b>76.87</b>
<b>FC-SB</b>	<b>18.67</b>
<b>FC-TW</b>	<b>3.11</b>
<b>FC-230</b>	<b>1.35</b>

PANTONE 582 C	Formula
<b>FC-064</b>	<b>86.95</b>
<b>FC-SB</b>	<b>7.99</b>
<b>FC-TW</b>	<b>3.53</b>
<b>FC-230</b>	<b>1.53</b>

PANTONE 583 C	Formula
<b>FC-064</b>	<b>91.77</b>
<b>FC-TW</b>	<b>4.66</b>
<b>FC-230</b>	<b>2.50</b>
<b>FC-164</b>	<b>1.07</b>

PANTONE 584 C	Formula
<b>FC-TW</b>	<b>59.74</b>
<b>FC-064</b>	<b>37.72</b>
<b>FC-164</b>	<b>1.77</b>
<b>FC-230</b>	<b>0.77</b>

PANTONE 585 C	Formula
<b>FC-TW</b>	<b>69.23</b>
<b>FC-064</b>	<b>29.97</b>
<b>FC-230</b>	<b>0.70</b>
<b>FC-164</b>	<b>0.10</b>

PANTONE 586 C	Formula
<b>FC-TW</b>	<b>83.28</b>
<b>FC-064</b>	<b>16.20</b>
<b>FC-325</b>	<b>0.42</b>
<b>FC-230</b>	<b>0.10</b>

PANTONE 587 C	Formula
<b>FC-TW</b>	<b>91.80</b>
<b>FC-064</b>	<b>7.91</b>
<b>FC-325</b>	<b>0.29</b>

PANTONE 5815 C	Formula
<b>FC-064</b>	<b>52.54</b>
<b>FC-SB</b>	<b>40.19</b>
<b>FC-TW</b>	<b>5.48</b>
<b>FC-164</b>	<b>1.79</b>

PANTONE 5825 C	Formula
<b>FC-064</b>	<b>67.53</b>
<b>FC-SB</b>	<b>20.04</b>
<b>FC-TW</b>	<b>11.03</b>
<b>FC-325</b>	<b>1.40</b>

PANTONE 5835 C	Formula
<b>FC-TW</b>	<b>58.63</b>
<b>FC-064</b>	<b>32.68</b>
<b>FC-SB</b>	<b>8.13</b>
<b>FC-325</b>	<b>0.56</b>

# Fascure FC

PANTONE 5845 C <b>FC-TW</b> 72.81 <b>FC-064</b> 21.48 <b>FC-SB</b> 5.35 <b>FC-325</b> 0.36	Formula	PANTONE 5855 C <b>FC-TW</b> 85.21 <b>FC-064</b> 11.69 <b>FC-SB</b> 2.90 <b>FC-325</b> 0.20	Formula	PANTONE 5865 C <b>FC-TW</b> 89.88 <b>FC-064</b> 8.02 <b>FC-SB</b> 1.99 <b>FC-325</b> 0.11	Formula	PANTONE 5875 C <b>FC-TW</b> 94.05 <b>FC-064</b> 4.69 <b>FC-SB</b> 1.16 <b>FC-325</b> 0.10	Formula
PANTONE 600 C <b>FC-TW</b> 74.73 <b>FC-MX</b> 16.86 <b>FC-064</b> 8.41	Formula	PANTONE 601 C <b>FC-TW</b> 71.12 <b>FC-MX</b> 16.04 <b>FC-064</b> 12.84	Formula	PANTONE 602 C <b>FC-TW</b> 65.21 <b>FC-064</b> 20.07 <b>FC-MX</b> 14.72	Formula	PANTONE 603 C <b>FC-TW</b> 54.42 <b>FC-064</b> 32.64 <b>FC-MX</b> 12.84 <b>FC-SB</b> 0.10	Formula
PANTONE 604 C <b>FC-064</b> 53.68 <b>FC-TW</b> 25.77 <b>FC-MX</b> 20.14 <b>FC-SB</b> 0.41	Formula	PANTONE 605 C <b>FC-064</b> 98.15 <b>FC-SB</b> 1.30 <b>FC-TW</b> 0.55	Formula	PANTONE 606 C <b>FC-TW</b> 97.20 <b>FC-064</b> 2.80	Formula	PANTONE 607 C <b>FC-TW</b> 97.74 <b>FC-064</b> 2.26	Formula
PANTONE 608 C <b>FC-TW</b> 96.19 <b>FC-064</b> 3.81	Formula	PANTONE 609 C <b>FC-TW</b> 89.25 <b>FC-064</b> 10.37 <b>FC-325</b> 0.25 <b>FC-164</b> 0.13	Formula	PANTONE 610 C <b>FC-TW</b> 76.18 <b>FC-064</b> 22.90 <b>FC-325</b> 0.54 <b>FC-164</b> 0.38	Formula	PANTONE 611 C <b>FC-TW</b> 53.81 <b>FC-064</b> 44.39 <b>FC-325</b> 1.05 <b>FC-164</b> 0.75	Formula

# Fascure FC

PANTONE 612 C	Formula
<b>FC-064</b>	<b>77.97</b>
<b>FC-TW</b>	<b>18.28</b>
<b>FC-325</b>	<b>2.13</b>
<b>FC-164</b>	<b>1.62</b>

PANTONE 613 C	Formula
<b>FC-064</b>	<b>93.90</b>
<b>FC-325</b>	<b>3.50</b>
<b>FC-164</b>	<b>2.60</b>

PANTONE 614 C	Formula
<b>FC-TW</b>	<b>66.36</b>
<b>FC-MX</b>	<b>30.72</b>
<b>FC-064</b>	<b>2.53</b>
<b>FC-SB</b>	<b>0.39</b>

PANTONE 615 C	Formula
<b>FC-TW</b>	<b>65.18</b>
<b>FC-MX</b>	<b>30.17</b>
<b>FC-064</b>	<b>3.95</b>
<b>FC-SB</b>	<b>0.70</b>

PANTONE 616 C	Formula
<b>FC-TW</b>	<b>67.71</b>
<b>FC-MX</b>	<b>25.80</b>
<b>FC-064</b>	<b>5.55</b>
<b>FC-SB</b>	<b>0.94</b>

PANTONE 617 C	Formula
<b>FC-TW</b>	<b>85.36</b>
<b>FC-064</b>	<b>12.79</b>
<b>FC-SB</b>	<b>1.75</b>
<b>FC-325</b>	<b>0.10</b>

PANTONE 618 C	Formula
<b>FC-TW</b>	<b>66.58</b>
<b>FC-064</b>	<b>29.72</b>
<b>FC-SB</b>	<b>3.56</b>
<b>FC-325</b>	<b>0.14</b>

PANTONE 619 C	Formula
<b>FC-064</b>	<b>66.86</b>
<b>FC-TW</b>	<b>24.70</b>
<b>FC-SB</b>	<b>8.21</b>
<b>FC-325</b>	<b>0.23</b>

PANTONE 620 C	Formula
<b>FC-064</b>	<b>67.77</b>
<b>FC-TW</b>	<b>22.14</b>
<b>FC-SB</b>	<b>9.88</b>
<b>FC-325</b>	<b>0.21</b>

PANTONE 621 C	Formula
<b>FC-TW</b>	<b>82.85</b>
<b>FC-MX</b>	<b>16.14</b>
<b>FC-325</b>	<b>0.71</b>
<b>FC-164</b>	<b>0.30</b>

PANTONE 622 C	Formula
<b>FC-TW</b>	<b>85.78</b>
<b>FC-MX</b>	<b>11.82</b>
<b>FC-325</b>	<b>1.14</b>
<b>FC-SB</b>	<b>1.13</b>
<b>FC-164</b>	<b>0.13</b>

PANTONE 623 C	Formula
<b>FC-TW</b>	<b>92.76</b>
<b>FC-SB</b>	<b>3.12</b>
<b>FC-325</b>	<b>2.53</b>
<b>FC-066</b>	<b>1.59</b>

PANTONE 624 C	Formula
<b>FC-TW</b>	<b>87.56</b>
<b>FC-SB</b>	<b>5.54</b>
<b>FC-325</b>	<b>4.83</b>
<b>FC-066</b>	<b>2.07</b>

PANTONE 625 C	Formula
<b>FC-TW</b>	<b>64.17</b>
<b>FC-325</b>	<b>17.35</b>
<b>FC-066</b>	<b>12.50</b>
<b>FC-164</b>	<b>5.98</b>

PANTONE 626 C	Formula
<b>FC-325</b>	<b>46.74</b>
<b>FC-066</b>	<b>25.34</b>
<b>FC-164</b>	<b>15.67</b>
<b>FC-TW</b>	<b>12.25</b>

PANTONE 627 C	Formula
<b>FC-SB</b>	<b>50.01</b>
<b>FC-325</b>	<b>40.07</b>
<b>FC-066</b>	<b>8.11</b>
<b>FC-TW</b>	<b>1.81</b>

# Fascure FC

PANTONE 628 C	Formula
<b>FC-TW</b>	<b>88.98</b>
<b>FC-MX</b>	<b>10.02</b>
<b>FC-230</b>	<b>0.89</b>
<b>FC-127</b>	<b>0.11</b>

PANTONE 629 C	Formula
<b>FC-TW</b>	<b>89.58</b>
<b>FC-MX</b>	<b>8.67</b>
<b>FC-230</b>	<b>1.65</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 630 C	Formula
<b>FC-TW</b>	<b>89.12</b>
<b>FC-MX</b>	<b>7.86</b>
<b>FC-230</b>	<b>2.92</b>
<b>FC-127</b>	<b>0.10</b>

PANTONE 631 C	Formula
<b>FC-TW</b>	<b>90.47</b>
<b>FC-230</b>	<b>7.90</b>
<b>FC-SB</b>	<b>0.96</b>
<b>FC-066</b>	<b>0.67</b>

PANTONE 632 C	Formula
<b>FC-TW</b>	<b>81.37</b>
<b>FC-230</b>	<b>14.75</b>
<b>FC-064</b>	<b>2.95</b>
<b>FC-SB</b>	<b>0.93</b>

PANTONE 633 C	Formula
<b>FC-TW</b>	<b>61.09</b>
<b>FC-230</b>	<b>29.89</b>
<b>FC-325</b>	<b>6.13</b>
<b>FC-SB</b>	<b>2.89</b>

PANTONE 634 C	Formula
<b>FC-230</b>	<b>50.72</b>
<b>FC-TW</b>	<b>36.76</b>
<b>FC-SB</b>	<b>7.17</b>
<b>FC-325</b>	<b>5.35</b>

PANTONE 635 C	Formula
<b>FC-TW</b>	<b>98.30</b>
<b>FC-230</b>	<b>1.50</b>
<b>FC-127</b>	<b>0.10</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 636 C	Formula
<b>FC-TW</b>	<b>96.84</b>
<b>FC-230</b>	<b>2.96</b>
<b>FC-127</b>	<b>0.10</b>
<b>FC-SB</b>	<b>0.10</b>

PANTONE 637 C	Formula
<b>FC-TW</b>	<b>94.60</b>
<b>FC-230</b>	<b>5.26</b>
<b>FC-SB</b>	<b>0.14</b>

PANTONE 638 C	Formula
<b>FC-TW</b>	<b>84.62</b>
<b>FC-230</b>	<b>13.93</b>
<b>FC-064</b>	<b>1.45</b>

PANTONE 639 C	Formula
<b>FC-TW</b>	<b>44.98</b>
<b>FC-MX</b>	<b>28.08</b>
<b>FC-230</b>	<b>24.55</b>
<b>FC-064</b>	<b>2.39</b>

PANTONE 640 C	Formula
<b>FC-TW</b>	<b>49.39</b>
<b>FC-230</b>	<b>45.79</b>
<b>FC-064</b>	<b>4.82</b>

PANTONE 641 C	Formula
<b>FC-230</b>	<b>58.16</b>
<b>FC-TW</b>	<b>37.74</b>
<b>FC-325</b>	<b>2.67</b>
<b>FC-SB</b>	<b>1.43</b>

PANTONE 642 C	Formula
<b>FC-TW</b>	<b>93.66</b>
<b>FC-MX</b>	<b>4.80</b>
<b>FC-230</b>	<b>0.89</b>
<b>FC-127</b>	<b>0.48</b>
<b>FC-SB</b>	<b>0.17</b>

PANTONE 643 C	Formula
<b>FC-TW</b>	<b>93.17</b>
<b>FC-MX</b>	<b>4.77</b>
<b>FC-230</b>	<b>1.18</b>
<b>FC-127</b>	<b>0.58</b>
<b>FC-SB</b>	<b>0.30</b>

# Fascure FC

PANTONE 644 C	Formula
<b>FC-TW</b>	<b>90.63</b>
<b>FC-MX</b>	<b>4.14</b>
<b>FC-230</b>	<b>2.63</b>
<b>FC-SB</b>	<b>1.56</b>
<b>FC-127</b>	<b>1.04</b>

PANTONE 645 C	Formula
<b>FC-TW</b>	<b>86.14</b>
<b>FC-230</b>	<b>4.95</b>
<b>FC-MX</b>	<b>3.93</b>
<b>FC-SB</b>	<b>3.34</b>
<b>FC-127</b>	<b>1.64</b>

PANTONE 646 C	Formula
<b>FC-TW</b>	<b>79.11</b>
<b>FC-230</b>	<b>8.95</b>
<b>FC-SB</b>	<b>5.56</b>
<b>FC-MX</b>	<b>3.61</b>
<b>FC-127</b>	<b>2.77</b>

PANTONE 647 C	Formula
<b>FC-TW</b>	<b>58.67</b>
<b>FC-230</b>	<b>21.96</b>
<b>FC-SB</b>	<b>11.05</b>
<b>FC-127</b>	<b>5.84</b>
<b>FC-MX</b>	<b>2.48</b>

PANTONE 648 C	Formula
<b>FC-230</b>	<b>44.65</b>
<b>FC-SB</b>	<b>24.75</b>
<b>FC-TW</b>	<b>16.25</b>
<b>FC-127</b>	<b>14.35</b>

PANTONE 649 C	Formula
<b>FC-TW</b>	<b>98.89</b>
<b>FC-230</b>	<b>0.53</b>
<b>FC-127</b>	<b>0.38</b>
<b>FC-SB</b>	<b>0.20</b>

PANTONE 650 C	Formula
<b>FC-TW</b>	<b>98.70</b>
<b>FC-230</b>	<b>0.63</b>
<b>FC-127</b>	<b>0.47</b>
<b>FC-SB</b>	<b>0.20</b>

PANTONE 651 C	Formula
<b>FC-TW</b>	<b>95.50</b>
<b>FC-230</b>	<b>1.88</b>
<b>FC-SB</b>	<b>1.59</b>
<b>FC-127</b>	<b>1.03</b>

PANTONE 652 C	Formula
<b>FC-TW</b>	<b>87.55</b>
<b>FC-230</b>	<b>5.54</b>
<b>FC-SB</b>	<b>4.38</b>
<b>FC-127</b>	<b>2.53</b>

PANTONE 653 C	Formula
<b>FC-TW</b>	<b>64.21</b>
<b>FC-230</b>	<b>20.09</b>
<b>FC-SB</b>	<b>8.54</b>
<b>FC-127</b>	<b>7.16</b>

PANTONE 654 C	Formula
<b>FC-230</b>	<b>37.24</b>
<b>FC-TW</b>	<b>27.44</b>
<b>FC-SB</b>	<b>18.32</b>
<b>FC-127</b>	<b>17.00</b>

PANTONE 655 C	Formula
<b>FC-230</b>	<b>31.29</b>
<b>FC-SB</b>	<b>25.95</b>
<b>FC-TW</b>	<b>23.05</b>
<b>FC-127</b>	<b>19.71</b>

PANTONE 656 C	Formula
<b>FC-TW</b>	<b>98.48</b>
<b>FC-230</b>	<b>0.82</b>
<b>FC-127</b>	<b>0.50</b>
<b>FC-SB</b>	<b>0.20</b>

PANTONE 657 C	Formula
<b>FC-TW</b>	<b>97.20</b>
<b>FC-230</b>	<b>1.69</b>
<b>FC-127</b>	<b>0.91</b>
<b>FC-SB</b>	<b>0.20</b>

PANTONE 658 C	Formula
<b>FC-TW</b>	<b>94.65</b>
<b>FC-230</b>	<b>3.32</b>
<b>FC-127</b>	<b>1.69</b>
<b>FC-SB</b>	<b>0.34</b>

PANTONE 659 C	Formula
<b>FC-TW</b>	<b>88.24</b>
<b>FC-230</b>	<b>7.48</b>
<b>FC-127</b>	<b>3.40</b>
<b>FC-SB</b>	<b>0.88</b>

# Fascure FC

PANTONE 660 C	Formula
<b>FC-TW</b>	<b>73.01</b>
<b>FC-230</b>	<b>15.76</b>
<b>FC-127</b>	<b>7.29</b>
<b>FC-SB</b>	<b>2.03</b>
<b>FC-MX</b>	<b>1.91</b>

PANTONE 661 C	Formula
<b>FC-230</b>	<b>46.17</b>
<b>FC-TW</b>	<b>24.21</b>
<b>FC-127</b>	<b>16.60</b>
<b>FC-MX</b>	<b>8.96</b>
<b>FC-SB</b>	<b>4.06</b>

PANTONE 662 C	Formula
<b>FC-230</b>	<b>43.22</b>
<b>FC-127</b>	<b>25.13</b>
<b>FC-TW</b>	<b>19.52</b>
<b>FC-MX</b>	<b>7.22</b>
<b>FC-SB</b>	<b>4.91</b>

PANTONE 663 C	Formula
<b>FC-TW</b>	<b>99.08</b>
<b>FC-127</b>	<b>0.48</b>
<b>FC-SB</b>	<b>0.23</b>
<b>FC-230</b>	<b>0.21</b>

PANTONE 664 C	Formula
<b>FC-TW</b>	<b>98.43</b>
<b>FC-127</b>	<b>0.72</b>
<b>FC-SB</b>	<b>0.65</b>
<b>FC-230</b>	<b>0.20</b>

PANTONE 665 C	Formula
<b>FC-TW</b>	<b>96.99</b>
<b>FC-SB</b>	<b>1.58</b>
<b>FC-127</b>	<b>1.16</b>
<b>FC-230</b>	<b>0.27</b>

PANTONE 666 C	Formula
<b>FC-TW</b>	<b>93.24</b>
<b>FC-SB</b>	<b>4.08</b>
<b>FC-127</b>	<b>2.29</b>
<b>FC-230</b>	<b>0.39</b>

PANTONE 667 C	Formula
<b>FC-TW</b>	<b>84.73</b>
<b>FC-SB</b>	<b>8.53</b>
<b>FC-127</b>	<b>6.34</b>
<b>FC-230</b>	<b>0.40</b>

PANTONE 668 C	Formula
<b>FC-TW</b>	<b>74.02</b>
<b>FC-127</b>	<b>13.37</b>
<b>FC-SB</b>	<b>9.31</b>
<b>FC-066</b>	<b>3.30</b>

PANTONE 669 C	Formula
<b>FC-TW</b>	<b>54.92</b>
<b>FC-127</b>	<b>24.86</b>
<b>FC-SB</b>	<b>14.45</b>
<b>FC-066</b>	<b>5.77</b>

PANTONE 670 C	Formula
<b>FC-TW</b>	<b>64.16</b>
<b>FC-MX</b>	<b>33.57</b>
<b>FC-165</b>	<b>2.11</b>
<b>FC-230</b>	<b>0.16</b>

PANTONE 671 C	Formula
<b>FC-TW</b>	<b>75.96</b>
<b>FC-MX</b>	<b>21.40</b>
<b>FC-165</b>	<b>1.94</b>
<b>FC-164</b>	<b>0.54</b>
<b>FC-230</b>	<b>0.16</b>

PANTONE 672 C	Formula
<b>FC-TW</b>	<b>96.03</b>
<b>FC-165</b>	<b>2.48</b>
<b>FC-164</b>	<b>1.14</b>
<b>FC-SB</b>	<b>0.19</b>
<b>FC-230</b>	<b>0.16</b>

PANTONE 673 C	Formula
<b>FC-TW</b>	<b>92.15</b>
<b>FC-164</b>	<b>4.43</b>
<b>FC-165</b>	<b>3.01</b>
<b>FC-230</b>	<b>0.41</b>

PANTONE 674 C	Formula
<b>FC-TW</b>	<b>84.06</b>
<b>FC-164</b>	<b>8.99</b>
<b>FC-165</b>	<b>5.93</b>
<b>FC-325</b>	<b>1.02</b>

PANTONE 675 C	Formula
<b>FC-TW</b>	<b>69.03</b>
<b>FC-164</b>	<b>18.97</b>
<b>FC-165</b>	<b>10.11</b>
<b>FC-325</b>	<b>1.89</b>

# Fascure FC

PANTONE 676 C	Formula
<b>FC-TW</b>	<b>50.00</b>
<b>FC-164</b>	<b>34.91</b>
<b>FC-165</b>	<b>12.18</b>
<b>FC-325</b>	<b>2.91</b>

PANTONE 677 C	Formula
<b>FC-TW</b>	<b>87.03</b>
<b>FC-MX</b>	<b>11.82</b>
<b>FC-165</b>	<b>0.61</b>
<b>FC-127</b>	<b>0.38</b>
<b>FC-SB</b>	<b>0.16</b>

PANTONE 678 C	Formula
<b>FC-TW</b>	<b>86.49</b>
<b>FC-MX</b>	<b>11.53</b>
<b>FC-165</b>	<b>1.31</b>
<b>FC-127</b>	<b>0.38</b>
<b>FC-SB</b>	<b>0.29</b>

PANTONE 679 C	Formula
<b>FC-TW</b>	<b>85.27</b>
<b>FC-MX</b>	<b>11.04</b>
<b>FC-165</b>	<b>2.67</b>
<b>FC-SB</b>	<b>0.65</b>
<b>FC-127</b>	<b>0.37</b>

PANTONE 680 C	Formula
<b>FC-TW</b>	<b>94.18</b>
<b>FC-164</b>	<b>3.09</b>
<b>FC-SB</b>	<b>2.07</b>
<b>FC-127</b>	<b>0.66</b>

PANTONE 681 C	Formula
<b>FC-TW</b>	<b>84.42</b>
<b>FC-164</b>	<b>9.93</b>
<b>FC-SB</b>	<b>5.13</b>
<b>FC-127</b>	<b>0.52</b>

PANTONE 682 C	Formula
<b>FC-TW</b>	<b>74.31</b>
<b>FC-164</b>	<b>17.18</b>
<b>FC-SB</b>	<b>8.05</b>
<b>FC-127</b>	<b>0.46</b>

PANTONE 683 C	Formula
<b>FC-164</b>	<b>42.74</b>
<b>FC-TW</b>	<b>37.69</b>
<b>FC-325</b>	<b>11.88</b>
<b>FC-066</b>	<b>7.69</b>

PANTONE 684 C	Formula
<b>FC-TW</b>	<b>98.63</b>
<b>FC-164</b>	<b>1.17</b>
<b>FC-SB</b>	<b>0.20</b>

PANTONE 685 C	Formula
<b>FC-TW</b>	<b>97.14</b>
<b>FC-164</b>	<b>1.85</b>
<b>FC-SB</b>	<b>0.54</b>
<b>FC-064</b>	<b>0.47</b>

PANTONE 686 C	Formula
<b>FC-TW</b>	<b>95.20</b>
<b>FC-164</b>	<b>2.80</b>
<b>FC-SB</b>	<b>1.28</b>
<b>FC-064</b>	<b>0.72</b>

PANTONE 687 C	Formula
<b>FC-TW</b>	<b>90.57</b>
<b>FC-164</b>	<b>5.18</b>
<b>FC-SB</b>	<b>3.07</b>
<b>FC-064</b>	<b>1.18</b>

PANTONE 688 C	Formula
<b>FC-TW</b>	<b>82.91</b>
<b>FC-164</b>	<b>9.53</b>
<b>FC-SB</b>	<b>5.37</b>
<b>FC-064</b>	<b>2.19</b>

PANTONE 689 C	Formula
<b>FC-TW</b>	<b>68.50</b>
<b>FC-164</b>	<b>18.14</b>
<b>FC-SB</b>	<b>10.24</b>
<b>FC-064</b>	<b>3.12</b>

PANTONE 690 C	Formula
<b>FC-TW</b>	<b>50.28</b>
<b>FC-164</b>	<b>25.19</b>
<b>FC-SB</b>	<b>17.91</b>
<b>FC-064</b>	<b>6.62</b>

PANTONE 691 C	Formula
<b>FC-TW</b>	<b>98.03</b>
<b>FC-114</b>	<b>1.03</b>
<b>FC-164</b>	<b>0.63</b>
<b>FC-325</b>	<b>0.31</b>

# Fascure FC

PANTONE 692 C	Formula
<b>FC-TW</b> <b>94.02</b>	
<b>FC-114</b> <b>3.07</b>	
<b>FC-165</b> <b>2.35</b>	
<b>FC-230</b> <b>0.56</b>	

PANTONE 693 C	Formula
<b>FC-TW</b> <b>93.55</b>	
<b>FC-121</b> <b>3.43</b>	
<b>FC-SB</b> <b>1.60</b>	
<b>FC-165</b> <b>1.42</b>	

PANTONE 694 C	Formula
<b>FC-TW</b> <b>87.88</b>	
<b>FC-114</b> <b>5.81</b>	
<b>FC-164</b> <b>4.27</b>	
<b>FC-325</b> <b>2.04</b>	

PANTONE 695 C	Formula
<b>FC-TW</b> <b>73.11</b>	
<b>FC-114</b> <b>13.08</b>	
<b>FC-164</b> <b>9.48</b>	
<b>FC-325</b> <b>4.33</b>	

PANTONE 696 C	Formula
<b>FC-TW</b> <b>51.51</b>	
<b>FC-114</b> <b>23.48</b>	
<b>FC-164</b> <b>17.11</b>	
<b>FC-325</b> <b>7.90</b>	

PANTONE 697 C	Formula
<b>FC-TW</b> <b>38.94</b>	
<b>FC-114</b> <b>29.67</b>	
<b>FC-164</b> <b>20.96</b>	
<b>FC-325</b> <b>10.43</b>	

PANTONE 698 C	Formula
<b>FC-TW</b> <b>97.88</b>	
<b>FC-165</b> <b>2.12</b>	

PANTONE 699 C	Formula
<b>FC-TW</b> <b>96.13</b>	
<b>FC-121</b> <b>2.57</b>	
<b>FC-165</b> <b>1.30</b>	

PANTONE 700 C	Formula
<b>FC-TW</b> <b>92.21</b>	
<b>FC-121</b> <b>5.18</b>	
<b>FC-165</b> <b>2.16</b>	
<b>FC-325</b> <b>0.45</b>	

PANTONE 701 C	Formula
<b>FC-TW</b> <b>86.31</b>	
<b>FC-121</b> <b>10.49</b>	
<b>FC-164</b> <b>2.37</b>	
<b>FC-325</b> <b>0.83</b>	

PANTONE 702 C	Formula
<b>FC-TW</b> <b>78.79</b>	
<b>FC-121</b> <b>14.82</b>	
<b>FC-164</b> <b>5.38</b>	
<b>FC-230</b> <b>1.01</b>	

PANTONE 703 C	Formula
<b>FC-TW</b> <b>42.93</b>	
<b>FC-121</b> <b>40.14</b>	
<b>FC-164</b> <b>13.19</b>	
<b>FC-325</b> <b>3.74</b>	

PANTONE 704 C	Formula
<b>FC-121</b> <b>58.06</b>	
<b>FC-TW</b> <b>20.21</b>	
<b>FC-164</b> <b>15.42</b>	
<b>FC-325</b> <b>6.31</b>	

PANTONE 705 C	Formula
<b>FC-TW</b> <b>98.61</b>	
<b>FC-165</b> <b>0.80</b>	
<b>FC-121</b> <b>0.59</b>	

PANTONE 706 C	Formula
<b>FC-TW</b> <b>97.34</b>	
<b>FC-121</b> <b>1.52</b>	
<b>FC-165</b> <b>1.14</b>	

PANTONE 707 C	Formula
<b>FC-TW</b> <b>94.05</b>	
<b>FC-121</b> <b>3.60</b>	
<b>FC-165</b> <b>2.35</b>	

# Fascure FC

PANTONE 708 C	Formula
<b>FC-TW</b> <b>87.44</b>	
<b>FC-121</b> <b>7.65</b>	
<b>FC-165</b> <b>4.91</b>	

PANTONE 709 C	Formula
<b>FC-TW</b> <b>72.88</b>	
<b>FC-121</b> <b>16.30</b>	
<b>FC-165</b> <b>10.82</b>	

PANTONE 710 C	Formula
<b>FC-TW</b> <b>55.27</b>	
<b>FC-121</b> <b>32.95</b>	
<b>FC-164</b> <b>11.28</b>	
<b>FC-325</b> <b>0.50</b>	

PANTONE 711 C	Formula
<b>FC-121</b> <b>46.48</b>	
<b>FC-TW</b> <b>39.75</b>	
<b>FC-164</b> <b>12.74</b>	
<b>FC-325</b> <b>1.03</b>	

PANTONE 712 C	Formula
<b>FC-TW</b> <b>96.19</b>	
<b>FC-114</b> <b>2.30</b>	
<b>FC-064</b> <b>1.51</b>	

PANTONE 713 C	Formula
<b>FC-TW</b> <b>86.33</b>	
<b>FC-MX</b> <b>8.12</b>	
<b>FC-114</b> <b>3.50</b>	
<b>FC-064</b> <b>2.05</b>	

PANTONE 714 C	Formula
<b>FC-TW</b> <b>87.16</b>	
<b>FC-114</b> <b>6.87</b>	
<b>FC-064</b> <b>5.85</b>	
<b>FC-SB</b> <b>0.12</b>	

PANTONE 715 C	Formula
<b>FC-TW</b> <b>67.66</b>	
<b>FC-114</b> <b>19.97</b>	
<b>FC-064</b> <b>11.74</b>	
<b>FC-325</b> <b>0.63</b>	

PANTONE 716 C	Formula
<b>FC-TW</b> <b>38.09</b>	
<b>FC-114</b> <b>36.17</b>	
<b>FC-064</b> <b>24.58</b>	
<b>FC-325</b> <b>1.16</b>	

PANTONE 717 C	Formula
<b>FC-114</b> <b>69.37</b>	
<b>FC-064</b> <b>18.47</b>	
<b>FC-TW</b> <b>9.90</b>	
<b>FC-325</b> <b>2.26</b>	

PANTONE 718 C	Formula
<b>FC-066</b> <b>58.26</b>	
<b>FC-121</b> <b>32.96</b>	
<b>FC-TW</b> <b>6.38</b>	
<b>FC-325</b> <b>2.40</b>	

PANTONE 719 C	Formula
<b>FC-TW</b> <b>96.75</b>	
<b>FC-064</b> <b>1.82</b>	
<b>FC-114</b> <b>1.27</b>	
<b>FC-127</b> <b>0.16</b>	

PANTONE 720 C	Formula
<b>FC-TW</b> <b>94.74</b>	
<b>FC-114</b> <b>2.52</b>	
<b>FC-064</b> <b>2.10</b>	
<b>FC-SB</b> <b>0.64</b>	

PANTONE 721 C	Formula
<b>FC-TW</b> <b>89.58</b>	
<b>FC-064</b> <b>4.76</b>	
<b>FC-114</b> <b>4.36</b>	
<b>FC-SB</b> <b>1.30</b>	

PANTONE 722 C	Formula
<b>FC-TW</b> <b>69.40</b>	
<b>FC-064</b> <b>16.60</b>	
<b>FC-114</b> <b>10.75</b>	
<b>FC-SB</b> <b>3.25</b>	

PANTONE 723 C	Formula
<b>FC-TW</b> <b>48.26</b>	
<b>FC-064</b> <b>28.17</b>	
<b>FC-114</b> <b>18.32</b>	
<b>FC-SB</b> <b>5.25</b>	

# Fascure FC

PANTONE 724 C	Formula
<b>FC-114</b>	<b>46.66</b>
<b>FC-064</b>	<b>29.65</b>
<b>FC-SB</b>	<b>12.02</b>
<b>FC-TW</b>	<b>11.67</b>

PANTONE 725 C	Formula
<b>FC-114</b>	<b>58.16</b>
<b>FC-064</b>	<b>22.24</b>
<b>FC-SB</b>	<b>18.49</b>
<b>FC-TW</b>	<b>1.11</b>

PANTONE 726 C	Formula
<b>FC-TW</b>	<b>94.87</b>
<b>FC-064</b>	<b>4.06</b>
<b>FC-164</b>	<b>0.63</b>
<b>FC-SB</b>	<b>0.44</b>

PANTONE 727 C	Formula
<b>FC-TW</b>	<b>94.20</b>
<b>FC-114</b>	<b>2.23</b>
<b>FC-SB</b>	<b>1.80</b>
<b>FC-066</b>	<b>1.77</b>

PANTONE 728 C	Formula
<b>FC-TW</b>	<b>89.51</b>
<b>FC-066</b>	<b>3.86</b>
<b>FC-114</b>	<b>3.48</b>
<b>FC-SB</b>	<b>3.15</b>

PANTONE 729 C	Formula
<b>FC-TW</b>	<b>81.28</b>
<b>FC-066</b>	<b>7.57</b>
<b>FC-114</b>	<b>6.16</b>
<b>FC-SB</b>	<b>4.99</b>

PANTONE 730 C	Formula
<b>FC-TW</b>	<b>66.68</b>
<b>FC-066</b>	<b>15.21</b>
<b>FC-114</b>	<b>10.47</b>
<b>FC-SB</b>	<b>7.64</b>

PANTONE 731 C	Formula
<b>FC-114</b>	<b>34.19</b>
<b>FC-066</b>	<b>27.13</b>
<b>FC-SB</b>	<b>21.07</b>
<b>FC-TW</b>	<b>17.61</b>

PANTONE 732 C	Formula
<b>FC-114</b>	<b>40.56</b>
<b>FC-SB</b>	<b>28.87</b>
<b>FC-066</b>	<b>18.54</b>
<b>FC-TW</b>	<b>12.03</b>

PANTONE 7401 C	Formula
<b>FC-TW</b>	<b>94.75</b>
<b>FC-064</b>	<b>4.90</b>
<b>FC-121</b>	<b>0.35</b>

PANTONE 7402 C	Formula
<b>FC-TW</b>	<b>83.75</b>
<b>FC-064</b>	<b>15.75</b>
<b>FC-164</b>	<b>0.35</b>
<b>FC-230</b>	<b>0.15</b>

PANTONE 7403 C	Formula
<b>FC-TW</b>	<b>71.80</b>
<b>FC-064</b>	<b>27.35</b>
<b>FC-164</b>	<b>0.60</b>
<b>FC-230</b>	<b>0.25</b>

PANTONE 7404 C	Formula
<b>FC-064</b>	<b>74.80</b>
<b>FC-TW</b>	<b>24.80</b>
<b>FC-164</b>	<b>0.25</b>
<b>FC-230</b>	<b>0.15</b>

PANTONE 7405 C	Formula
<b>FC-064</b>	<b>91.10</b>
<b>FC-066</b>	<b>7.90</b>
<b>FC-325</b>	<b>0.70</b>
<b>FC-164</b>	<b>0.30</b>

PANTONE 7406 C	Formula
<b>FC-064</b>	<b>80.45</b>
<b>FC-066</b>	<b>18.15</b>
<b>FC-325</b>	<b>0.90</b>
<b>FC-164</b>	<b>0.50</b>

PANTONE 7407 C	Formula
<b>FC-064</b>	<b>42.50</b>
<b>FC-TW</b>	<b>38.90</b>
<b>FC-066</b>	<b>10.80</b>
<b>FC-165</b>	<b>5.85</b>
<b>FC-325</b>	<b>1.95</b>

# Fascure FC

PANTONE 7408 C	Formula
<b>FC-064</b>	<b>97.50</b>
<b>FC-121</b>	<b>2.15</b>
<b>FC-325</b>	<b>0.35</b>

PANTONE 7409 C	Formula
<b>FC-064</b>	<b>97.95</b>
<b>FC-164</b>	<b>1.75</b>
<b>FC-325</b>	<b>0.30</b>

PANTONE 7410 C	Formula
<b>FC-TW</b>	<b>76.65</b>
<b>FC-064</b>	<b>14.50</b>
<b>FC-114</b>	<b>8.25</b>
<b>FC-164</b>	<b>0.30</b>
<b>FC-325</b>	<b>0.30</b>

PANTONE 7411 C	Formula
<b>FC-064</b>	<b>64.20</b>
<b>FC-TW</b>	<b>31.90</b>
<b>FC-164</b>	<b>3.15</b>
<b>FC-325</b>	<b>0.75</b>

PANTONE 7412 C	Formula
<b>FC-064</b>	<b>51.20</b>
<b>FC-TW</b>	<b>23.00</b>
<b>FC-114</b>	<b>18.70</b>
<b>FC-165</b>	<b>4.30</b>
<b>FC-325</b>	<b>2.80</b>

PANTONE 7413 C	Formula
<b>FC-064</b>	<b>93.60</b>
<b>FC-164</b>	<b>5.55</b>
<b>FC-325</b>	<b>0.85</b>

PANTONE 7414 C	Formula
<b>FC-064</b>	<b>77.90</b>
<b>FC-114</b>	<b>14.85</b>
<b>FC-164</b>	<b>3.80</b>
<b>FC-325</b>	<b>3.45</b>

PANTONE 7415 C	Formula
<b>FC-TW</b>	<b>84.00</b>
<b>FC-064</b>	<b>13.60</b>
<b>FC-164</b>	<b>2.00</b>
<b>FC-325</b>	<b>0.40</b>

PANTONE 7416 C	Formula
<b>FC-064</b>	<b>61.00</b>
<b>FC-TW</b>	<b>29.60</b>
<b>FC-164</b>	<b>9.10</b>
<b>FC-325</b>	<b>0.30</b>

PANTONE 7417 C	Formula
<b>FC-064</b>	<b>81.00</b>
<b>FC-164</b>	<b>13.25</b>
<b>FC-TW</b>	<b>5.50</b>
<b>FC-325</b>	<b>0.25</b>

PANTONE 7418 C	Formula
<b>FC-TW</b>	<b>53.70</b>
<b>FC-121</b>	<b>40.00</b>
<b>FC-164</b>	<b>4.20</b>
<b>FC-325</b>	<b>2.10</b>

PANTONE 7419 C	Formula
<b>FC-TW</b>	<b>42.95</b>
<b>FC-165</b>	<b>32.45</b>
<b>FC-114</b>	<b>20.90</b>
<b>FC-325</b>	<b>3.70</b>

PANTONE 7420 C	Formula
<b>FC-165</b>	<b>45.35</b>
<b>FC-121</b>	<b>34.95</b>
<b>FC-TW</b>	<b>15.50</b>
<b>FC-325</b>	<b>4.20</b>

PANTONE 7421 C	Formula
<b>FC-165</b>	<b>36.00</b>
<b>FC-064</b>	<b>34.20</b>
<b>FC-SB</b>	<b>16.90</b>
<b>FC-121</b>	<b>12.90</b>

PANTONE 7422 C	Formula
<b>FC-TW</b>	<b>98.30</b>
<b>FC-165</b>	<b>1.10</b>
<b>FC-121</b>	<b>0.60</b>

PANTONE 7423 C	Formula
<b>FC-TW</b>	<b>71.65</b>
<b>FC-165</b>	<b>18.85</b>
<b>FC-121</b>	<b>9.50</b>

# Fascure FC

PANTONE 7424 C	Formula
<b>FC-TW</b>	<b>51.25</b>
<b>FC-165</b>	<b>39.60</b>
<b>FC-121</b>	<b>9.15</b>

PANTONE 7425 C	Formula
<b>FC-165</b>	<b>46.65</b>
<b>FC-TW</b>	<b>34.10</b>
<b>FC-121</b>	<b>18.10</b>
<b>FC-325</b>	<b>1.15</b>

PANTONE 7426 C	Formula
<b>FC-165</b>	<b>44.60</b>
<b>FC-121</b>	<b>30.20</b>
<b>FC-TW</b>	<b>23.20</b>
<b>FC-325</b>	<b>2.00</b>

PANTONE 7427 C	Formula
<b>FC-064</b>	<b>39.15</b>
<b>FC-165</b>	<b>33.60</b>
<b>FC-121</b>	<b>21.25</b>
<b>FC-SB</b>	<b>6.00</b>

PANTONE 7428 C	Formula
<b>FC-165</b>	<b>44.25</b>
<b>FC-064</b>	<b>31.30</b>
<b>FC-SB</b>	<b>14.80</b>
<b>FC-TW</b>	<b>9.65</b>

PANTONE 7429 C	Formula
<b>FC-TW</b>	<b>95.40</b>
<b>FC-165</b>	<b>3.30</b>
<b>FC-064</b>	<b>0.90</b>
<b>FC-325</b>	<b>0.40</b>

PANTONE 7430 C	Formula
<b>FC-TW</b>	<b>91.35</b>
<b>FC-165</b>	<b>5.70</b>
<b>FC-064</b>	<b>2.25</b>
<b>FC-325</b>	<b>0.70</b>

PANTONE 7431 C	Formula
<b>FC-TW</b>	<b>81.90</b>
<b>FC-165</b>	<b>11.20</b>
<b>FC-064</b>	<b>5.80</b>
<b>FC-325</b>	<b>1.10</b>

PANTONE 7432 C	Formula
<b>FC-TW</b>	<b>60.00</b>
<b>FC-165</b>	<b>24.80</b>
<b>FC-064</b>	<b>13.40</b>
<b>FC-325</b>	<b>1.80</b>

PANTONE 7433 C	Formula
<b>FC-165</b>	<b>39.70</b>
<b>FC-TW</b>	<b>37.50</b>
<b>FC-064</b>	<b>20.75</b>
<b>FC-325</b>	<b>2.05</b>

PANTONE 7434 C	Formula
<b>FC-165</b>	<b>48.15</b>
<b>FC-064</b>	<b>28.60</b>
<b>FC-TW</b>	<b>20.30</b>
<b>FC-325</b>	<b>2.95</b>

PANTONE 7435 C	Formula
<b>FC-165</b>	<b>56.25</b>
<b>FC-064</b>	<b>38.85</b>
<b>FC-325</b>	<b>4.90</b>

PANTONE 7436 C	Formula
<b>FC-TW</b>	<b>97.35</b>
<b>FC-165</b>	<b>2.30</b>
<b>FC-325</b>	<b>0.35</b>

PANTONE 7437 C	Formula
<b>FC-TW</b>	<b>93.30</b>
<b>FC-165</b>	<b>5.30</b>
<b>FC-325</b>	<b>1.40</b>

PANTONE 7438 C	Formula
<b>FC-TW</b>	<b>86.75</b>
<b>FC-165</b>	<b>11.75</b>
<b>FC-325</b>	<b>1.50</b>

PANTONE 7439 C	Formula
<b>FC-TW</b>	<b>87.00</b>
<b>FC-165</b>	<b>10.65</b>
<b>FC-325</b>	<b>2.35</b>

# Fascure FC

PANTONE 7440 C <b>FC-TW</b> <b>80.00</b> <b>FC-165</b> <b>15.35</b> <b>FC-325</b> <b>3.20</b> <b>FC-SB</b> <b>1.45</b>	Formula	PANTONE 7441 C <b>FC-TW</b> <b>66.60</b> <b>FC-165</b> <b>29.25</b> <b>FC-230</b> <b>4.15</b>	Formula	PANTONE 7442 C <b>FC-165</b> <b>51.50</b> <b>FC-TW</b> <b>42.75</b> <b>FC-230</b> <b>5.75</b>	Formula	PANTONE 7443 C <b>FC-TW</b> <b>97.95</b> <b>FC-165</b> <b>1.55</b> <b>FC-230</b> <b>0.50</b>	Formula
PANTONE 7444 C <b>FC-TW</b> <b>95.00</b> <b>FC-165</b> <b>3.70</b> <b>FC-230</b> <b>1.30</b>	Formula	PANTONE 7445 C <b>FC-TW</b> <b>91.20</b> <b>FC-165</b> <b>5.55</b> <b>FC-230</b> <b>2.30</b> <b>FC-114</b> <b>0.95</b>	Formula	PANTONE 7446 C <b>FC-TW</b> <b>85.50</b> <b>FC-165</b> <b>11.00</b> <b>FC-230</b> <b>3.50</b>	Formula	PANTONE 7447 C <b>FC-TW</b> <b>53.20</b> <b>FC-165</b> <b>31.60</b> <b>FC-230</b> <b>9.50</b> <b>FC-114</b> <b>5.70</b>	Formula
PANTONE 7448 C <b>FC-TW</b> <b>38.70</b> <b>FC-165</b> <b>31.50</b> <b>FC-114</b> <b>16.70</b> <b>FC-230</b> <b>13.10</b>	Formula	PANTONE 7449 C <b>FC-121</b> <b>34.15</b> <b>FC-064</b> <b>32.10</b> <b>FC-165</b> <b>17.85</b> <b>FC-230</b> <b>15.90</b>	Formula	PANTONE 7450 C <b>FC-TW</b> <b>96.55</b> <b>FC-165</b> <b>2.20</b> <b>FC-230</b> <b>1.05</b> <b>FC-121</b> <b>0.20</b>	Formula	PANTONE 7451 C <b>FC-TW</b> <b>91.35</b> <b>FC-165</b> <b>5.25</b> <b>FC-230</b> <b>3.40</b>	Formula
PANTONE 7452 C <b>FC-TW</b> <b>83.70</b> <b>FC-165</b> <b>10.85</b> <b>FC-230</b> <b>5.45</b>	Formula	PANTONE 7453 C <b>FC-TW</b> <b>89.85</b> <b>FC-165</b> <b>5.80</b> <b>FC-230</b> <b>4.35</b>	Formula	PANTONE 7454 C <b>FC-TW</b> <b>78.70</b> <b>FC-165</b> <b>8.35</b> <b>FC-230</b> <b>7.45</b> <b>FC-064</b> <b>5.50</b>	Formula	PANTONE 7455 C <b>FC-TW</b> <b>59.15</b> <b>FC-165</b> <b>24.95</b> <b>FC-230</b> <b>15.90</b>	Formula

# Fascure FC

PANTONE 7456 C	Formula
<b>FC-TW</b>	<b>77.05</b>
<b>FC-165</b>	<b>14.95</b>
<b>FC-230</b>	<b>6.85</b>
<b>FC-064</b>	<b>1.15</b>

PANTONE 7457 C	Formula
<b>FC-TW</b>	<b>98.45</b>
<b>FC-230</b>	<b>0.80</b>
<b>FC-165</b>	<b>0.75</b>

PANTONE 7458 C	Formula
<b>FC-TW</b>	<b>90.35</b>
<b>FC-230</b>	<b>4.40</b>
<b>FC-064</b>	<b>2.75</b>
<b>FC-165</b>	<b>2.50</b>

PANTONE 7459 C	Formula
<b>FC-TW</b>	<b>83.45</b>
<b>FC-230</b>	<b>11.35</b>
<b>FC-165</b>	<b>2.30</b>
<b>FC-114</b>	<b>1.75</b>
<b>FC-064</b>	<b>1.15</b>

PANTONE 7460 C	Formula
<b>FC-TW</b>	<b>63.40</b>
<b>FC-230</b>	<b>34.30</b>
<b>FC-064</b>	<b>2.30</b>

PANTONE 7461 C	Formula
<b>FC-TW</b>	<b>70.95</b>
<b>FC-230</b>	<b>20.90</b>
<b>FC-165</b>	<b>5.75</b>
<b>FC-064</b>	<b>2.40</b>

PANTONE 7462 C	Formula
<b>FC-TW</b>	<b>43.95</b>
<b>FC-230</b>	<b>28.60</b>
<b>FC-165</b>	<b>18.25</b>
<b>FC-064</b>	<b>9.20</b>

PANTONE 7463 C	Formula
<b>FC-064</b>	<b>40.20</b>
<b>FC-230</b>	<b>25.60</b>
<b>FC-165</b>	<b>21.70</b>
<b>FC-164</b>	<b>12.50</b>

PANTONE 7464 C	Formula
<b>FC-TW</b>	<b>96.25</b>
<b>FC-064</b>	<b>1.90</b>
<b>FC-230</b>	<b>1.45</b>
<b>FC-165</b>	<b>0.40</b>

PANTONE 7465 C	Formula
<b>FC-TW</b>	<b>85.85</b>
<b>FC-064</b>	<b>7.70</b>
<b>FC-230</b>	<b>4.80</b>
<b>FC-325</b>	<b>1.65</b>

PANTONE 7466 C	Formula
<b>FC-TW</b>	<b>77.80</b>
<b>FC-325</b>	<b>12.10</b>
<b>FC-230</b>	<b>10.10</b>

PANTONE 7467 C	Formula
<b>FC-TW</b>	<b>70.50</b>
<b>FC-325</b>	<b>16.05</b>
<b>FC-230</b>	<b>13.45</b>

PANTONE 7468 C	Formula
<b>FC-TW</b>	<b>59.25</b>
<b>FC-230</b>	<b>26.40</b>
<b>FC-064</b>	<b>10.90</b>
<b>FC-164</b>	<b>3.45</b>

PANTONE 7469 C	Formula
<b>FC-230</b>	<b>43.50</b>
<b>FC-TW</b>	<b>37.80</b>
<b>FC-064</b>	<b>13.65</b>
<b>FC-164</b>	<b>5.05</b>

PANTONE 7470 C	Formula
<b>FC-TW</b>	<b>34.45</b>
<b>FC-064</b>	<b>26.95</b>
<b>FC-230</b>	<b>26.45</b>
<b>FC-165</b>	<b>12.15</b>

PANTONE 7471 C	Formula
<b>FC-TW</b>	<b>96.65</b>
<b>FC-325</b>	<b>2.25</b>
<b>FC-230</b>	<b>1.10</b>

# Fascure FC

PANTONE 7472 C	Formula
<b>FC-TW</b>	<b>88.20</b>
<b>FC-064</b>	<b>5.80</b>
<b>FC-230</b>	<b>4.80</b>
<b>FC-SB</b>	<b>0.90</b>
<b>FC-325</b>	<b>0.30</b>

PANTONE 7473 C	Formula
<b>FC-TW</b>	<b>63.60</b>
<b>FC-064</b>	<b>24.10</b>
<b>FC-230</b>	<b>10.20</b>
<b>FC-165</b>	<b>2.10</b>

PANTONE 7474 C	Formula
<b>FC-TW</b>	<b>49.80</b>
<b>FC-325</b>	<b>18.30</b>
<b>FC-230</b>	<b>14.45</b>
<b>FC-064</b>	<b>9.20</b>
<b>FC-165</b>	<b>8.25</b>

PANTONE 7475 C	Formula
<b>FC-TW</b>	<b>69.90</b>
<b>FC-325</b>	<b>17.10</b>
<b>FC-165</b>	<b>7.15</b>
<b>FC-SB</b>	<b>5.85</b>

PANTONE 7476 C	Formula
<b>FC-TW</b>	<b>42.15</b>
<b>FC-230</b>	<b>24.50</b>
<b>FC-SB</b>	<b>19.25</b>
<b>FC-325</b>	<b>7.65</b>
<b>FC-064</b>	<b>6.45</b>

PANTONE 7477 C	Formula
<b>FC-064</b>	<b>36.50</b>
<b>FC-165</b>	<b>27.50</b>
<b>FC-230</b>	<b>14.40</b>
<b>FC-TW</b>	<b>12.20</b>
<b>FC-325</b>	<b>9.40</b>

PANTONE 7478 C	Formula
<b>FC-TW</b>	<b>94.30</b>
<b>FC-064</b>	<b>3.00</b>
<b>FC-325</b>	<b>2.40</b>
<b>FC-230</b>	<b>0.30</b>

PANTONE 7479 C	Formula
<b>FC-TW</b>	<b>68.50</b>
<b>FC-064</b>	<b>19.00</b>
<b>FC-325</b>	<b>12.50</b>

PANTONE 7480 C	Formula
<b>FC-TW</b>	<b>53.70</b>
<b>FC-325</b>	<b>24.00</b>
<b>FC-064</b>	<b>22.30</b>

PANTONE 7481 C	Formula
<b>FC-064</b>	<b>47.55</b>
<b>FC-325</b>	<b>31.10</b>
<b>FC-TW</b>	<b>21.35</b>

PANTONE 7482 C	Formula
<b>FC-064</b>	<b>45.35</b>
<b>FC-TW</b>	<b>27.40</b>
<b>FC-325</b>	<b>21.30</b>
<b>FC-230</b>	<b>5.95</b>

PANTONE 7483 C	Formula
<b>FC-064</b>	<b>39.30</b>
<b>FC-325</b>	<b>26.75</b>
<b>FC-SB</b>	<b>17.85</b>
<b>FC-TW</b>	<b>16.10</b>

PANTONE 7484 C	Formula
<b>FC-325</b>	<b>53.65</b>
<b>FC-TW</b>	<b>23.25</b>
<b>FC-SB</b>	<b>16.40</b>
<b>FC-064</b>	<b>6.70</b>

PANTONE 7485 C	Formula
<b>FC-TW</b>	<b>95.00</b>
<b>FC-064</b>	<b>4.30</b>
<b>FC-230</b>	<b>0.45</b>
<b>FC-165</b>	<b>0.25</b>

PANTONE 7486 C	Formula
<b>FC-TW</b>	<b>84.80</b>
<b>FC-064</b>	<b>13.30</b>
<b>FC-325</b>	<b>1.90</b>

PANTONE 7487 C	Formula
<b>FC-TW</b>	<b>54.35</b>
<b>FC-064</b>	<b>39.70</b>
<b>FC-325</b>	<b>5.95</b>

# Fascure FC

PANTONE 7488 C	Formula
<b>FC-064</b>	<b>66.35</b>
<b>FC-TW</b>	<b>23.35</b>
<b>FC-325</b>	<b>10.30</b>

PANTONE 7489 C	Formula
<b>FC-064</b>	<b>72.40</b>
<b>FC-TW</b>	<b>20.20</b>
<b>FC-230</b>	<b>5.95</b>
<b>FC-165</b>	<b>1.45</b>

PANTONE 7490 C	Formula
<b>FC-064</b>	<b>88.45</b>
<b>FC-230</b>	<b>7.30</b>
<b>FC-165</b>	<b>4.25</b>

PANTONE 7491 C	Formula
<b>FC-064</b>	<b>86.95</b>
<b>FC-230</b>	<b>5.40</b>
<b>FC-165</b>	<b>4.20</b>
<b>FC-SB</b>	<b>3.45</b>

PANTONE 7492 C	Formula
<b>FC-TW</b>	<b>71.00</b>
<b>FC-064</b>	<b>26.80</b>
<b>FC-230</b>	<b>1.25</b>
<b>FC-165</b>	<b>0.95</b>

PANTONE 7493 C	Formula
<b>FC-TW</b>	<b>77.45</b>
<b>FC-064</b>	<b>19.60</b>
<b>FC-165</b>	<b>1.60</b>
<b>FC-230</b>	<b>1.35</b>

PANTONE 7494 C	Formula
<b>FC-TW</b>	<b>74.40</b>
<b>FC-064</b>	<b>17.80</b>
<b>FC-325</b>	<b>3.35</b>
<b>FC-SB</b>	<b>3.15</b>
<b>FC-165</b>	<b>1.30</b>

PANTONE 7495 C	Formula
<b>FC-064</b>	<b>90.90</b>
<b>FC-SB</b>	<b>5.90</b>
<b>FC-230</b>	<b>3.20</b>

PANTONE 7496 C	Formula
<b>FC-064</b>	<b>66.60</b>
<b>FC-066</b>	<b>20.30</b>
<b>FC-230</b>	<b>8.60</b>
<b>FC-165</b>	<b>4.50</b>

PANTONE 7497 C	Formula
<b>FC-064</b>	<b>40.90</b>
<b>FC-TW</b>	<b>39.85</b>
<b>FC-SB</b>	<b>18.85</b>
<b>FC-165</b>	<b>0.40</b>

PANTONE 7498 C	Formula
<b>FC-064</b>	<b>73.20</b>
<b>FC-SB</b>	<b>19.60</b>
<b>FC-230</b>	<b>5.50</b>
<b>FC-164</b>	<b>1.70</b>

PANTONE 7499 C	Formula
<b>FC-TW</b>	<b>94.00</b>
<b>FC-064</b>	<b>5.60</b>
<b>FC-165</b>	<b>0.40</b>

PANTONE 7500 C	Formula
<b>FC-TW</b>	<b>93.80</b>
<b>FC-064</b>	<b>5.20</b>
<b>FC-SB</b>	<b>0.60</b>
<b>FC-165</b>	<b>0.40</b>

PANTONE 7501 C	Formula
<b>FC-TW</b>	<b>91.00</b>
<b>FC-064</b>	<b>7.35</b>
<b>FC-SB</b>	<b>1.00</b>
<b>FC-165</b>	<b>0.65</b>

PANTONE 7502 C	Formula
<b>FC-TW</b>	<b>78.75</b>
<b>FC-064</b>	<b>17.30</b>
<b>FC-165</b>	<b>1.80</b>
<b>FC-114</b>	<b>1.30</b>
<b>FC-230</b>	<b>0.85</b>

PANTONE 7503 C	Formula
<b>FC-TW</b>	<b>57.65</b>
<b>FC-064</b>	<b>34.75</b>
<b>FC-165</b>	<b>5.60</b>
<b>FC-230</b>	<b>2.00</b>

# Fascure FC

PANTONE 7504 C	Formula
<b>FC-064</b>	<b>44.90</b>
<b>FC-TW</b>	<b>39.80</b>
<b>FC-165</b>	<b>9.35</b>
<b>FC-SB</b>	<b>4.10</b>
<b>FC-230</b>	<b>1.85</b>

PANTONE 7505 C	Formula
<b>FC-064</b>	<b>55.25</b>
<b>FC-TW</b>	<b>19.35</b>
<b>FC-165</b>	<b>10.20</b>
<b>FC-114</b>	<b>9.65</b>
<b>FC-230</b>	<b>5.55</b>

PANTONE 7506 C	Formula
<b>FC-TW</b>	<b>90.55</b>
<b>FC-064</b>	<b>8.25</b>
<b>FC-165</b>	<b>1.20</b>

PANTONE 7507 C	Formula
<b>FC-TW</b>	<b>90.55</b>
<b>FC-064</b>	<b>8.25</b>
<b>FC-165</b>	<b>1.20</b>

PANTONE 7508 C	Formula
<b>FC-TW</b>	<b>76.40</b>
<b>FC-064</b>	<b>19.80</b>
<b>FC-121</b>	<b>2.75</b>
<b>FC-325</b>	<b>1.05</b>

PANTONE 7509 C	Formula
<b>FC-TW</b>	<b>58.60</b>
<b>FC-064</b>	<b>36.60</b>
<b>FC-121</b>	<b>3.95</b>
<b>FC-230</b>	<b>0.85</b>

PANTONE 7510 C	Formula
<b>FC-064</b>	<b>67.20</b>
<b>FC-TW</b>	<b>24.00</b>
<b>FC-121</b>	<b>7.20</b>
<b>FC-230</b>	<b>1.60</b>

PANTONE 7511 C	Formula
<b>FC-064</b>	<b>80.95</b>
<b>FC-114</b>	<b>9.90</b>
<b>FC-SB</b>	<b>6.50</b>
<b>FC-165</b>	<b>2.65</b>

PANTONE 7512 C	Formula
<b>FC-064</b>	<b>58.20</b>
<b>FC-066</b>	<b>22.40</b>
<b>FC-121</b>	<b>15.45</b>
<b>FC-230</b>	<b>3.95</b>

PANTONE 7513 C	Formula
<b>FC-TW</b>	<b>95.90</b>
<b>FC-114</b>	<b>2.25</b>
<b>FC-SB</b>	<b>1.05</b>
<b>FC-165</b>	<b>0.80</b>

PANTONE 7514 C	Formula
<b>FC-TW</b>	<b>86.20</b>
<b>FC-064</b>	<b>8.30</b>
<b>FC-SB</b>	<b>1.95</b>
<b>FC-121</b>	<b>1.95</b>
<b>FC-114</b>	<b>1.60</b>

PANTONE 7515 C	Formula
<b>FC-TW</b>	<b>70.40</b>
<b>FC-064</b>	<b>18.50</b>
<b>FC-114</b>	<b>5.90</b>
<b>FC-165</b>	<b>3.90</b>
<b>FC-230</b>	<b>1.30</b>

PANTONE 7516 C	Formula
<b>FC-064</b>	<b>55.40</b>
<b>FC-TW</b>	<b>17.60</b>
<b>FC-121</b>	<b>13.95</b>
<b>FC-114</b>	<b>9.15</b>
<b>FC-230</b>	<b>3.90</b>

PANTONE 7517 C	Formula
<b>FC-064</b>	<b>69.85</b>
<b>FC-121</b>	<b>20.10</b>
<b>FC-230</b>	<b>5.55</b>
<b>FC-114</b>	<b>4.50</b>

PANTONE 7518 C	Formula
<b>FC-TW</b>	<b>46.10</b>
<b>FC-SB</b>	<b>22.05</b>
<b>FC-064</b>	<b>20.50</b>
<b>FC-121</b>	<b>11.35</b>

PANTONE 7519 C	Formula
<b>FC-064</b>	<b>38.80</b>
<b>FC-TW</b>	<b>28.40</b>
<b>FC-SB</b>	<b>24.15</b>
<b>FC-165</b>	<b>8.65</b>

# Fascure FC

PANTONE 7520 C	Formula
<b>FC-TW</b> <b>96.80</b>	
<b>FC-114</b> <b>1.55</b>	
<b>FC-165</b> <b>1.00</b>	
<b>FC-SB</b> <b>0.65</b>	

PANTONE 7521 C	Formula
<b>FC-TW</b> <b>78.00</b>	
<b>FC-064</b> <b>14.50</b>	
<b>FC-165</b> <b>5.90</b>	
<b>FC-325</b> <b>1.60</b>	

PANTONE 7522 C	Formula
<b>FC-064</b> <b>46.25</b>	
<b>FC-TW</b> <b>34.20</b>	
<b>FC-165</b> <b>17.10</b>	
<b>FC-325</b> <b>2.45</b>	

PANTONE 7523 C	Formula
<b>FC-064</b> <b>41.00</b>	
<b>FC-TW</b> <b>30.05</b>	
<b>FC-165</b> <b>19.20</b>	
<b>FC-114</b> <b>6.00</b>	
<b>FC-325</b> <b>3.75</b>	

PANTONE 7524 C	Formula
<b>FC-064</b> <b>37.70</b>	
<b>FC-TW</b> <b>29.00</b>	
<b>FC-165</b> <b>21.40</b>	
<b>FC-114</b> <b>7.80</b>	
<b>FC-325</b> <b>4.10</b>	

PANTONE 7525 C	Formula
<b>FC-064</b> <b>56.50</b>	
<b>FC-TW</b> <b>19.80</b>	
<b>FC-165</b> <b>18.70</b>	
<b>FC-325</b> <b>5.00</b>	

PANTONE 7526 C	Formula
<b>FC-064</b> <b>57.80</b>	
<b>FC-114</b> <b>19.40</b>	
<b>FC-SB</b> <b>11.80</b>	
<b>FC-165</b> <b>11.00</b>	

PANTONE 7527 C	Formula
<b>FC-064</b> <b>98.20</b>	
<b>FC-SB</b> <b>1.30</b>	
<b>FC-064</b> <b>0.35</b>	
<b>FC-114</b> <b>0.15</b>	

PANTONE 7528 C	Formula
<b>FC-TW</b> <b>97.00</b>	
<b>FC-SB</b> <b>2.30</b>	
<b>FC-114</b> <b>0.40</b>	
<b>FC-165</b> <b>0.30</b>	

PANTONE 7529 C	Formula
<b>FC-TW</b> <b>94.60</b>	
<b>FC-SB</b> <b>4.20</b>	
<b>FC-114</b> <b>0.90</b>	
<b>FC-064</b> <b>0.30</b>	

PANTONE 7530 C	Formula
<b>FC-TW</b> <b>87.20</b>	
<b>FC-SB</b> <b>7.30</b>	
<b>FC-064</b> <b>3.60</b>	
<b>FC-114</b> <b>1.90</b>	

PANTONE 7531 C	Formula
<b>FC-TW</b> <b>68.00</b>	
<b>FC-SB</b> <b>14.15</b>	
<b>FC-064</b> <b>13.60</b>	
<b>FC-114</b> <b>4.25</b>	

PANTONE 7532 C	Formula
<b>FC-TW</b> <b>37.80</b>	
<b>FC-064</b> <b>29.90</b>	
<b>FC-SB</b> <b>25.20</b>	
<b>FC-114</b> <b>7.10</b>	

PANTONE 7533 C	Formula
<b>FC-SB</b> <b>36.10</b>	
<b>FC-064</b> <b>34.70</b>	
<b>FC-TW</b> <b>22.90</b>	
<b>FC-114</b> <b>6.30</b>	

PANTONE 7534 C	Formula
<b>FC-TW</b> <b>97.50</b>	
<b>FC-SB</b> <b>1.50</b>	
<b>FC-064</b> <b>0.80</b>	
<b>FC-165</b> <b>0.20</b>	

PANTONE 7537 C	Formula
<b>FC-TW</b> <b>92.70</b>	
<b>FC-064</b> <b>3.80</b>	
<b>FC-SB</b> <b>3.30</b>	
<b>FC-165</b> <b>0.20</b>	

# Fascure FC

PANTONE 7536 C	Formula
<b>FC-TW</b> <b>85.00</b>	
<b>FC-064</b> <b>9.00</b>	
<b>FC-SB</b> <b>5.70</b>	
<b>FC-165</b> <b>0.30</b>	

PANTONE 7537 C	Formula
<b>FC-TW</b> <b>85.00</b>	
<b>FC-064</b> <b>7.80</b>	
<b>FC-165</b> <b>4.30</b>	
<b>FC-325</b> <b>2.90</b>	

PANTONE 7538 C	Formula
<b>FC-TW</b> <b>93.00</b>	
<b>FC-SB</b> <b>5.65</b>	
<b>FC-325</b> <b>0.75</b>	
<b>FC-064</b> <b>0.60</b>	

PANTONE 7539 C	Formula
<b>FC-TW</b> <b>71.70</b>	
<b>FC-064</b> <b>14.00</b>	
<b>FC-165</b> <b>8.80</b>	
<b>FC-325</b> <b>5.50</b>	

PANTONE 7540 C	Formula
<b>FC-TW</b> <b>72.75</b>	
<b>FC-SB</b> <b>15.25</b>	
<b>FC-165</b> <b>7.20</b>	
<b>FC-325</b> <b>4.80</b>	

PANTONE 7541 C	Formula
<b>FC-TW</b> <b>97.90</b>	
<b>FC-165</b> <b>1.20</b>	
<b>FC-325</b> <b>0.90</b>	

PANTONE 7542 C	Formula
<b>FC-TW</b> <b>93.40</b>	
<b>FC-325</b> <b>2.95</b>	
<b>FC-165</b> <b>2.90</b>	
<b>FC-SB</b> <b>0.75</b>	

PANTONE 7543 C	Formula
<b>FC-TW</b> <b>91.80</b>	
<b>FC-165</b> <b>3.65</b>	
<b>FC-325</b> <b>2.80</b>	
<b>FC-SB</b> <b>1.75</b>	

PANTONE 7544 C	Formula
<b>FC-TW</b> <b>83.90</b>	
<b>FC-165</b> <b>6.40</b>	
<b>FC-325</b> <b>5.25</b>	
<b>FC-SB</b> <b>4.45</b>	

PANTONE 7545 C	Formula
<b>FC-TW</b> <b>58.00</b>	
<b>FC-165</b> <b>16.90</b>	
<b>FC-325</b> <b>14.30</b>	
<b>FC-SB</b> <b>10.80</b>	

PANTONE 7546 C	Formula
<b>FC-TW</b> <b>32.50</b>	
<b>FC-165</b> <b>27.90</b>	
<b>FC-325</b> <b>19.80</b>	
<b>FC-SB</b> <b>19.80</b>	

PANTONE 7547 C	Formula
<b>FC-SB</b> <b>45.60</b>	
<b>FC-165</b> <b>30.30</b>	
<b>FC-TW</b> <b>16.60</b>	
<b>FC-325</b> <b>7.50</b>	