

**UVivid 800**  
**Opaque**

# Fujifilm Sericol **PANTONE®** Matching System

## Version 2.1

- Base Colors
- With White



**SERICOL**  
More than ink...Solutions.

**FUJIFILM**

# UVivid 800

## Opaque Matching System

This booklet furnishes the necessary formulas to simulate all the colors in the PANTONE® Color Guide. The formulations used in this guide are hand matched and/or predictive simulations of the PANTONE®\* references using UVivid 800 Series UV Flexo colors. The printed formulas were achieved using an IGT C1-5 Proofing Machine to duplicate a 440 anilox, printed onto Leneta Card Stock. The printed formulas were viewed in daylight (D65).

Each Base Color has been carefully selected for its cleanliness of tone and suitability for intermixing. In addition, each ink has been formulated to be free of lead and other heavy metals.

Although every care is taken in producing these formulations, variations in substrates and printing conditions may affect the color achieved. Fujifilm Sericol USA Inc. assumes no responsibility for actual color achieved versus the Pantone standard print. For this reason, all formulations must be proofed prior to a production run to ensure color accuracy.

All formulations are percentages by weight using the following UVivid 800 UV Flexo colors:

DESCRIPTION	
800-012 Yellow RS	800-160 Rhodamine
800-021 Orange EL	800-175 Purple
800-026 Brilliant White EL	800-180 Warm Red
800-032 Red	800-190 Process Blue EL
800-064 Yellow GS	800-205 Reflex Blue
800-072 Blue	800-325 Green EL
800-127 Violet EL	800-MX Mixing Clear
800-155 Rubine	800-SB Shading Black

Fujifilm Sericol USA, Inc's color mixing ink formulations for screen process printing produce only simulations of PANTONE Colors in this color reproduction method due to differences in ink film, opacity and pigment selection. The selection used in blending inks may cause metamerism. Pantone, Inc. assumes no responsibility for formula accuracy.

\*PANTONE® is the property of Pantone Inc.

# UVivid 800 Opaque

PANTONE Yellow C <b>UV 800-012      100.00</b>	Formula	PANTONE Yellow 012 C <b>UV 800-012      98.50</b> <b>UV 800-021      1.50</b>	Formula	PANTONE Orange 021 C <b>UV 800-021      100.00</b>	Formula	PANTONE Warm Red C <b>UV 800-180      78.12</b> <b>UV 800-026      21.88</b>	Formula
PANTONE Red 032 C <b>UV 800-032      93.80</b> <b>UV 800-026      5.00</b> <b>UV 800-155      1.20</b>	Formula	PANTONE Rubine Red C <b>UV 800-155      68.18</b> <b>UV 800-LVX      31.82</b>	Formula	PANTONE Rhodamine Red C <b>UV 800-160      70.43</b> <b>UV 800-LVX      29.57</b>	Formula	PANTONE Purple C <b>UV 800-175      64.62</b> <b>UV 800-LVX      30.59</b> <b>UV 800-026      4.79</b>	Formula
PANTONE Violet C <b>UV 800-127      30.35</b> <b>UV 800-205      7.82</b> <b>UV 800-155      1.13</b> <b>UV 800-LVX      60.70</b>	Formula	PANTONE Blue 072 C <b>UV 800-072      100.00</b>	Formula	PANTONE Reflex Blue C <b>UV 800-205      81.82</b> <b>UV 800-LVX      18.18</b>	Formula	PANTONE Process Blue C <b>UV 800-190      72.73</b> <b>UV 800-LVX      27.27</b>	Formula
PANTONE Green C <b>UV 800-325      90.00</b> <b>UV 800-LVX      10.00</b>	Formula	PANTONE Black C <b>UV 800-SB      81.26</b> <b>UV 800-064      14.54</b> <b>UV 800-180      4.20</b>	Formula	PANTONE 100 C <b>UV 800-026      87.28</b> <b>UV 800-012      12.72</b>	Formula	PANTONE 101 C <b>UV 800-026      80.00</b> <b>UV 800-012      20.00</b>	Formula

# UVivid 800 Opaque

PANTONE 102 C <b>UV 800-012</b> <b>70.00</b> <b>UV 800-026</b> <b>30.00</b>	Formula	PANTONE 103 C <b>UV 800-012</b> <b>97.30</b> <b>UV 800-SB</b> <b>2.70</b>	Formula	PANTONE 104 C <b>UV 800-012</b> <b>94.40</b> <b>UV 800-SB</b> <b>5.60</b>	Formula	PANTONE 105 C <b>UV 800-012</b> <b>65.32</b> <b>UV 800-SB</b> <b>18.86</b> <b>UV 800-LVX</b> <b>15.58</b> <b>UV 800-325</b> <b>0.24</b>	Formula
PANTONE 106 C <b>UV 800-026</b> <b>73.70</b> <b>UV 800-012</b> <b>26.30</b>	Formula	PANTONE 107 C <b>UV 800-026</b> <b>51.45</b> <b>UV 800-012</b> <b>48.55</b>	Formula	PANTONE 108 C <b>UV 800-012</b> <b>100.00</b>	Formula	PANTONE 109 C <b>UV 800-012</b> <b>99.50</b> <b>UV 800-180</b> <b>0.50</b>	Formula
PANTONE 110 C <b>UV 800-012</b> <b>96.50</b> <b>UV 800-180</b> <b>2.00</b> <b>UV 800-SB</b> <b>1.50</b>	Formula	PANTONE 111 C <b>UV 800-012</b> <b>92.50</b> <b>UV 800-SB</b> <b>5.90</b> <b>UV 800-180</b> <b>1.60</b>	Formula	PANTONE 112 C <b>UV 800-012</b> <b>89.00</b> <b>UV 800-SB</b> <b>9.80</b> <b>UV 800-180</b> <b>1.20</b>	Formula	PANTONE 113 C <b>UV 800-026</b> <b>64.35</b> <b>UV 800-012</b> <b>35.20</b> <b>UV 800-180</b> <b>0.45</b>	Formula
PANTONE 114 C <b>UV 800-026</b> <b>66.02</b> <b>UV 800-012</b> <b>33.51</b> <b>UV 800-180</b> <b>0.47</b>	Formula	PANTONE 115 C <b>UV 800-026</b> <b>59.40</b> <b>UV 800-012</b> <b>40.05</b> <b>UV 800-180</b> <b>0.55</b>	Formula	PANTONE 116 C <b>UV 800-012</b> <b>79.15</b> <b>UV 800-026</b> <b>19.70</b> <b>UV 800-180</b> <b>1.15</b>	Formula	PANTONE 117 C <b>UV 800-012</b> <b>93.80</b> <b>UV 800-180</b> <b>3.20</b> <b>UV 800-SB</b> <b>3.00</b>	Formula

# UVivid 800 Opaque

PANTONE 118 C <b>UV 800-012</b> <b>91.00</b> <b>UV 800-SB</b> <b>5.75</b> <b>UV 800-180</b> <b>3.25</b>	Formula	PANTONE 119 C <b>UV 800-012</b> <b>86.85</b> <b>UV 800-SB</b> <b>11.85</b> <b>UV 800-180</b> <b>1.30</b>	Formula	PANTONE 120 C <b>UV 800-026</b> <b>81.40</b> <b>UV 800-012</b> <b>17.75</b> <b>UV 800-180</b> <b>0.85</b>	Formula	PANTONE 121 C <b>UV 800-026</b> <b>77.60</b> <b>UV 800-012</b> <b>21.40</b> <b>UV 800-180</b> <b>1.00</b>	Formula
PANTONE 122 C <b>UV 800-026</b> <b>65.84</b> <b>UV 800-012</b> <b>32.92</b> <b>UV 800-180</b> <b>1.24</b>	Formula	PANTONE 123 C <b>UV 800-012</b> <b>53.70</b> <b>UV 800-026</b> <b>44.35</b> <b>UV 800-180</b> <b>1.95</b>	Formula	PANTONE 124 C <b>UV 800-012</b> <b>95.52</b> <b>UV 800-180</b> <b>3.48</b> <b>UV 800-SB</b> <b>1.00</b>	Formula	PANTONE 125 C <b>UV 800-012</b> <b>90.96</b> <b>UV 800-180</b> <b>4.54</b> <b>UV 800-SB</b> <b>4.50</b>	Formula
PANTONE 126 C <b>UV 800-012</b> <b>88.65</b> <b>UV 800-180</b> <b>3.70</b> <b>UV 800-SB</b> <b>7.65</b>	Formula	PANTONE 1205 C <b>UV 800-026</b> <b>94.91</b> <b>UV 800-012</b> <b>3.61</b> <b>UV 800-021</b> <b>1.48</b>	Formula	PANTONE 1215 C <b>UV 800-026</b> <b>88.55</b> <b>UV 800-012</b> <b>8.65</b> <b>UV 800-021</b> <b>2.80</b>	Formula	PANTONE 1225 C <b>UV 800-026</b> <b>57.25</b> <b>UV 800-012</b> <b>36.05</b> <b>UV 800-021</b> <b>6.70</b>	Formula
PANTONE 1235 C <b>UV 800-026</b> <b>46.09</b> <b>UV 800-012</b> <b>42.97</b> <b>UV 800-021</b> <b>10.94</b>	Formula	PANTONE 1245 C <b>UV 800-012</b> <b>91.90</b> <b>UV 800-180</b> <b>4.70</b> <b>UV 800-SB</b> <b>3.40</b>	Formula	PANTONE 1255 C <b>UV 800-012</b> <b>75.65</b> <b>UV 800-021</b> <b>20.28</b> <b>UV 800-205</b> <b>4.07</b>	Formula	PANTONE 1265 C <b>UV 800-012</b> <b>52.00</b> <b>UV 800-021</b> <b>29.43</b> <b>UV 800-205</b> <b>8.57</b> <b>UV 800-LVX</b> <b>10.00</b>	Formula

# UVivid 800 Opaque

PANTONE 127 C <b>UV 800-026</b> <b>85.50</b> <b>UV 800-012</b> <b>14.10</b> <b>UV 800-155</b> <b>0.40</b>	Formula	PANTONE 128 C <b>UV 800-026</b> <b>72.70</b> <b>UV 800-012</b> <b>26.70</b> <b>UV 800-155</b> <b>0.60</b>	Formula	PANTONE 129 C <b>UV 800-026</b> <b>58.90</b> <b>UV 800-012</b> <b>40.25</b> <b>UV 800-155</b> <b>0.85</b>	Formula	PANTONE 130 C <b>UV 800-012</b> <b>91.15</b> <b>UV 800-026</b> <b>6.15</b> <b>UV 800-155</b> <b>2.70</b>	Formula
PANTONE 131 C <b>UV 800-012</b> <b>94.60</b> <b>UV 800-155</b> <b>4.40</b> <b>UV 800-SB</b> <b>1.00</b>	Formula	PANTONE 132 C <b>UV 800-012</b> <b>89.30</b> <b>UV 800-SB</b> <b>6.50</b> <b>UV 800-155</b> <b>4.20</b>	Formula	PANTONE 133 C <b>UV 800-012</b> <b>77.90</b> <b>UV 800-SB</b> <b>19.60</b> <b>UV 800-155</b> <b>2.50</b>	Formula	PANTONE 134 C <b>UV 800-026</b> <b>83.40</b> <b>UV 800-064</b> <b>15.00</b> <b>UV 800-180</b> <b>1.60</b>	Formula
PANTONE 135 C <b>UV 800-026</b> <b>66.16</b> <b>UV 800-064</b> <b>30.97</b> <b>UV 800-180</b> <b>2.87</b>	Formula	PANTONE 136 C <b>UV 800-064</b> <b>49.40</b> <b>UV 800-026</b> <b>46.60</b> <b>UV 800-180</b> <b>4.00</b>	Formula	PANTONE 137 C <b>UV 800-064</b> <b>85.70</b> <b>UV 800-180</b> <b>7.75</b> <b>UV 800-026</b> <b>6.55</b>	Formula	PANTONE 138 C <b>UV 800-064</b> <b>86.60</b> <b>UV 800-180</b> <b>12.35</b> <b>UV 800-SB</b> <b>1.05</b>	Formula
PANTONE 139 C <b>UV 800-064</b> <b>83.40</b> <b>UV 800-180</b> <b>11.50</b> <b>UV 800-SB</b> <b>5.10</b>	Formula	PANTONE 140 C <b>UV 800-064</b> <b>75.25</b> <b>UV 800-SB</b> <b>16.95</b> <b>UV 800-180</b> <b>7.80</b>	Formula	PANTONE 1345 C <b>UV 800-026</b> <b>75.34</b> <b>UV 800-012</b> <b>9.66</b> <b>UV 800-032</b> <b>2.44</b> <b>UV 800-LVX</b> <b>12.56</b>	Formula	PANTONE 1355 C <b>UV 800-026</b> <b>80.53</b> <b>UV 800-012</b> <b>15.93</b> <b>UV 800-032</b> <b>3.54</b>	Formula

# UVivid 800 Opaque

PANTONE 1365 C <b>UV 800-026</b> <b>60.83</b> <b>UV 800-012</b> <b>33.42</b> <b>UV 800-032</b> <b>5.75</b>	Formula	PANTONE 1375 C <b>UV 800-012</b> <b>48.87</b> <b>UV 800-021</b> <b>27.28</b> <b>UV 800-026</b> <b>23.85</b>	Formula	PANTONE 1385 C <b>UV 800-012</b> <b>81.35</b> <b>UV 800-032</b> <b>17.10</b> <b>UV 800-SB</b> <b>1.55</b>	Formula	PANTONE 1395 C <b>UV 800-012</b> <b>73.80</b> <b>UV 800-160</b> <b>18.70</b> <b>UV 800-SB</b> <b>7.50</b>	Formula
PANTONE 1405 C <b>UV 800-012</b> <b>45.95</b> <b>UV 800-SB</b> <b>18.50</b> <b>UV 800-160</b> <b>18.48</b> <b>UV 800-325</b> <b>3.76</b> <b>UV 800-LVX</b> <b>13.31</b>	Formula	PANTONE 141 C <b>UV 800-026</b> <b>74.40</b> <b>UV 800-064</b> <b>24.10</b> <b>UV 800-155</b> <b>1.50</b>	Formula	PANTONE 142 C <b>UV 800-026</b> <b>55.80</b> <b>UV 800-064</b> <b>42.00</b> <b>UV 800-155</b> <b>2.20</b>	Formula	PANTONE 143 C <b>UV 800-064</b> <b>65.10</b> <b>UV 800-026</b> <b>31.55</b> <b>UV 800-155</b> <b>3.35</b>	Formula
PANTONE 144 C <b>UV 800-064</b> <b>88.00</b> <b>UV 800-155</b> <b>7.00</b> <b>UV 800-021</b> <b>5.00</b>	Formula	PANTONE 145 C <b>UV 800-064</b> <b>89.95</b> <b>UV 800-155</b> <b>8.60</b> <b>UV 800-SB</b> <b>1.45</b>	Formula	PANTONE 146 C <b>UV 800-064</b> <b>84.55</b> <b>UV 800-155</b> <b>9.20</b> <b>UV 800-SB</b> <b>6.25</b>	Formula	PANTONE 147 C <b>UV 800-064</b> <b>65.15</b> <b>UV 800-032</b> <b>20.75</b> <b>UV 800-072</b> <b>14.10</b>	Formula
PANTONE 148 C <b>UV 800-026</b> <b>89.85</b> <b>UV 800-064</b> <b>7.95</b> <b>UV 800-180</b> <b>2.20</b>	Formula	PANTONE 149 C <b>UV 800-026</b> <b>84.70</b> <b>UV 800-064</b> <b>12.05</b> <b>UV 800-180</b> <b>3.25</b>	Formula	PANTONE 150 C <b>UV 800-026</b> <b>58.40</b> <b>UV 800-064</b> <b>34.90</b> <b>UV 800-180</b> <b>6.70</b>	Formula	PANTONE 151 C <b>UV 800-064</b> <b>80.45</b> <b>UV 800-180</b> <b>19.55</b>	Formula

# UVivid 800 Opaque

PANTONE 152 C <b>UV 800-064</b> <b>80.20</b> <b>UV 800-180</b> <b>18.70</b> <b>UV 800-SB</b> <b>1.10</b>	Formula	PANTONE 153 C <b>UV 800-064</b> <b>74.70</b> <b>UV 800-180</b> <b>22.20</b> <b>UV 800-190</b> <b>3.10</b>	Formula	PANTONE 154 C <b>UV 800-064</b> <b>65.75</b> <b>UV 800-180</b> <b>27.65</b> <b>UV 800-190</b> <b>6.60</b>	Formula	PANTONE 1485 C <b>UV 800-026</b> <b>75.71</b> <b>UV 800-021</b> <b>14.58</b> <b>UV 800-LVX</b> <b>9.71</b>	Formula
PANTONE 1495 C <b>UV 800-026</b> <b>45.45</b> <b>UV 800-021</b> <b>33.90</b> <b>UV 800-012</b> <b>20.65</b>	Formula	PANTONE 1505 C <b>UV 800-021</b> <b>67.72</b> <b>UV 800-012</b> <b>32.28</b>	Formula	PANTONE 1525 C <b>UV 800-021</b> <b>98.17</b> <b>UV 800-072</b> <b>1.83</b>	Formula	PANTONE 1535 C <b>UV 800-021</b> <b>92.40</b> <b>UV 800-072</b> <b>7.60</b>	Formula
PANTONE 1545 C <b>UV 800-012</b> <b>42.23</b> <b>UV 800-SB</b> <b>32.40</b> <b>UV 800-032</b> <b>25.37</b>	Formula	PANTONE 155 C <b>UV 800-026</b> <b>92.85</b> <b>UV 800-012</b> <b>6.10</b> <b>UV 800-155</b> <b>1.05</b>	Formula	PANTONE 156 C <b>UV 800-026</b> <b>83.95</b> <b>UV 800-012</b> <b>13.85</b> <b>UV 800-155</b> <b>2.20</b>	Formula	PANTONE 157 C <b>UV 800-026</b> <b>54.90</b> <b>UV 800-012</b> <b>39.95</b> <b>UV 800-155</b> <b>5.15</b>	Formula
PANTONE 158 C <b>UV 800-012</b> <b>80.53</b> <b>UV 800-155</b> <b>11.61</b> <b>UV 800-026</b> <b>7.86</b>	Formula	PANTONE 159 C <b>UV 800-012</b> <b>83.30</b> <b>UV 800-155</b> <b>15.40</b> <b>UV 800-SB</b> <b>1.30</b>	Formula	PANTONE 160 C <b>UV 800-012</b> <b>78.50</b> <b>UV 800-155</b> <b>15.60</b> <b>UV 800-SB</b> <b>5.90</b>	Formula	PANTONE 161 C <b>UV 800-012</b> <b>66.20</b> <b>UV 800-SB</b> <b>22.50</b> <b>UV 800-155</b> <b>11.30</b>	Formula

# UVivid 800 Opaque

PANTONE 1555 C <b>UV 800-026</b> <b>90.90</b> <b>UV 800-021</b> <b>7.85</b> <b>UV 800-180</b> <b>1.25</b>	Formula	PANTONE 1565 C <b>UV 800-026</b> <b>81.50</b> <b>UV 800-021</b> <b>17.20</b> <b>UV 800-180</b> <b>1.30</b>	Formula	PANTONE 1575 C <b>UV 800-026</b> <b>48.90</b> <b>UV 800-021</b> <b>45.45</b> <b>UV 800-012</b> <b>5.65</b>	Formula	PANTONE 1585 C <b>UV 800-021</b> <b>48.95</b> <b>UV 800-012</b> <b>42.50</b> <b>UV 800-180</b> <b>8.55</b>	Formula
PANTONE 1595 C <b>UV 800-012</b> <b>71.70</b> <b>UV 800-180</b> <b>26.25</b> <b>UV 800-SB</b> <b>2.05</b>	Formula	PANTONE 1605 C <b>UV 800-012</b> <b>66.95</b> <b>UV 800-180</b> <b>24.80</b> <b>UV 800-SB</b> <b>8.25</b>	Formula	PANTONE 1615 C <b>UV 800-012</b> <b>63.25</b> <b>UV 800-180</b> <b>22.85</b> <b>UV 800-SB</b> <b>13.90</b>	Formula	PANTONE 162 C <b>UV 800-026</b> <b>91.27</b> <b>UV 800-021</b> <b>6.86</b> <b>UV 800-160</b> <b>1.87</b>	Formula
PANTONE 163 C <b>UV 800-026</b> <b>77.35</b> <b>UV 800-021</b> <b>19.95</b> <b>UV 800-180</b> <b>2.70</b>	Formula	PANTONE 164 C <b>UV 800-021</b> <b>52.90</b> <b>UV 800-026</b> <b>46.60</b> <b>UV 800-180</b> <b>0.50</b>	Formula	PANTONE 165 C <b>UV 800-021</b> <b>87.38</b> <b>UV 800-LVX</b> <b>8.77</b> <b>UV 800-032</b> <b>3.85</b>	Formula	PANTONE 166 C <b>UV 800-012</b> <b>67.35</b> <b>UV 800-180</b> <b>31.88</b> <b>UV 800-SB</b> <b>0.77</b>	Formula
PANTONE 167 C <b>UV 800-012</b> <b>61.77</b> <b>UV 800-032</b> <b>35.18</b> <b>UV 800-SB</b> <b>3.05</b>	Formula	PANTONE 168 C <b>UV 800-012</b> <b>42.13</b> <b>UV 800-032</b> <b>34.14</b> <b>UV 800-SB</b> <b>23.73</b>	Formula	PANTONE 1625 C <b>UV 800-026</b> <b>84.57</b> <b>UV 800-180</b> <b>8.80</b> <b>UV 800-012</b> <b>6.63</b>	Formula	PANTONE 1635 C <b>UV 800-026</b> <b>75.40</b> <b>UV 800-180</b> <b>12.85</b> <b>UV 800-012</b> <b>11.75</b>	Formula

# UVivid 800 Opaque

PANTONE 1645 C <b>UV 800-026</b> <b>37.50</b> <b>UV 800-012</b> <b>37.00</b> <b>UV 800-180</b> <b>25.50</b>	Formula	PANTONE 1655 C <b>UV 800-012</b> <b>64.00</b> <b>UV 800-180</b> <b>36.00</b>	Formula	PANTONE 1665 C <b>UV 800-012</b> <b>61.53</b> <b>UV 800-180</b> <b>37.83</b> <b>UV 800-SB</b> <b>0.64</b>	Formula	PANTONE 1675 C <b>UV 800-012</b> <b>60.33</b> <b>UV 800-180</b> <b>32.30</b> <b>UV 800-SB</b> <b>7.37</b>	Formula
PANTONE 1685 C <b>UV 800-012</b> <b>59.27</b> <b>UV 800-180</b> <b>26.95</b> <b>UV 800-SB</b> <b>13.78</b>	Formula	PANTONE 169 C <b>UV 800-026</b> <b>93.93</b> <b>UV 800-180</b> <b>4.88</b> <b>UV 800-012</b> <b>1.19</b>	Formula	PANTONE 170 C <b>UV 800-026</b> <b>77.90</b> <b>UV 800-180</b> <b>15.10</b> <b>UV 800-012</b> <b>7.00</b>	Formula	PANTONE 171 C <b>UV 800-026</b> <b>37.85</b> <b>UV 800-180</b> <b>33.83</b> <b>UV 800-012</b> <b>28.32</b>	Formula
PANTONE 172 C <b>UV 800-012</b> <b>55.80</b> <b>UV 800-180</b> <b>40.25</b> <b>UV 800-026</b> <b>3.95</b>	Formula	PANTONE 173 C <b>UV 800-012</b> <b>57.65</b> <b>UV 800-180</b> <b>39.90</b> <b>UV 800-SB</b> <b>2.45</b>	Formula	PANTONE 174 C <b>UV 800-012</b> <b>55.95</b> <b>UV 800-180</b> <b>34.92</b> <b>UV 800-SB</b> <b>9.13</b>	Formula	PANTONE 175 C <b>UV 800-012</b> <b>49.27</b> <b>UV 800-160</b> <b>32.73</b> <b>UV 800-SB</b> <b>18.00</b>	Formula
PANTONE 176 C <b>UV 800-026</b> <b>94.00</b> <b>UV 800-180</b> <b>6.00</b>	Formula	PANTONE 177 C <b>UV 800-026</b> <b>84.00</b> <b>UV 800-180</b> <b>16.00</b>	Formula	PANTONE 178 C <b>UV 800-026</b> <b>61.95</b> <b>UV 800-180</b> <b>38.05</b>	Formula	PANTONE 179 C <b>UV 800-180</b> <b>60.30</b> <b>UV 800-012</b> <b>38.35</b> <b>UV 800-SB</b> <b>1.35</b>	Formula

# UVivid 800 Opaque

PANTONE 180 C <b>UV 800-180</b> <b>59.05</b> <b>UV 800-012</b> <b>36.20</b> <b>UV 800-SB</b> <b>4.75</b>	Formula	PANTONE 181 C <b>UV 800-180</b> <b>69.82</b> <b>UV 800-SB</b> <b>26.33</b> <b>UV 800-012</b> <b>3.85</b>	Formula	PANTONE 1765 C <b>UV 800-026</b> <b>91.97</b> <b>UV 800-180</b> <b>6.60</b> <b>UV 800-155</b> <b>1.43</b>	Formula	PANTONE 1775 C <b>UV 800-026</b> <b>86.65</b> <b>UV 800-180</b> <b>11.40</b> <b>UV 800-155</b> <b>1.95</b>	Formula
PANTONE 1785 C <b>UV 800-026</b> <b>57.30</b> <b>UV 800-180</b> <b>40.10</b> <b>UV 800-155</b> <b>2.60</b>	Formula	PANTONE 1788 C <b>UV 800-064</b> <b>44.60</b> <b>UV 800-180</b> <b>41.60</b> <b>UV 800-155</b> <b>13.80</b>	Formula	PANTONE 1795 C <b>UV 800-064</b> <b>60.32</b> <b>UV 800-155</b> <b>25.10</b> <b>UV 800-032</b> <b>14.58</b>	Formula	PANTONE 1805 C <b>UV 800-064</b> <b>66.65</b> <b>UV 800-155</b> <b>30.50</b> <b>UV 800-SB</b> <b>2.85</b>	Formula
PANTONE 1815 C <b>UV 800-064</b> <b>65.50</b> <b>UV 800-155</b> <b>23.45</b> <b>UV 800-SB</b> <b>11.05</b>	Formula	PANTONE 1767 C <b>UV 800-026</b> <b>94.00</b> <b>UV 800-032</b> <b>5.50</b> <b>UV 800-155</b> <b>0.50</b>	Formula	PANTONE 1777 C <b>UV 800-026</b> <b>78.67</b> <b>UV 800-180</b> <b>17.07</b> <b>UV 800-155</b> <b>4.26</b>	Formula	PANTONE 1787 C <b>UV 800-026</b> <b>46.26</b> <b>UV 800-032</b> <b>53.74</b>	Formula
PANTONE 1797 C <b>UV 800-032</b> <b>95.63</b> <b>UV 800-026</b> <b>2.95</b> <b>UV 800-SB</b> <b>1.42</b>	Formula	PANTONE 1807 C <b>UV 800-032</b> <b>91.05</b> <b>UV 800-SB</b> <b>6.50</b> <b>UV 800-012</b> <b>2.45</b>	Formula	PANTONE 1817 C <b>UV 800-032</b> <b>61.20</b> <b>UV 800-SB</b> <b>36.32</b> <b>UV 800-012</b> <b>2.48</b>	Formula	PANTONE 182 C <b>UV 800-026</b> <b>96.51</b> <b>UV 800-180</b> <b>2.02</b> <b>UV 800-155</b> <b>1.47</b>	Formula

# UVivid 800 Opaque

PANTONE 183 C <b>UV 800-026</b> <b>90.40</b> <b>UV 800-180</b> <b>6.65</b> <b>UV 800-155</b> <b>2.95</b>	Formula	PANTONE 184 C <b>UV 800-026</b> <b>76.87</b> <b>UV 800-180</b> <b>17.36</b> <b>UV 800-155</b> <b>5.77</b>	Formula	PANTONE 185 C <b>UV 800-180</b> <b>64.60</b> <b>UV 800-026</b> <b>27.65</b> <b>UV 800-155</b> <b>7.75</b>	Formula	PANTONE 186 C <b>UV 800-180</b> <b>83.70</b> <b>UV 800-155</b> <b>14.62</b> <b>UV 800-SB</b> <b>1.68</b>	Formula
PANTONE 187 C <b>UV 800-180</b> <b>81.75</b> <b>UV 800-155</b> <b>13.10</b> <b>UV 800-SB</b> <b>5.15</b>	Formula	PANTONE 188 C <b>UV 800-012</b> <b>51.67</b> <b>UV 800-155</b> <b>36.65</b> <b>UV 800-SB</b> <b>11.68</b>	Formula	PANTONE 189 C <b>UV 800-026</b> <b>93.05</b> <b>UV 800-180</b> <b>3.65</b> <b>UV 800-155</b> <b>3.30</b>	Formula	PANTONE 190 C <b>UV 800-026</b> <b>84.60</b> <b>UV 800-180</b> <b>8.62</b> <b>UV 800-155</b> <b>6.78</b>	Formula
PANTONE 191 C <b>UV 800-026</b> <b>65.60</b> <b>UV 800-180</b> <b>21.30</b> <b>UV 800-155</b> <b>13.10</b>	Formula	PANTONE 192 C <b>UV 800-180</b> <b>48.70</b> <b>UV 800-026</b> <b>37.15</b> <b>UV 800-155</b> <b>14.15</b>	Formula	PANTONE 193 C <b>UV 800-032</b> <b>89.70</b> <b>UV 800-SB</b> <b>8.35</b> <b>UV 800-155</b> <b>1.95</b>	Formula	PANTONE 194 C <b>UV 800-180</b> <b>50.00</b> <b>UV 800-160</b> <b>41.70</b> <b>UV 800-SB</b> <b>8.30</b>	Formula
PANTONE 195 C <b>UV 800-032</b> <b>61.15</b> <b>UV 800-026</b> <b>25.40</b> <b>UV 800-SB</b> <b>13.45</b>	Formula	PANTONE 1895 C <b>UV 800-026</b> <b>96.88</b> <b>UV 800-155</b> <b>1.88</b> <b>UV 800-180</b> <b>1.24</b>	Formula	PANTONE 1905 C <b>UV 800-026</b> <b>93.37</b> <b>UV 800-155</b> <b>4.33</b> <b>UV 800-180</b> <b>2.30</b>	Formula	PANTONE 1915 C <b>UV 800-026</b> <b>74.90</b> <b>UV 800-155</b> <b>14.85</b> <b>UV 800-180</b> <b>10.25</b>	Formula

# UVivid 800 Opaque

PANTONE 1925 C <b>UV 800-026</b> <b>49.02</b> <b>UV 800-155</b> <b>29.63</b> <b>UV 800-180</b> <b>21.35</b>	Formula	PANTONE 1935 C <b>UV 800-155</b> <b>43.73</b> <b>UV 800-180</b> <b>30.03</b> <b>UV 800-026</b> <b>26.24</b>	Formula	PANTONE 1945 C <b>UV 800-155</b> <b>49.80</b> <b>UV 800-180</b> <b>42.43</b> <b>UV 800-SB</b> <b>7.77</b>	Formula	PANTONE 1955 C <b>UV 800-155</b> <b>47.12</b> <b>UV 800-180</b> <b>30.44</b> <b>UV 800-SB</b> <b>11.44</b> <b>UV 800-026</b> <b>11.00</b>	Formula
PANTONE 196 C <b>UV 800-026</b> <b>97.87</b> <b>UV 800-155</b> <b>1.77</b> <b>UV 800-012</b> <b>0.36</b>	Formula	PANTONE 197 C <b>UV 800-026</b> <b>91.55</b> <b>UV 800-155</b> <b>5.80</b> <b>UV 800-012</b> <b>2.65</b>	Formula	PANTONE 198 C <b>UV 800-026</b> <b>63.85</b> <b>UV 800-155</b> <b>23.30</b> <b>UV 800-012</b> <b>12.85</b>	Formula	PANTONE 199 C <b>UV 800-155</b> <b>44.65</b> <b>UV 800-012</b> <b>39.90</b> <b>UV 800-026</b> <b>15.45</b>	Formula
PANTONE 200 C <b>UV 800-155</b> <b>52.00</b> <b>UV 800-012</b> <b>46.63</b> <b>UV 800-SB</b> <b>1.37</b>	Formula	PANTONE 201 C <b>UV 800-155</b> <b>48.55</b> <b>UV 800-064</b> <b>46.15</b> <b>UV 800-SB</b> <b>5.30</b>	Formula	PANTONE 202 C <b>UV 800-155</b> <b>45.20</b> <b>UV 800-012</b> <b>44.90</b> <b>UV 800-SB</b> <b>9.90</b>	Formula	PANTONE 203 C <b>UV 800-026</b> <b>96.12</b> <b>UV 800-155</b> <b>3.88</b>	Formula
PANTONE 204 C <b>UV 800-026</b> <b>89.20</b> <b>UV 800-155</b> <b>10.05</b> <b>UV 800-012</b> <b>0.75</b>	Formula	PANTONE 205 C <b>UV 800-155</b> <b>64.80</b> <b>UV 800-026</b> <b>22.65</b> <b>UV 800-012</b> <b>12.55</b>	Formula	PANTONE 206 C <b>UV 800-160</b> <b>47.14</b> <b>UV 800-155</b> <b>32.93</b> <b>UV 800-012</b> <b>19.93</b>	Formula	PANTONE 207 C <b>UV 800-155</b> <b>83.30</b> <b>UV 800-012</b> <b>14.10</b> <b>UV 800-SB</b> <b>2.60</b>	Formula

# UVivid 800 Opaque

PANTONE 208 C <b>UV 800-160</b> <b>75.15</b> <b>UV 800-012</b> <b>16.02</b> <b>UV 800-SB</b> <b>8.83</b>	Formula	PANTONE 209 C <b>UV 800-160</b> <b>68.17</b> <b>UV 800-012</b> <b>16.60</b> <b>UV 800-SB</b> <b>15.23</b>	Formula	PANTONE 210 C <b>UV 800-026</b> <b>87.25</b> <b>UV 800-160</b> <b>12.35</b> <b>UV 800-180</b> <b>0.40</b>	Formula	PANTONE 211 C <b>UV 800-026</b> <b>75.40</b> <b>UV 800-160</b> <b>22.70</b> <b>UV 800-180</b> <b>1.90</b>	Formula
PANTONE 212 C <b>UV 800-160</b> <b>47.85</b> <b>UV 800-026</b> <b>47.15</b> <b>UV 800-180</b> <b>5.00</b>	Formula	PANTONE 213 C <b>UV 800-160</b> <b>75.20</b> <b>UV 800-180</b> <b>13.90</b> <b>UV 800-026</b> <b>10.90</b>	Formula	PANTONE 214 C <b>UV 800-160</b> <b>76.95</b> <b>UV 800-180</b> <b>21.95</b> <b>UV 800-SB</b> <b>1.10</b>	Formula	PANTONE 215 C <b>UV 800-160</b> <b>67.35</b> <b>UV 800-180</b> <b>27.32</b> <b>UV 800-SB</b> <b>5.33</b>	Formula
PANTONE 216 C <b>UV 800-160</b> <b>52.47</b> <b>UV 800-180</b> <b>31.33</b> <b>UV 800-SB</b> <b>16.20</b>	Formula	PANTONE 217 C <b>UV 800-026</b> <b>97.21</b> <b>UV 800-155</b> <b>2.79</b>	Formula	PANTONE 218 C <b>UV 800-026</b> <b>86.60</b> <b>UV 800-155</b> <b>13.40</b>	Formula	PANTONE 219 C <b>UV 800-026</b> <b>70.24</b> <b>UV 800-155</b> <b>29.76</b>	Formula
PANTONE 220 C <b>UV 800-155</b> <b>59.45</b> <b>UV 800-026</b> <b>38.75</b> <b>UV 800-SB</b> <b>1.80</b>	Formula	PANTONE 221 C <b>UV 800-155</b> <b>68.77</b> <b>UV 800-026</b> <b>26.68</b> <b>UV 800-SB</b> <b>4.55</b>	Formula	PANTONE 222 C <b>UV 800-155</b> <b>59.72</b> <b>UV 800-026</b> <b>19.92</b> <b>UV 800-SB</b> <b>19.11</b> <b>UV 800-205</b> <b>1.25</b>	Formula	PANTONE 223 C <b>UV 800-026</b> <b>85.23</b> <b>UV 800-160</b> <b>13.90</b> <b>UV 800-155</b> <b>0.87</b>	Formula

# UVivid 800 Opaque

PANTONE 224 C <b>UV 800-026</b> <b>66.60</b> <b>UV 800-160</b> <b>33.40</b>	Formula	PANTONE 225 C <b>UV 800-160</b> <b>84.90</b> <b>UV 800-026</b> <b>15.10</b>	Formula	PANTONE 226 C <b>UV 800-160</b> <b>78.45</b> <b>UV 800-155</b> <b>21.55</b>	Formula	PANTONE 227 C <b>UV 800-160</b> <b>61.10</b> <b>UV 800-155</b> <b>36.35</b> <b>UV 800-SB</b> <b>2.55</b>	Formula
PANTONE 228 C <b>UV 800-160</b> <b>57.15</b> <b>UV 800-155</b> <b>34.55</b> <b>UV 800-SB</b> <b>8.30</b>	Formula	PANTONE 229 C <b>UV 800-155</b> <b>51.60</b> <b>UV 800-160</b> <b>29.10</b> <b>UV 800-SB</b> <b>19.30</b>	Formula	PANTONE 230 C <b>UV 800-026</b> <b>92.11</b> <b>UV 800-160</b> <b>7.89</b>	Formula	PANTONE 231 C <b>UV 800-026</b> <b>72.24</b> <b>UV 800-160</b> <b>27.76</b>	Formula
PANTONE 232 C <b>UV 800-160</b> <b>57.00</b> <b>UV 800-026</b> <b>43.00</b>	Formula	PANTONE 233 C <b>UV 800-160</b> <b>99.15</b> <b>UV 800-SB</b> <b>0.85</b>	Formula	PANTONE 234 C <b>UV 800-160</b> <b>95.30</b> <b>UV 800-SB</b> <b>4.70</b>	Formula	PANTONE 235 C <b>UV 800-160</b> <b>85.44</b> <b>UV 800-SB</b> <b>14.56</b>	Formula
PANTONE 236 C <b>UV 800-026</b> <b>90.25</b> <b>UV 800-160</b> <b>5.70</b> <b>UV 800-175</b> <b>4.05</b>	Formula	PANTONE 237 C <b>UV 800-026</b> <b>79.65</b> <b>UV 800-160</b> <b>13.70</b> <b>UV 800-175</b> <b>6.65</b>	Formula	PANTONE 238 C <b>UV 800-026</b> <b>56.20</b> <b>UV 800-160</b> <b>32.60</b> <b>UV 800-175</b> <b>11.20</b>	Formula	PANTONE 239 C <b>UV 800-160</b> <b>48.00</b> <b>UV 800-026</b> <b>38.50</b> <b>UV 800-175</b> <b>13.50</b>	Formula

# UVivid 800 Opaque

PANTONE 240 C <b>UV 800-160</b> <b>86.20</b> <b>UV 800-175</b> <b>12.60</b> <b>UV 800-SB</b> <b>1.20</b>	Formula	PANTONE 241 C <b>UV 800-160</b> <b>81.80</b> <b>UV 800-175</b> <b>15.50</b> <b>UV 800-SB</b> <b>2.70</b>	Formula	PANTONE 242 C <b>UV 800-160</b> <b>82.90</b> <b>UV 800-SB</b> <b>14.20</b> <b>UV 800-032</b> <b>2.90</b>	Formula	PANTONE 2365 C <b>UV 800-026</b> <b>94.55</b> <b>UV 800-175</b> <b>3.10</b> <b>UV 800-160</b> <b>2.35</b>	Formula
PANTONE 2375 C <b>UV 800-026</b> <b>69.10</b> <b>UV 800-160</b> <b>17.05</b> <b>UV 800-175</b> <b>13.85</b>	Formula	PANTONE 2385 C <b>UV 800-160</b> <b>41.70</b> <b>UV 800-175</b> <b>29.20</b> <b>UV 800-026</b> <b>29.10</b>	Formula	PANTONE 2395 C <b>UV 800-160</b> <b>69.65</b> <b>UV 800-175</b> <b>30.35</b>	Formula	PANTONE 2405 C <b>UV 800-160</b> <b>70.00</b> <b>UV 800-175</b> <b>27.30</b> <b>UV 800-SB</b> <b>2.70</b>	Formula
PANTONE 2415 C <b>UV 800-160</b> <b>65.30</b> <b>UV 800-175</b> <b>30.35</b> <b>UV 800-SB</b> <b>4.35</b>	Formula	PANTONE 2425 C <b>UV 800-160</b> <b>71.75</b> <b>UV 800-175</b> <b>17.55</b> <b>UV 800-SB</b> <b>10.70</b>	Formula	PANTONE 243 C <b>UV 800-026</b> <b>92.40</b> <b>UV 800-175</b> <b>5.40</b> <b>UV 800-160</b> <b>2.20</b>	Formula	PANTONE 244 C <b>UV 800-026</b> <b>77.15</b> <b>UV 800-175</b> <b>14.50</b> <b>UV 800-160</b> <b>8.35</b>	Formula
PANTONE 245 C <b>UV 800-026</b> <b>77.20</b> <b>UV 800-175</b> <b>14.40</b> <b>UV 800-160</b> <b>8.40</b>	Formula	PANTONE 246 C <b>UV 800-160</b> <b>50.05</b> <b>UV 800-175</b> <b>49.95</b>	Formula	PANTONE 247 C <b>UV 800-160</b> <b>50.15</b> <b>UV 800-175</b> <b>49.55</b> <b>UV 800-SB</b> <b>0.30</b>	Formula	PANTONE 248 C <b>UV 800-160</b> <b>54.95</b> <b>UV 800-175</b> <b>41.80</b> <b>UV 800-SB</b> <b>3.25</b>	Formula

# UVivid 800 Opaque

PANTONE 249 C <b>UV 800-160</b> <b>62.20</b> <b>UV 800-175</b> <b>24.70</b> <b>UV 800-SB</b> <b>13.10</b>	Formula	PANTONE 250 C <b>UV 800-026</b> <b>95.12</b> <b>UV 800-175</b> <b>4.23</b> <b>UV 800-160</b> <b>0.65</b>	Formula	PANTONE 251 C <b>UV 800-026</b> <b>85.20</b> <b>UV 800-175</b> <b>14.80</b>	Formula	PANTONE 252 C <b>UV 800-026</b> <b>62.10</b> <b>UV 800-175</b> <b>37.90</b>	Formula
PANTONE 253 C <b>UV 800-175</b> <b>89.55</b> <b>UV 800-LVX</b> <b>10.45</b>	Formula	PANTONE 254 C <b>UV 800-175</b> <b>87.65</b> <b>UV 800-LVX</b> <b>9.50</b> <b>UV 800-SB</b> <b>1.50</b> <b>UV 800-180</b> <b>1.35</b>	Formula	PANTONE 255 C <b>UV 800-175</b> <b>68.84</b> <b>UV 800-026</b> <b>16.45</b> <b>UV 800-SB</b> <b>12.37</b> <b>UV 800-180</b> <b>2.34</b>	Formula	PANTONE 256 C <b>UV 800-026</b> <b>95.15</b> <b>UV 800-175</b> <b>4.55</b> <b>UV 800-072</b> <b>0.30</b>	Formula
PANTONE 257 C <b>UV 800-026</b> <b>91.45</b> <b>UV 800-175</b> <b>8.10</b> <b>UV 800-072</b> <b>0.45</b>	Formula	PANTONE 258 C <b>UV 800-026</b> <b>49.60</b> <b>UV 800-175</b> <b>47.55</b> <b>UV 800-SB</b> <b>2.85</b>	Formula	PANTONE 259 C <b>UV 800-175</b> <b>86.62</b> <b>UV 800-SB</b> <b>8.25</b> <b>UV 800-026</b> <b>5.13</b>	Formula	PANTONE 260 C <b>UV 800-175</b> <b>80.20</b> <b>UV 800-SB</b> <b>12.70</b> <b>UV 800-026</b> <b>7.10</b>	Formula
PANTONE 261 C <b>UV 800-175</b> <b>74.55</b> <b>UV 800-SB</b> <b>16.37</b> <b>UV 800-026</b> <b>9.08</b>	Formula	PANTONE 262 C <b>UV 800-175</b> <b>64.25</b> <b>UV 800-SB</b> <b>21.90</b> <b>UV 800-026</b> <b>13.85</b>	Formula	PANTONE 2562 C <b>UV 800-026</b> <b>89.30</b> <b>UV 800-175</b> <b>10.20</b> <b>UV 800-205</b> <b>0.50</b>	Formula	PANTONE 2572 C <b>UV 800-026</b> <b>78.95</b> <b>UV 800-175</b> <b>20.20</b> <b>UV 800-205</b> <b>0.85</b>	Formula

# UVivid 800 Opaque

PANTONE 2582 C <b>UV 800-175</b> <b>54.70</b> <b>UV 800-026</b> <b>43.65</b> <b>UV 800-205</b> <b>1.65</b>	Formula	PANTONE 2592 C <b>UV 800-175</b> <b>97.90</b> <b>UV 800-205</b> <b>2.10</b>	Formula	PANTONE 2602 C <b>UV 800-175</b> <b>96.20</b> <b>UV 800-205</b> <b>2.40</b> <b>UV 800-SB</b> <b>1.40</b>	Formula	PANTONE 2612 C <b>UV 800-175</b> <b>91.38</b> <b>UV 800-SB</b> <b>7.38</b> <b>UV 800-205</b> <b>1.24</b>	Formula
PANTONE 2622 C <b>UV 800-175</b> <b>72.77</b> <b>UV 800-SB</b> <b>18.17</b> <b>UV 800-160</b> <b>9.06</b>	Formula	PANTONE 2563 C <b>UV 800-026</b> <b>90.90</b> <b>UV 800-127</b> <b>2.50</b> <b>UV 800-160</b> <b>1.60</b> <b>UV 800-LVX</b> <b>5.00</b>	Formula	PANTONE 2573 C <b>UV 800-026</b> <b>83.10</b> <b>UV 800-127</b> <b>4.27</b> <b>UV 800-160</b> <b>4.10</b> <b>UV 800-LVX</b> <b>8.53</b>	Formula	PANTONE 2583 C <b>UV 800-026</b> <b>65.40</b> <b>UV 800-127</b> <b>7.47</b> <b>UV 800-160</b> <b>12.20</b> <b>UV 800-LVX</b> <b>14.93</b>	Formula
PANTONE 2593 C <b>UV 800-127</b> <b>11.70</b> <b>UV 800-026</b> <b>34.40</b> <b>UV 800-160</b> <b>30.40</b> <b>UV 800-LVX</b> <b>23.50</b>	Formula	PANTONE 2603 C <b>UV 800-160</b> <b>48.56</b> <b>UV 800-127</b> <b>15.59</b> <b>UV 800-SB</b> <b>4.66</b> <b>UV 800-LVX</b> <b>31.19</b>	Formula	PANTONE 2613 C <b>UV 800-160</b> <b>49.06</b> <b>UV 800-127</b> <b>14.58</b> <b>UV 800-SB</b> <b>7.20</b> <b>UV 800-LVX</b> <b>29.16</b>	Formula	PANTONE 2623 C <b>UV 800-160</b> <b>49.82</b> <b>UV 800-127</b> <b>12.83</b> <b>UV 800-SB</b> <b>11.68</b> <b>UV 800-LVX</b> <b>25.67</b>	Formula
PANTONE 2567 C <b>UV 800-026</b> <b>91.38</b> <b>UV 800-127</b> <b>2.87</b> <b>UV 800-LVX</b> <b>5.75</b>	Formula	PANTONE 2577 C <b>UV 800-026</b> <b>90.74</b> <b>UV 800-127</b> <b>3.08</b> <b>UV 800-LVX</b> <b>6.18</b>	Formula	PANTONE 2587 C <b>UV 800-026</b> <b>81.60</b> <b>UV 800-127</b> <b>6.00</b> <b>UV 800-155</b> <b>0.40</b> <b>UV 800-LVX</b> <b>12.00</b>	Formula	PANTONE 2597 C <b>UV 800-127</b> <b>30.96</b> <b>UV 800-155</b> <b>3.68</b> <b>UV 800-SB</b> <b>3.45</b> <b>UV 800-LVX</b> <b>61.91</b>	Formula

# UVivid 800 Opaque

PANTONE 2607 C <b>UV 800-127</b> <b>30.00</b> <b>UV 800-155</b> <b>6.00</b> <b>UV 800-SB</b> <b>4.00</b> <b>UV 800-LVX</b> <b>60.00</b>	Formula	PANTONE 2617 C <b>UV 800-127</b> <b>28.00</b> <b>UV 800-155</b> <b>7.00</b> <b>UV 800-SB</b> <b>9.00</b> <b>UV 800-LVX</b> <b>56.00</b>	Formula	PANTONE 2627 C <b>UV 800-127</b> <b>26.77</b> <b>UV 800-SB</b> <b>18.11</b> <b>UV 800-155</b> <b>1.58</b> <b>UV 800-LVX</b> <b>53.54</b>	Formula	PANTONE 263 C <b>UV 800-026</b> <b>98.78</b> <b>UV 800-127</b> <b>0.92</b> <b>UV 800-205</b> <b>0.30</b>	Formula
PANTONE 264 C <b>UV 800-026</b> <b>96.83</b> <b>UV 800-127</b> <b>2.37</b> <b>UV 800-205</b> <b>0.80</b>	Formula	PANTONE 265 C <b>UV 800-026</b> <b>72.65</b> <b>UV 800-127</b> <b>8.52</b> <b>UV 800-205</b> <b>1.80</b> <b>UV 800-LVX</b> <b>17.03</b>	Formula	PANTONE 266 C <b>UV 800-175</b> <b>92.14</b> <b>UV 800-190</b> <b>7.86</b>	Formula	PANTONE 267 C <b>UV 800-175</b> <b>87.45</b> <b>UV 800-205</b> <b>9.40</b> <b>UV 800-SB</b> <b>3.15</b>	Formula
PANTONE 268 C <b>UV 800-175</b> <b>84.93</b> <b>UV 800-205</b> <b>7.94</b> <b>UV 800-SB</b> <b>7.13</b>	Formula	PANTONE 269 C <b>UV 800-175</b> <b>79.60</b> <b>UV 800-SB</b> <b>15.60</b> <b>UV 800-205</b> <b>4.80</b>	Formula	PANTONE 2635 C <b>UV 800-026</b> <b>97.43</b> <b>UV 800-127</b> <b>1.84</b> <b>UV 800-205</b> <b>0.73</b>	Formula	PANTONE 2645 C <b>UV 800-026</b> <b>88.65</b> <b>UV 800-127</b> <b>3.42</b> <b>UV 800-205</b> <b>1.10</b> <b>UV 800-LVX</b> <b>6.83</b>	Formula
PANTONE 2655 C <b>UV 800-026</b> <b>77.70</b> <b>UV 800-127</b> <b>6.83</b> <b>UV 800-205</b> <b>1.80</b> <b>UV 800-LVX</b> <b>13.67</b>	Formula	PANTONE 2665 C <b>UV 800-026</b> <b>55.00</b> <b>UV 800-127</b> <b>15.00</b> <b>UV 800-LVX</b> <b>30.00</b>	Formula	PANTONE 2685 C <b>UV 800-127</b> <b>30.80</b> <b>UV 800-205</b> <b>6.35</b> <b>UV 800-SB</b> <b>1.20</b> <b>UV 800-LVX</b> <b>61.65</b>	Formula	PANTONE 2695 C <b>UV 800-127</b> <b>23.00</b> <b>UV 800-SB</b> <b>21.66</b> <b>UV 800-205</b> <b>8.24</b> <b>UV 800-155</b> <b>1.00</b> <b>UV 800-LVX</b> <b>46.1</b>	Formula

# UVivid 800 Opaque

PANTONE 270 C <b>UV 800-026</b> <b>94.00</b> <b>UV 800-205</b> <b>3.00</b> <b>UV 800-160</b> <b>3.00</b>	Formula	PANTONE 271 C <b>UV 800-026</b> <b>89.90</b> <b>UV 800-160</b> <b>5.05</b> <b>UV 800-205</b> <b>5.05</b>	Formula	PANTONE 272 C <b>UV 800-026</b> <b>83.15</b> <b>UV 800-160</b> <b>8.55</b> <b>UV 800-205</b> <b>8.30</b>	Formula	PANTONE 273 C <b>UV 800-160</b> <b>68.17</b> <b>UV 800-205</b> <b>25.61</b> <b>UV 800-SB</b> <b>6.22</b>	Formula
PANTONE 274 C <b>UV 800-160</b> <b>67.40</b> <b>UV 800-205</b> <b>21.73</b> <b>UV 800-SB</b> <b>10.87</b>	Formula	PANTONE 275 C <b>UV 800-160</b> <b>66.15</b> <b>UV 800-205</b> <b>18.55</b> <b>UV 800-SB</b> <b>15.30</b>	Formula	PANTONE 276 C <b>UV 800-160</b> <b>62.50</b> <b>UV 800-SB</b> <b>26.20</b> <b>UV 800-205</b> <b>11.30</b>	Formula	PANTONE 2705 C <b>UV 800-026</b> <b>89.30</b> <b>UV 800-127</b> <b>2.90</b> <b>UV 800-190</b> <b>1.90</b> <b>UV 800-LVX</b> <b>5.90</b>	Formula
PANTONE 2715 C <b>UV 800-026</b> <b>81.56</b> <b>UV 800-127</b> <b>5.10</b> <b>UV 800-190</b> <b>3.14</b> <b>UV 800-LVX</b> <b>10.20</b>	Formula	PANTONE 2725 C <b>UV 800-026</b> <b>56.65</b> <b>UV 800-127</b> <b>12.40</b> <b>UV 800-190</b> <b>6.05</b> <b>UV 800-LVX</b> <b>24.90</b>	Formula	PANTONE 2735 C <b>UV 800-127</b> <b>31.46</b> <b>UV 800-190</b> <b>5.60</b> <b>UV 800-LVX</b> <b>62.94</b>	Formula	PANTONE 2745 C <b>UV 800-127</b> <b>30.40</b> <b>UV 800-190</b> <b>5.70</b> <b>UV 800-SB</b> <b>3.10</b> <b>UV 800-LVX</b> <b>60.80</b>	Formula
PANTONE 2755 C <b>UV 800-127</b> <b>28.90</b> <b>UV 800-SB</b> <b>8.05</b> <b>UV 800-190</b> <b>5.25</b> <b>UV 800-LVX</b> <b>57.80</b>	Formula	PANTONE 2765 C <b>UV 800-127</b> <b>26.85</b> <b>UV 800-SB</b> <b>14.65</b> <b>UV 800-190</b> <b>4.80</b> <b>UV 800-LVX</b> <b>53.70</b>	Formula	PANTONE 2706 C <b>UV 800-026</b> <b>97.40</b> <b>UV 800-127</b> <b>0.50</b> <b>UV 800-205</b> <b>2.10</b>	Formula	PANTONE 2716 C <b>UV 800-026</b> <b>92.30</b> <b>UV 800-127</b> <b>1.32</b> <b>UV 800-205</b> <b>3.75</b> <b>UV 800-LVX</b> <b>2.63</b>	Formula

# UVivid 800 Opaque

<b>PANTONE</b> <b>2726 C</b> <b>UV 800-026 65.25</b> <b>UV 800-205 18.25</b> <b>UV 800-127 5.50</b> <b>UV 800-LVX 11.00</b>	Formula	<b>PANTONE</b> <b>2736 C</b> <b>UV 800-127 25.86</b> <b>UV 800-205 22.43</b> <b>UV 800-LVX 51.71</b>	Formula	<b>PANTONE</b> <b>2746 C</b> <b>UV 800-127 23.02</b> <b>UV 800-205 19.15</b> <b>UV 800-026 11.78</b> <b>UV 800-LVX 46.05</b>	Formula	<b>PANTONE</b> <b>2756 C</b> <b>UV 800-127 26.35</b> <b>UV 800-205 11.90</b> <b>UV 800-SB 8.95</b> <b>UV 800-LVX 52.80</b>	Formula
<b>PANTONE</b> <b>2766 C</b> <b>UV 800-127 24.41</b> <b>UV 800-SB 18.67</b> <b>UV 800-205 8.10</b> <b>UV 800-LVX 48.82</b>	Formula	<b>PANTONE</b> <b>2707 C</b> <b>UV 800-026 97.92</b> <b>UV 800-072 1.65</b> <b>UV 800-175 0.43</b>	Formula	<b>PANTONE</b> <b>2717 C</b> <b>UV 800-026 94.55</b> <b>UV 800-072 4.15</b> <b>UV 800-175 1.30</b>	Formula	<b>PANTONE</b> <b>2727 C</b> <b>UV 800-026 75.83</b> <b>UV 800-072 24.17</b>	Formula
<b>PANTONE</b> <b>2747 C</b> <b>UV 800-072 89.85</b> <b>UV 800-SB 6.00</b> <b>UV 800-026 4.15</b>	Formula	<b>PANTONE</b> <b>2757 C</b> <b>UV 800-072 84.50</b> <b>UV 800-SB 13.53</b> <b>UV 800-026 1.97</b>	Formula	<b>PANTONE</b> <b>2767 C</b> <b>UV 800-072 56.92</b> <b>UV 800-SB 37.48</b> <b>UV 800-026 5.60</b>	Formula	<b>PANTONE</b> <b>2708 C</b> <b>UV 800-026 96.00</b> <b>UV 800-072 3.50</b> <b>UV 800-127 0.50</b>	Formula
<b>PANTONE</b> <b>2718 C</b> <b>UV 800-026 87.67</b> <b>UV 800-205 11.53</b> <b>UV 800-127 0.80</b>	Formula	<b>PANTONE</b> <b>2728 C</b> <b>UV 800-026 58.60</b> <b>UV 800-205 41.00</b> <b>UV 800-127 0.40</b>	Formula	<b>PANTONE</b> <b>2738 C</b> <b>UV 800-127 26.60</b> <b>UV 800-205 20.20</b> <b>UV 800-LVX 53.20</b>	Formula	<b>PANTONE</b> <b>2748 C</b> <b>UV 800-205 68.84</b> <b>UV 800-127 6.98</b> <b>UV 800-SB 10.23</b> <b>UV 800-LVX 13.95</b>	Formula

# UVivid 800 Opaque

PANTONE 2758 C <b>UV 800-127</b> <b>26.97</b> <b>UV 800-SB</b> <b>11.25</b> <b>UV 800-205</b> <b>7.85</b> <b>UV 800-LVX</b> <b>53.93</b>	Formula	PANTONE 2768 C <b>UV 800-127</b> <b>25.91</b> <b>UV 800-SB</b> <b>20.63</b> <b>UV 800-205</b> <b>1.64</b> <b>UV 800-LVX</b> <b>51.82</b>	Formula	PANTONE 277 C <b>UV 800-026</b> <b>97.27</b> <b>UV 800-205</b> <b>2.32</b> <b>UV 800-190</b> <b>0.41</b>	Formula	PANTONE 278 C <b>UV 800-026</b> <b>95.15</b> <b>UV 800-205</b> <b>4.20</b> <b>UV 800-190</b> <b>0.65</b>	Formula
PANTONE 279 C <b>UV 800-026</b> <b>86.56</b> <b>UV 800-205</b> <b>10.22</b> <b>UV 800-190</b> <b>3.22</b>	Formula	PANTONE 280 C <b>UV 800-205</b> <b>85.00</b> <b>UV 800-026</b> <b>10.40</b> <b>UV 800-SB</b> <b>4.60</b>	Formula	PANTONE 281 C <b>UV 800-205</b> <b>88.17</b> <b>UV 800-SB</b> <b>11.83</b>	Formula	PANTONE 282 C <b>UV 800-205</b> <b>67.42</b> <b>UV 800-SB</b> <b>23.41</b> <b>UV 800-064</b> <b>9.17</b>	Formula
PANTONE 283 C <b>UV 800-026</b> <b>97.00</b> <b>UV 800-205</b> <b>2.20</b> <b>UV 800-190</b> <b>0.80</b>	Formula	PANTONE 284 C <b>UV 800-026</b> <b>93.40</b> <b>UV 800-205</b> <b>4.70</b> <b>UV 800-190</b> <b>1.90</b>	Formula	PANTONE 285 C <b>UV 800-026</b> <b>74.70</b> <b>UV 800-205</b> <b>12.92</b> <b>UV 800-190</b> <b>12.38</b>	Formula	PANTONE 286 C <b>UV 800-190</b> <b>55.70</b> <b>UV 800-205</b> <b>44.30</b>	Formula
PANTONE 287 C <b>UV 800-190</b> <b>54.60</b> <b>UV 800-205</b> <b>43.95</b> <b>UV 800-SB</b> <b>1.45</b>	Formula	PANTONE 288 C <b>UV 800-205</b> <b>52.72</b> <b>UV 800-190</b> <b>41.60</b> <b>UV 800-SB</b> <b>5.68</b>	Formula	PANTONE 289 C <b>UV 800-127</b> <b>20.00</b> <b>UV 800-SB</b> <b>21.40</b> <b>UV 800-190</b> <b>18.60</b> <b>UV 800-LVX</b> <b>40.00</b>	Formula	PANTONE 290 C <b>UV 800-026</b> <b>98.40</b> <b>UV 800-205</b> <b>1.16</b> <b>UV 800-190</b> <b>0.44</b>	Formula

# UVivid 800 Opaque

PANTONE 291 C <b>UV 800-026</b> <b>97.15</b> <b>UV 800-205</b> <b>1.85</b> <b>UV 800-190</b> <b>1.00</b>	Formula	PANTONE 292 C <b>UV 800-026</b> <b>93.15</b> <b>UV 800-205</b> <b>3.80</b> <b>UV 800-190</b> <b>3.05</b>	Formula	PANTONE 293 C <b>UV 800-026</b> <b>40.25</b> <b>UV 800-190</b> <b>30.50</b> <b>UV 800-205</b> <b>29.25</b>	Formula	PANTONE 294 C <b>UV 800-190</b> <b>57.35</b> <b>UV 800-205</b> <b>36.15</b> <b>UV 800-SB</b> <b>6.50</b>	Formula
PANTONE 295 C <b>UV 800-190</b> <b>45.73</b> <b>UV 800-205</b> <b>40.15</b> <b>UV 800-SB</b> <b>14.12</b>	Formula	PANTONE 296 C <b>UV 800-205</b> <b>40.55</b> <b>UV 800-SB</b> <b>31.62</b> <b>UV 800-190</b> <b>27.83</b>	Formula	PANTONE 2905 C <b>UV 800-026</b> <b>96.25</b> <b>UV 800-205</b> <b>1.90</b> <b>UV 800-190</b> <b>1.85</b>	Formula	PANTONE 2915 C <b>UV 800-026</b> <b>92.93</b> <b>UV 800-190</b> <b>4.00</b> <b>UV 800-205</b> <b>3.07</b>	Formula
PANTONE 2925 C <b>UV 800-026</b> <b>81.35</b> <b>UV 800-190</b> <b>12.90</b> <b>UV 800-205</b> <b>5.75</b>	Formula	PANTONE 2935 C <b>UV 800-026</b> <b>41.95</b> <b>UV 800-190</b> <b>39.27</b> <b>UV 800-205</b> <b>18.78</b>	Formula	PANTONE 2945 C <b>UV 800-190</b> <b>78.90</b> <b>UV 800-205</b> <b>19.45</b> <b>UV 800-SB</b> <b>1.65</b>	Formula	PANTONE 2955 C <b>UV 800-190</b> <b>63.15</b> <b>UV 800-205</b> <b>24.85</b> <b>UV 800-SB</b> <b>12.00</b>	Formula
PANTONE 2965 C <b>UV 800-190</b> <b>52.40</b> <b>UV 800-205</b> <b>25.35</b> <b>UV 800-SB</b> <b>22.25</b>	Formula	PANTONE 297 C <b>UV 800-026</b> <b>94.60</b> <b>UV 800-190</b> <b>3.75</b> <b>UV 800-205</b> <b>1.65</b>	Formula	PANTONE 298 C <b>UV 800-026</b> <b>90.72</b> <b>UV 800-190</b> <b>6.92</b> <b>UV 800-205</b> <b>2.36</b>	Formula	PANTONE 299 C <b>UV 800-026</b> <b>82.07</b> <b>UV 800-190</b> <b>14.47</b> <b>UV 800-205</b> <b>3.46</b>	Formula

# UVivid 800 Opaque

PANTONE 300 C <b>UV 800-190</b> <b>93.20</b> <b>UV 800-205</b> <b>6.80</b>	Formula	PANTONE 301 C <b>UV 800-190</b> <b>84.77</b> <b>UV 800-205</b> <b>12.45</b> <b>UV 800-SB</b> <b>2.78</b>	Formula	PANTONE 302 C <b>UV 800-190</b> <b>75.73</b> <b>UV 800-SB</b> <b>12.32</b> <b>UV 800-205</b> <b>11.95</b>	Formula	PANTONE 303 C <b>UV 800-190</b> <b>62.75</b> <b>UV 800-SB</b> <b>23.50</b> <b>UV 800-205</b> <b>13.75</b>	Formula
PANTONE 2975 C <b>UV 800-026</b> <b>97.15</b> <b>UV 800-190</b> <b>2.85</b>	Formula	PANTONE 2985 C <b>UV 800-026</b> <b>91.76</b> <b>UV 800-190</b> <b>6.74</b> <b>UV 800-205</b> <b>1.50</b>	Formula	PANTONE 2995 C <b>UV 800-026</b> <b>78.90</b> <b>UV 800-190</b> <b>19.10</b> <b>UV 800-205</b> <b>2.00</b>	Formula	PANTONE 3005 C <b>UV 800-190</b> <b>53.50</b> <b>UV 800-026</b> <b>41.90</b> <b>UV 800-205</b> <b>4.60</b>	Formula
PANTONE 3015 C <b>UV 800-190</b> <b>93.29</b> <b>UV 800-205</b> <b>4.27</b> <b>UV 800-SB</b> <b>2.44</b>	Formula	PANTONE 3025 C <b>UV 800-190</b> <b>83.33</b> <b>UV 800-SB</b> <b>11.78</b> <b>UV 800-205</b> <b>4.89</b>	Formula	PANTONE 3035 C <b>UV 800-190</b> <b>72.70</b> <b>UV 800-SB</b> <b>21.75</b> <b>UV 800-205</b> <b>5.55</b>	Formula	PANTONE 304 C <b>UV 800-026</b> <b>97.30</b> <b>UV 800-190</b> <b>2.70</b>	Formula
PANTONE 305 C <b>UV 800-026</b> <b>92.75</b> <b>UV 800-190</b> <b>7.25</b>	Formula	PANTONE 306 C <b>UV 800-026</b> <b>83.20</b> <b>UV 800-190</b> <b>16.80</b>	Formula	PANTONE 307 C <b>UV 800-190</b> <b>85.74</b> <b>UV 800-LVX</b> <b>13.14</b> <b>UV 800-SB</b> <b>1.12</b>	Formula	PANTONE 308 C <b>UV 800-190</b> <b>92.42</b> <b>UV 800-SB</b> <b>7.58</b>	Formula

# UVivid 800 Opaque

PANTONE 309 C <b>UV 800-190</b> <b>56.41</b> <b>UV 800-SB</b> <b>32.22</b> <b>UV 800-325</b> <b>11.37</b>	Formula	PANTONE 310 C <b>UV 800-026</b> <b>94.57</b> <b>UV 800-190</b> <b>5.43</b>	Formula	PANTONE 311 C <b>UV 800-026</b> <b>90.57</b> <b>UV 800-190</b> <b>9.43</b>	Formula	PANTONE 312 C <b>UV 800-026</b> <b>42.80</b> <b>UV 800-LVX</b> <b>30.00</b> <b>UV 800-190</b> <b>23.20</b> <b>UV 800-325</b> <b>4.00</b>	Formula
PANTONE 313 C <b>UV 800-026</b> <b>54.48</b> <b>UV 800-190</b> <b>38.45</b> <b>UV 800-325</b> <b>7.07</b>	Formula	PANTONE 314 C <b>UV 800-190</b> <b>62.43</b> <b>UV 800-026</b> <b>22.50</b> <b>UV 800-325</b> <b>15.07</b>	Formula	PANTONE 315 C <b>UV 800-190</b> <b>77.13</b> <b>UV 800-325</b> <b>17.37</b> <b>UV 800-SB</b> <b>5.50</b>	Formula	PANTONE 316 C <b>UV 800-190</b> <b>64.76</b> <b>UV 800-SB</b> <b>20.97</b> <b>UV 800-325</b> <b>14.27</b>	Formula
PANTONE 3105 C <b>UV 800-026</b> <b>95.30</b> <b>UV 800-190</b> <b>4.10</b> <b>UV 800-325</b> <b>0.60</b>	Formula	PANTONE 3115 C <b>UV 800-026</b> <b>90.14</b> <b>UV 800-190</b> <b>8.06</b> <b>UV 800-325</b> <b>1.80</b>	Formula	PANTONE 3125 C <b>UV 800-026</b> <b>76.70</b> <b>UV 800-190</b> <b>16.10</b> <b>UV 800-325</b> <b>7.20</b>	Formula	PANTONE 3135 C <b>UV 800-026</b> <b>46.87</b> <b>UV 800-190</b> <b>37.33</b> <b>UV 800-325</b> <b>15.80</b>	Formula
PANTONE 3145 C <b>UV 800-190</b> <b>69.15</b> <b>UV 800-325</b> <b>28.75</b> <b>UV 800-SB</b> <b>2.10</b>	Formula	PANTONE 3155 C <b>UV 800-190</b> <b>66.58</b> <b>UV 800-325</b> <b>26.95</b> <b>UV 800-SB</b> <b>6.47</b>	Formula	PANTONE 3165 C <b>UV 800-190</b> <b>61.60</b> <b>UV 800-325</b> <b>24.10</b> <b>UV 800-SB</b> <b>14.30</b>	Formula	PANTONE 317 C <b>UV 800-026</b> <b>97.80</b> <b>UV 800-325</b> <b>1.57</b> <b>UV 800-205</b> <b>0.63</b>	Formula

# UVivid 800 Opaque

PANTONE 318 C <b>UV 800-026</b> <b>96.50</b> <b>UV 800-190</b> <b>3.15</b> <b>UV 800-325</b> <b>0.35</b>	Formula	PANTONE 319 C <b>UV 800-026</b> <b>90.30</b> <b>UV 800-190</b> <b>6.05</b> <b>UV 800-325</b> <b>3.65</b>	Formula	PANTONE 320 C <b>UV 800-026</b> <b>37.30</b> <b>UV 800-190</b> <b>31.90</b> <b>UV 800-325</b> <b>30.80</b>	Formula	PANTONE 321 C <b>UV 800-190</b> <b>48.62</b> <b>UV 800-325</b> <b>37.45</b> <b>UV 800-026</b> <b>13.93</b>	Formula
PANTONE 322 C <b>UV 800-190</b> <b>51.12</b> <b>UV 800-325</b> <b>42.25</b> <b>UV 800-SB</b> <b>6.63</b>	Formula	PANTONE 323 C <b>UV 800-190</b> <b>48.16</b> <b>UV 800-325</b> <b>39.20</b> <b>UV 800-SB</b> <b>12.64</b>	Formula	PANTONE 324 C <b>UV 800-026</b> <b>96.80</b> <b>UV 800-190</b> <b>2.82</b> <b>UV 800-064</b> <b>0.38</b>	Formula	PANTONE 325 C <b>UV 800-026</b> <b>91.13</b> <b>UV 800-190</b> <b>6.77</b> <b>UV 800-064</b> <b>2.10</b>	Formula
PANTONE 326 C <b>UV 800-026</b> <b>77.20</b> <b>UV 800-190</b> <b>16.70</b> <b>UV 800-064</b> <b>6.10</b>	Formula	PANTONE 327 C <b>UV 800-190</b> <b>54.86</b> <b>UV 800-026</b> <b>24.37</b> <b>UV 800-064</b> <b>20.77</b>	Formula	PANTONE 328 C <b>UV 800-190</b> <b>72.40</b> <b>UV 800-064</b> <b>24.35</b> <b>UV 800-SB</b> <b>3.25</b>	Formula	PANTONE 329 C <b>UV 800-190</b> <b>68.27</b> <b>UV 800-064</b> <b>23.90</b> <b>UV 800-SB</b> <b>7.83</b>	Formula
PANTONE 330 C <b>UV 800-190</b> <b>61.47</b> <b>UV 800-SB</b> <b>19.28</b> <b>UV 800-064</b> <b>19.25</b>	Formula	PANTONE 3242 C <b>UV 800-026</b> <b>93.35</b> <b>UV 800-325</b> <b>4.64</b> <b>UV 800-190</b> <b>2.01</b>	Formula	PANTONE 3252 C <b>UV 800-026</b> <b>89.44</b> <b>UV 800-325</b> <b>6.96</b> <b>UV 800-190</b> <b>3.60</b>	Formula	PANTONE 3262 C <b>UV 800-026</b> <b>68.83</b> <b>UV 800-325</b> <b>22.92</b> <b>UV 800-190</b> <b>8.25</b>	Formula

# UVivid 800 Opaque

PANTONE 3272 C <b>UV 800-190</b> <b>18.83</b> <b>UV 800-325</b> <b>48.45</b> <b>UV 800-026</b> <b>22.72</b> <b>UV 800-LVX</b> <b>10.00</b>	Formula	PANTONE 3282 C <b>UV 800-325</b> <b>67.50</b> <b>UV 800-190</b> <b>28.95</b> <b>UV 800-SB</b> <b>3.55</b>	Formula	PANTONE 3292 C <b>UV 800-325</b> <b>60.33</b> <b>UV 800-190</b> <b>24.85</b> <b>UV 800-SB</b> <b>14.82</b>	Formula	PANTONE 3302 C <b>UV 800-325</b> <b>48.85</b> <b>UV 800-SB</b> <b>34.62</b> <b>UV 800-190</b> <b>16.53</b>	Formula
PANTONE 3245 C <b>UV 800-026</b> <b>93.20</b> <b>UV 800-325</b> <b>5.10</b> <b>UV 800-190</b> <b>1.70</b>	Formula	PANTONE 3255 C <b>UV 800-026</b> <b>86.37</b> <b>UV 800-325</b> <b>11.13</b> <b>UV 800-190</b> <b>2.50</b>	Formula	PANTONE 3265 C <b>UV 800-026</b> <b>70.85</b> <b>UV 800-325</b> <b>24.70</b> <b>UV 800-190</b> <b>4.45</b>	Formula	PANTONE 3275 C <b>UV 800-325</b> <b>51.67</b> <b>UV 800-026</b> <b>40.47</b> <b>UV 800-190</b> <b>7.86</b>	Formula
PANTONE 3285 C <b>UV 800-325</b> <b>81.00</b> <b>UV 800-190</b> <b>16.00</b> <b>UV 800-SB</b> <b>3.00</b>	Formula	PANTONE 3295 C <b>UV 800-325</b> <b>76.84</b> <b>UV 800-190</b> <b>15.60</b> <b>UV 800-SB</b> <b>7.56</b>	Formula	PANTONE 3305 C <b>UV 800-325</b> <b>61.00</b> <b>UV 800-SB</b> <b>25.40</b> <b>UV 800-190</b> <b>13.60</b>	Formula	PANTONE 3248 C <b>UV 800-026</b> <b>93.50</b> <b>UV 800-190</b> <b>4.23</b> <b>UV 800-064</b> <b>2.27</b>	Formula
PANTONE 3258 C <b>UV 800-026</b> <b>88.30</b> <b>UV 800-190</b> <b>7.40</b> <b>UV 800-064</b> <b>4.30</b>	Formula	PANTONE 3268 C <b>UV 800-026</b> <b>67.37</b> <b>UV 800-190</b> <b>20.10</b> <b>UV 800-064</b> <b>12.53</b>	Formula	PANTONE 3278 C <b>UV 800-026</b> <b>46.55</b> <b>UV 800-190</b> <b>32.65</b> <b>UV 800-064</b> <b>20.80</b>	Formula	PANTONE 3288 C <b>UV 800-325</b> <b>81.23</b> <b>UV 800-190</b> <b>12.57</b> <b>UV 800-SB</b> <b>6.20</b>	Formula

# UVivid 800 Opaque

PANTONE 3298 C <b>UV 800-325</b> <b>73.35</b> <b>UV 800-190</b> <b>14.00</b> <b>UV 800-SB</b> <b>12.65</b>	Formula	PANTONE 3308 C <b>UV 800-325</b> <b>56.13</b> <b>UV 800-SB</b> <b>30.62</b> <b>UV 800-190</b> <b>13.25</b>	Formula	PANTONE 331 C <b>UV 800-026</b> <b>96.30</b> <b>UV 800-325</b> <b>3.70</b>	Formula	PANTONE 332 C <b>UV 800-026</b> <b>94.40</b> <b>UV 800-325</b> <b>5.60</b>	Formula
PANTONE 333 C <b>UV 800-026</b> <b>85.65</b> <b>UV 800-325</b> <b>14.35</b>	Formula	PANTONE 334 C <b>UV 800-325</b> <b>88.20</b> <b>UV 800-026</b> <b>9.95</b> <b>UV 800-SB</b> <b>1.85</b>	Formula	PANTONE 335 C <b>UV 800-325</b> <b>75.45</b> <b>UV 800-LVX</b> <b>16.10</b> <b>UV 800-SB</b> <b>8.45</b>	Formula	PANTONE 336 C <b>UV 800-325</b> <b>71.39</b> <b>UV 800-SB</b> <b>21.42</b> <b>UV 800-LVX</b> <b>7.19</b>	Formula
PANTONE 337 C <b>UV 800-026</b> <b>94.50</b> <b>UV 800-190</b> <b>3.00</b> <b>UV 800-064</b> <b>2.50</b>	Formula	PANTONE 338 C <b>UV 800-026</b> <b>91.95</b> <b>UV 800-190</b> <b>4.50</b> <b>UV 800-064</b> <b>3.55</b>	Formula	PANTONE 339 C <b>UV 800-026</b> <b>58.55</b> <b>UV 800-190</b> <b>15.65</b> <b>UV 800-064</b> <b>14.35</b> <b>UV 800-LVX</b> <b>11.45</b>	Formula	PANTONE 340 C <b>UV 800-190</b> <b>34.30</b> <b>UV 800-064</b> <b>33.80</b> <b>UV 800-026</b> <b>21.90</b> <b>UV 800-LVX</b> <b>10.00</b>	Formula
PANTONE 341 C <b>UV 800-190</b> <b>45.20</b> <b>UV 800-064</b> <b>38.40</b> <b>UV 800-LVX</b> <b>10.00</b> <b>UV 800-SB</b> <b>6.40</b>	Formula	PANTONE 342 C <b>UV 800-190</b> <b>42.20</b> <b>UV 800-064</b> <b>36.30</b> <b>UV 800-SB</b> <b>11.60</b> <b>UV 800-LVX</b> <b>9.90</b>	Formula	PANTONE 343 C <b>UV 800-190</b> <b>35.96</b> <b>UV 800-064</b> <b>32.86</b> <b>UV 800-SB</b> <b>21.18</b> <b>UV 800-LVX</b> <b>10.00</b>	Formula	PANTONE 3375 C <b>UV 800-026</b> <b>91.00</b> <b>UV 800-325</b> <b>8.35</b> <b>UV 800-064</b> <b>0.65</b>	Formula

# UVivid 800 Opaque

PANTONE 3385 C <b>UV 800-026</b> <b>81.90</b> <b>UV 800-325</b> <b>16.20</b> <b>UV 800-064</b> <b>1.90</b>	Formula	PANTONE 3395 C <b>UV 800-026</b> <b>57.94</b> <b>UV 800-325</b> <b>36.98</b> <b>UV 800-064</b> <b>5.08</b>	Formula	PANTONE 3405 C <b>UV 800-325</b> <b>86.80</b> <b>UV 800-064</b> <b>13.20</b>	Formula	PANTONE 3415 C <b>UV 800-325</b> <b>80.68</b> <b>UV 800-064</b> <b>10.46</b> <b>UV 800-SB</b> <b>8.86</b>	Formula
PANTONE 3425 C <b>UV 800-325</b> <b>77.25</b> <b>UV 800-SB</b> <b>15.20</b> <b>UV 800-064</b> <b>7.55</b>	Formula	PANTONE 3435 C <b>UV 800-325</b> <b>68.52</b> <b>UV 800-SB</b> <b>27.15</b> <b>UV 800-064</b> <b>4.33</b>	Formula	PANTONE 344 C <b>UV 800-026</b> <b>94.70</b> <b>UV 800-064</b> <b>3.20</b> <b>UV 800-190</b> <b>2.10</b>	Formula	PANTONE 345 C <b>UV 800-026</b> <b>91.20</b> <b>UV 800-064</b> <b>5.33</b> <b>UV 800-190</b> <b>3.47</b>	Formula
PANTONE 346 C <b>UV 800-026</b> <b>83.90</b> <b>UV 800-064</b> <b>10.05</b> <b>UV 800-190</b> <b>6.05</b>	Formula	PANTONE 347 C <b>UV 800-064</b> <b>51.40</b> <b>UV 800-190</b> <b>27.80</b> <b>UV 800-026</b> <b>20.80</b>	Formula	PANTONE 348 C <b>UV 800-064</b> <b>60.60</b> <b>UV 800-190</b> <b>35.30</b> <b>UV 800-SB</b> <b>4.10</b>	Formula	PANTONE 349 C <b>UV 800-064</b> <b>55.70</b> <b>UV 800-190</b> <b>31.52</b> <b>UV 800-SB</b> <b>12.78</b>	Formula
PANTONE 350 C <b>UV 800-064</b> <b>49.90</b> <b>UV 800-SB</b> <b>27.50</b> <b>UV 800-190</b> <b>22.60</b>	Formula	PANTONE 351 C <b>UV 800-026</b> <b>93.09</b> <b>UV 800-325</b> <b>4.39</b> <b>UV 800-064</b> <b>2.52</b>	Formula	PANTONE 352 C <b>UV 800-026</b> <b>87.55</b> <b>UV 800-325</b> <b>8.40</b> <b>UV 800-064</b> <b>4.05</b>	Formula	PANTONE 353 C <b>UV 800-026</b> <b>82.75</b> <b>UV 800-325</b> <b>11.55</b> <b>UV 800-064</b> <b>5.70</b>	Formula

# UVivid 800 Opaque

PANTONE 354 C <b>UV 800-325</b> <b>64.37</b> <b>UV 800-064</b> <b>35.63</b>	Formula	PANTONE 355 C <b>UV 800-064</b> <b>71.15</b> <b>UV 800-190</b> <b>28.00</b> <b>UV 800-SB</b> <b>0.85</b>	Formula	PANTONE 356 C <b>UV 800-064</b> <b>64.10</b> <b>UV 800-190</b> <b>28.25</b> <b>UV 800-SB</b> <b>7.65</b>	Formula	PANTONE 357 C <b>UV 800-325</b> <b>45.65</b> <b>UV 800-SB</b> <b>34.27</b> <b>UV 800-064</b> <b>20.08</b>	Formula
PANTONE 358 C <b>UV 800-026</b> <b>85.30</b> <b>UV 800-064</b> <b>12.20</b> <b>UV 800-190</b> <b>2.50</b>	Formula	PANTONE 359 C <b>UV 800-026</b> <b>84.15</b> <b>UV 800-064</b> <b>13.12</b> <b>UV 800-190</b> <b>2.73</b>	Formula	PANTONE 360 C <b>UV 800-026</b> <b>46.33</b> <b>UV 800-064</b> <b>45.87</b> <b>UV 800-190</b> <b>7.80</b>	Formula	PANTONE 361 C <b>UV 800-064</b> <b>71.10</b> <b>UV 800-026</b> <b>15.30</b> <b>UV 800-190</b> <b>13.60</b>	Formula
PANTONE 362 C <b>UV 800-064</b> <b>80.75</b> <b>UV 800-190</b> <b>16.13</b> <b>UV 800-SB</b> <b>3.12</b>	Formula	PANTONE 363 C <b>UV 800-064</b> <b>78.35</b> <b>UV 800-190</b> <b>16.05</b> <b>UV 800-SB</b> <b>5.60</b>	Formula	PANTONE 364 C <b>UV 800-064</b> <b>72.00</b> <b>UV 800-190</b> <b>16.24</b> <b>UV 800-SB</b> <b>11.76</b>	Formula	PANTONE 365 C <b>UV 800-026</b> <b>91.56</b> <b>UV 800-064</b> <b>7.54</b> <b>UV 800-190</b> <b>0.90</b>	Formula
PANTONE 366 C <b>UV 800-026</b> <b>87.25</b> <b>UV 800-064</b> <b>11.45</b> <b>UV 800-190</b> <b>1.30</b>	Formula	PANTONE 367 C <b>UV 800-026</b> <b>74.55</b> <b>UV 800-064</b> <b>23.00</b> <b>UV 800-190</b> <b>2.45</b>	Formula	PANTONE 368 C <b>UV 800-064</b> <b>70.07</b> <b>UV 800-026</b> <b>22.93</b> <b>UV 800-190</b> <b>7.00</b>	Formula	PANTONE 369 C <b>UV 800-064</b> <b>87.80</b> <b>UV 800-190</b> <b>10.54</b> <b>UV 800-SB</b> <b>1.66</b>	Formula

# UVivid 800 Opaque

PANTONE 370 C <b>UV 800-064</b> <b>83.95</b> <b>UV 800-190</b> <b>10.45</b> <b>UV 800-SB</b> <b>5.60</b>	Formula	PANTONE 371 C <b>UV 800-064</b> <b>74.43</b> <b>UV 800-SB</b> <b>17.00</b> <b>UV 800-190</b> <b>8.57</b>	Formula	PANTONE 372 C <b>UV 800-026</b> <b>91.05</b> <b>UV 800-064</b> <b>7.75</b> <b>UV 800-325</b> <b>1.20</b>	Formula	PANTONE 373 C <b>UV 800-026</b> <b>84.00</b> <b>UV 800-064</b> <b>13.90</b> <b>UV 800-325</b> <b>2.10</b>	Formula
PANTONE 374 C <b>UV 800-026</b> <b>68.23</b> <b>UV 800-064</b> <b>27.97</b> <b>UV 800-325</b> <b>3.80</b>	Formula	PANTONE 375 C <b>UV 800-064</b> <b>74.85</b> <b>UV 800-026</b> <b>15.08</b> <b>UV 800-325</b> <b>10.07</b>	Formula	PANTONE 376 C <b>UV 800-064</b> <b>85.00</b> <b>UV 800-325</b> <b>13.60</b> <b>UV 800-SB</b> <b>1.40</b>	Formula	PANTONE 377 C <b>UV 800-064</b> <b>79.23</b> <b>UV 800-325</b> <b>14.23</b> <b>UV 800-SB</b> <b>6.54</b>	Formula
PANTONE 378 C <b>UV 800-064</b> <b>67.28</b> <b>UV 800-SB</b> <b>20.22</b> <b>UV 800-325</b> <b>12.50</b>	Formula	PANTONE 379 C <b>UV 800-026</b> <b>78.98</b> <b>UV 800-064</b> <b>20.57</b> <b>UV 800-190</b> <b>0.45</b>	Formula	PANTONE 380 C <b>UV 800-026</b> <b>55.20</b> <b>UV 800-064</b> <b>43.90</b> <b>UV 800-190</b> <b>0.90</b>	Formula	PANTONE 381 C <b>UV 800-064</b> <b>73.65</b> <b>UV 800-026</b> <b>25.00</b> <b>UV 800-190</b> <b>1.35</b>	Formula
PANTONE 382 C <b>UV 800-064</b> <b>83.42</b> <b>UV 800-LVX</b> <b>14.45</b> <b>UV 800-190</b> <b>2.13</b>	Formula	PANTONE 383 C <b>UV 800-064</b> <b>94.74</b> <b>UV 800-SB</b> <b>2.86</b> <b>UV 800-190</b> <b>2.40</b>	Formula	PANTONE 384 C <b>UV 800-064</b> <b>91.30</b> <b>UV 800-SB</b> <b>6.30</b> <b>UV 800-190</b> <b>2.40</b>	Formula	PANTONE 385 C <b>UV 800-064</b> <b>73.68</b> <b>UV 800-SB</b> <b>16.61</b> <b>UV 800-021</b> <b>5.83</b> <b>UV 800-190</b> <b>3.88</b>	Formula

# UVivid 800 Opaque

PANTONE 386 C <b>UV 800-026</b> <b>76.80</b> <b>UV 800-064</b> <b>22.60</b> <b>UV 800-325</b> <b>0.60</b>	Formula	PANTONE 387 C <b>UV 800-026</b> <b>51.76</b> <b>UV 800-064</b> <b>46.88</b> <b>UV 800-325</b> <b>1.36</b>	Formula	PANTONE 388 C <b>UV 800-064</b> <b>80.65</b> <b>UV 800-026</b> <b>17.25</b> <b>UV 800-325</b> <b>2.10</b>	Formula	PANTONE 389 C <b>UV 800-064</b> <b>96.53</b> <b>UV 800-325</b> <b>3.47</b>	Formula
PANTONE 390 C <b>UV 800-064</b> <b>94.63</b> <b>UV 800-325</b> <b>3.40</b> <b>UV 800-SB</b> <b>1.97</b>	Formula	PANTONE 391 C <b>UV 800-064</b> <b>90.30</b> <b>UV 800-SB</b> <b>7.00</b> <b>UV 800-325</b> <b>2.70</b>	Formula	PANTONE 392 C <b>UV 800-064</b> <b>84.90</b> <b>UV 800-SB</b> <b>12.30</b> <b>UV 800-325</b> <b>2.80</b>	Formula	PANTONE 393 C <b>UV 800-026</b> <b>87.43</b> <b>UV 800-064</b> <b>12.57</b>	Formula
PANTONE 394 C <b>UV 800-026</b> <b>59.35</b> <b>UV 800-064</b> <b>40.17</b> <b>UV 800-325</b> <b>0.48</b>	Formula	PANTONE 395 C <b>UV 800-064</b> <b>79.90</b> <b>UV 800-026</b> <b>19.00</b> <b>UV 800-325</b> <b>1.10</b>	Formula	PANTONE 396 C <b>UV 800-064</b> <b>91.65</b> <b>UV 800-026</b> <b>6.93</b> <b>UV 800-325</b> <b>1.42</b>	Formula	PANTONE 397 C <b>UV 800-064</b> <b>96.52</b> <b>UV 800-SB</b> <b>2.15</b> <b>UV 800-325</b> <b>1.33</b>	Formula
PANTONE 398 C <b>UV 800-012</b> <b>94.07</b> <b>UV 800-SB</b> <b>3.96</b> <b>UV 800-325</b> <b>1.97</b>	Formula	PANTONE 399 C <b>UV 800-012</b> <b>91.40</b> <b>UV 800-SB</b> <b>6.86</b> <b>UV 800-325</b> <b>1.74</b>	Formula	PANTONE 3935 C <b>UV 800-026</b> <b>82.18</b> <b>UV 800-064</b> <b>17.82</b>	Formula	PANTONE 3945 C <b>UV 800-064</b> <b>67.60</b> <b>UV 800-026</b> <b>32.20</b> <b>UV 800-190</b> <b>0.20</b>	Formula

# UVivid 800 Opaque

PANTONE 3955 C <b>UV 800-064</b> <b>99.70</b> <b>UV 800-190</b> <b>0.30</b>	Formula	PANTONE 3965 C <b>UV 800-012</b> <b>99.00</b> <b>UV 800-325</b> <b>1.00</b>	Formula	PANTONE 3975 C <b>UV 800-012</b> <b>96.12</b> <b>UV 800-SB</b> <b>3.45</b> <b>UV 800-190</b> <b>0.43</b>	Formula	PANTONE 3985 C <b>UV 800-012</b> <b>91.34</b> <b>UV 800-SB</b> <b>8.23</b> <b>UV 800-190</b> <b>0.43</b>	Formula
PANTONE 3995 C <b>UV 800-012</b> <b>79.35</b> <b>UV 800-SB</b> <b>19.75</b> <b>UV 800-190</b> <b>0.90</b>	Formula	PANTONE 400 C <b>UV 800-026</b> <b>97.04</b> <b>UV 800-SB</b> <b>2.76</b> <b>UV 800-021</b> <b>0.20</b>	Formula	PANTONE 401 C <b>UV 800-026</b> <b>96.70</b> <b>UV 800-SB</b> <b>3.30</b>	Formula	PANTONE 402 C <b>UV 800-026</b> <b>95.25</b> <b>UV 800-SB</b> <b>4.75</b>	Formula
PANTONE 403 C <b>UV 800-026</b> <b>92.00</b> <b>UV 800-SB</b> <b>7.63</b> <b>UV 800-180</b> <b>0.37</b>	Formula	PANTONE 404 C <b>UV 800-026</b> <b>85.75</b> <b>UV 800-SB</b> <b>13.20</b> <b>UV 800-180</b> <b>1.05</b>	Formula	PANTONE 405 C <b>UV 800-026</b> <b>66.10</b> <b>UV 800-SB</b> <b>23.24</b> <b>UV 800-012</b> <b>10.66</b>	Formula	PANTONE 406 C <b>UV 800-026</b> <b>98.50</b> <b>UV 800-SB</b> <b>1.30</b> <b>UV 800-155</b> <b>0.20</b>	Formula
PANTONE 407 C <b>UV 800-026</b> <b>96.22</b> <b>UV 800-SB</b> <b>3.38</b> <b>UV 800-155</b> <b>0.40</b>	Formula	PANTONE 408 C <b>UV 800-026</b> <b>93.40</b> <b>UV 800-SB</b> <b>6.00</b> <b>UV 800-155</b> <b>0.60</b>	Formula	PANTONE 409 C <b>UV 800-026</b> <b>90.40</b> <b>UV 800-SB</b> <b>8.80</b> <b>UV 800-155</b> <b>0.80</b>	Formula	PANTONE 410 C <b>UV 800-026</b> <b>83.95</b> <b>UV 800-SB</b> <b>14.30</b> <b>UV 800-155</b> <b>1.75</b>	Formula

# UVivid 800 Opaque

PANTONE 411 C <b>UV 800-026</b> <b>75.00</b> <b>UV 800-SB</b> <b>21.00</b> <b>UV 800-155</b> <b>4.00</b>	Formula	PANTONE 412 C <b>UV 800-064</b> <b>46.70</b> <b>UV 800-SB</b> <b>43.60</b> <b>UV 800-155</b> <b>9.70</b>	Formula	PANTONE 413 C <b>UV 800-026</b> <b>98.00</b> <b>UV 800-SB</b> <b>1.70</b> <b>UV 800-325</b> <b>0.30</b>	Formula	PANTONE 414 C <b>UV 800-026</b> <b>96.50</b> <b>UV 800-SB</b> <b>3.00</b> <b>UV 800-325</b> <b>0.50</b>	Formula
PANTONE 415 C <b>UV 800-026</b> <b>93.40</b> <b>UV 800-SB</b> <b>5.70</b> <b>UV 800-325</b> <b>0.90</b>	Formula	PANTONE 416 C <b>UV 800-026</b> <b>89.60</b> <b>UV 800-SB</b> <b>8.90</b> <b>UV 800-325</b> <b>1.50</b>	Formula	PANTONE 417 C <b>UV 800-026</b> <b>83.70</b> <b>UV 800-SB</b> <b>13.95</b> <b>UV 800-325</b> <b>2.35</b>	Formula	PANTONE 418 C <b>UV 800-026</b> <b>69.50</b> <b>UV 800-SB</b> <b>22.00</b> <b>UV 800-064</b> <b>8.50</b>	Formula
PANTONE 419 C <b>UV 800-325</b> <b>41.30</b> <b>UV 800-SB</b> <b>29.45</b> <b>UV 800-180</b> <b>29.25</b>	Formula	PANTONE 420 C <b>UV 800-026</b> <b>98.60</b> <b>UV 800-SB</b> <b>0.95</b> <b>UV 800-205</b> <b>0.45</b>	Formula	PANTONE 421 C <b>UV 800-026</b> <b>97.50</b> <b>UV 800-SB</b> <b>1.80</b> <b>UV 800-205</b> <b>0.70</b>	Formula	PANTONE 422 C <b>UV 800-026</b> <b>96.00</b> <b>UV 800-SB</b> <b>3.10</b> <b>UV 800-205</b> <b>0.90</b>	Formula
PANTONE 423 C <b>UV 800-026</b> <b>92.80</b> <b>UV 800-SB</b> <b>6.00</b> <b>UV 800-205</b> <b>1.20</b>	Formula	PANTONE 424 C <b>UV 800-026</b> <b>88.00</b> <b>UV 800-SB</b> <b>10.30</b> <b>UV 800-205</b> <b>1.70</b>	Formula	PANTONE 425 C <b>UV 800-026</b> <b>77.10</b> <b>UV 800-SB</b> <b>20.55</b> <b>UV 800-205</b> <b>2.35</b>	Formula	PANTONE 426 C <b>UV 800-SB</b> <b>56.80</b> <b>UV 800-064</b> <b>17.10</b> <b>UV 800-127</b> <b>8.70</b> <b>UV 800-LVX</b> <b>17.40</b>	Formula

# UVivid 800 Opaque

PANTONE 427 C <b>UV 800-026</b> <b>99.10</b> <b>UV 800-205</b> <b>0.70</b> <b>UV 800-SB</b> <b>0.20</b>	Formula	PANTONE 428 C <b>UV 800-026</b> <b>98.15</b> <b>UV 800-SB</b> <b>1.00</b> <b>UV 800-205</b> <b>0.85</b>	Formula	PANTONE 429 C <b>UV 800-026</b> <b>96.10</b> <b>UV 800-SB</b> <b>2.55</b> <b>UV 800-205</b> <b>1.35</b>	Formula	PANTONE 430 C <b>UV 800-026</b> <b>92.30</b> <b>UV 800-SB</b> <b>5.50</b> <b>UV 800-205</b> <b>2.20</b>	Formula
PANTONE 431 C <b>UV 800-026</b> <b>83.50</b> <b>UV 800-SB</b> <b>12.00</b> <b>UV 800-205</b> <b>4.50</b>	Formula	PANTONE 432 C <b>UV 800-026</b> <b>66.00</b> <b>UV 800-SB</b> <b>26.50</b> <b>UV 800-205</b> <b>7.50</b>	Formula	PANTONE 433 C <b>UV 800-SB</b> <b>64.90</b> <b>UV 800-026</b> <b>22.90</b> <b>UV 800-205</b> <b>12.20</b>	Formula	PANTONE 434 C <b>UV 800-026</b> <b>96.10</b> <b>UV 800-180</b> <b>2.10</b> <b>UV 800-325</b> <b>1.80</b>	Formula
PANTONE 435 C <b>UV 800-026</b> <b>92.60</b> <b>UV 800-180</b> <b>4.10</b> <b>UV 800-325</b> <b>3.30</b>	Formula	PANTONE 436 C <b>UV 800-026</b> <b>89.20</b> <b>UV 800-180</b> <b>5.70</b> <b>UV 800-325</b> <b>5.10</b>	Formula	PANTONE 437 C <b>UV 800-026</b> <b>57.40</b> <b>UV 800-180</b> <b>22.60</b> <b>UV 800-325</b> <b>20.00</b>	Formula	PANTONE 438 C <b>UV 800-180</b> <b>46.50</b> <b>UV 800-325</b> <b>47.70</b> <b>UV 800-026</b> <b>5.80</b>	Formula
PANTONE 439 C <b>UV 800-180</b> <b>44.25</b> <b>UV 800-325</b> <b>42.10</b> <b>UV 800-SB</b> <b>13.65</b>	Formula	PANTONE 440 C <b>UV 800-180</b> <b>37.40</b> <b>UV 800-325</b> <b>37.00</b> <b>UV 800-SB</b> <b>25.60</b>	Formula	PANTONE 441 C <b>UV 800-026</b> <b>95.90</b> <b>UV 800-325</b> <b>2.60</b> <b>UV 800-180</b> <b>1.50</b>	Formula	PANTONE 442 C <b>UV 800-026</b> <b>91.80</b> <b>UV 800-325</b> <b>5.20</b> <b>UV 800-180</b> <b>3.00</b>	Formula

# UVivid 800 Opaque

PANTONE 443 C <b>UV 800-026</b> <b>83.40</b> <b>UV 800-325</b> <b>10.40</b> <b>UV 800-180</b> <b>6.20</b>	Formula	PANTONE 444 C <b>UV 800-026</b> <b>68.00</b> <b>UV 800-325</b> <b>19.90</b> <b>UV 800-180</b> <b>12.10</b>	Formula	PANTONE 445 C <b>UV 800-325</b> <b>45.00</b> <b>UV 800-180</b> <b>29.30</b> <b>UV 800-026</b> <b>25.70</b>	Formula	PANTONE 446 C <b>UV 800-325</b> <b>56.90</b> <b>UV 800-180</b> <b>37.10</b> <b>UV 800-SB</b> <b>6.00</b>	Formula
PANTONE 447 C <b>UV 800-325</b> <b>50.50</b> <b>UV 800-180</b> <b>33.00</b> <b>UV 800-SB</b> <b>16.50</b>	Formula	PANTONE WARM GRAY 1 C <b>UV 800-026</b> <b>99.04</b> <b>UV 800-SB</b> <b>0.76</b> <b>UV 800-032</b> <b>0.20</b>	Formula	PANTONE WARM GRAY 2 C <b>UV 800-026</b> <b>98.60</b> <b>UV 800-SB</b> <b>1.10</b> <b>UV 800-032</b> <b>0.30</b>	Formula	PANTONE WARM GRAY 3 C <b>UV 800-026</b> <b>98.00</b> <b>UV 800-SB</b> <b>1.60</b> <b>UV 800-032</b> <b>0.40</b>	Formula
PANTONE WARM GRAY 4 C <b>UV 800-026</b> <b>96.10</b> <b>UV 800-SB</b> <b>3.40</b> <b>UV 800-032</b> <b>0.50</b>	Formula	PANTONE WARM GRAY 5 C <b>UV 800-026</b> <b>95.10</b> <b>UV 800-SB</b> <b>4.30</b> <b>UV 800-032</b> <b>0.60</b>	Formula	PANTONE WARM GRAY 6 C <b>UV 800-026</b> <b>94.25</b> <b>UV 800-SB</b> <b>5.00</b> <b>UV 800-032</b> <b>0.75</b>	Formula	PANTONE WARM GRAY 7 C <b>UV 800-026</b> <b>92.50</b> <b>UV 800-SB</b> <b>6.55</b> <b>UV 800-032</b> <b>0.95</b>	Formula
PANTONE WARM GRAY 8 C <b>UV 800-026</b> <b>90.00</b> <b>UV 800-SB</b> <b>8.68</b> <b>UV 800-032</b> <b>1.32</b>	Formula	PANTONE WARM GRAY 9 C <b>UV 800-026</b> <b>87.90</b> <b>UV 800-SB</b> <b>10.10</b> <b>UV 800-032</b> <b>2.00</b>	Formula	PANTONE WARM GRAY 10 C <b>UV 800-026</b> <b>72.60</b> <b>UV 800-SB</b> <b>19.00</b> <b>UV 800-032</b> <b>8.40</b>	Formula	PANTONE WARM GRAY 11 C <b>UV 800-026</b> <b>68.38</b> <b>UV 800-SB</b> <b>24.12</b> <b>UV 800-021</b> <b>7.00</b> <b>UV 800-012</b> <b>0.50</b>	Formula

# UVivid 800 Opaque

PANTONE COOL GRAY 1 C <b>UV 800-026 99.20</b> <b>UV 800-SB 0.80</b>	Formula	PANTONE COOL GRAY 2 C <b>UV 800-026 98.80</b> <b>UV 800-SB 1.00</b> <b>UV 800-072 0.20</b>	Formula	PANTONE COOL GRAY 3 C <b>UV 800-026 98.00</b> <b>UV 800-SB 1.50</b> <b>UV 800-072 0.50</b>	Formula	PANTONE COOL GRAY 4 C <b>UV 800-026 97.40</b> <b>UV 800-SB 1.80</b> <b>UV 800-072 0.80</b>	Formula
PANTONE COOL GRAY 5 C <b>UV 800-026 96.00</b> <b>UV 800-SB 3.00</b> <b>UV 800-072 1.00</b>	Formula	PANTONE COOL GRAY 6 C <b>UV 800-026 95.90</b> <b>UV 800-SB 2.80</b> <b>UV 800-072 1.30</b>	Formula	PANTONE COOL GRAY 7 C <b>UV 800-026 94.60</b> <b>UV 800-SB 3.90</b> <b>UV 800-072 1.50</b>	Formula	PANTONE COOL GRAY 8 C <b>UV 800-026 93.00</b> <b>UV 800-SB 5.30</b> <b>UV 800-072 1.70</b>	Formula
PANTONE COOL GRAY 9 C <b>UV 800-026 90.30</b> <b>UV 800-SB 7.70</b> <b>UV 800-072 2.00</b>	Formula	PANTONE COOL GRAY 10 C <b>UV 800-026 85.60</b> <b>UV 800-SB 12.00</b> <b>UV 800-072 2.40</b>	Formula	PANTONE COOL GRAY 11 C <b>UV 800-026 77.49</b> <b>UV 800-SB 19.61</b> <b>UV 800-072 2.90</b>	Formula	PANTONE 448 C <b>UV 800-012 58.20</b> <b>UV 800-032 20.25</b> <b>UV 800-205 15.85</b> <b>UV 800-SB 5.70</b>	Formula
PANTONE 449 C <b>UV 800-012 63.53</b> <b>UV 800-155 16.45</b> <b>UV 800-190 11.70</b> <b>UV 800-SB 8.32</b>	Formula	PANTONE 450 C <b>UV 800-012 66.00</b> <b>UV 800-155 16.50</b> <b>UV 800-190 11.85</b> <b>UV 800-SB 5.65</b>	Formula	PANTONE 451 C <b>UV 800-026 73.40</b> <b>UV 800-012 18.80</b> <b>UV 800-155 4.45</b> <b>UV 800-190 3.35</b>	Formula	PANTONE 452 C <b>UV 800-026 84.80</b> <b>UV 800-012 10.50</b> <b>UV 800-155 2.67</b> <b>UV 800-190 2.03</b>	Formula

# UVivid 800 Opaque

PANTONE 453 C <b>UV 800-026</b> <b>92.15</b> <b>UV 800-012</b> <b>5.35</b> <b>UV 800-155</b> <b>1.40</b> <b>UV 800-190</b> <b>1.10</b>	Formula	PANTONE 454 C <b>UV 800-026</b> <b>95.95</b> <b>UV 800-012</b> <b>2.75</b> <b>UV 800-155</b> <b>0.75</b> <b>UV 800-190</b> <b>0.55</b>	Formula	PANTONE 4485 C <b>UV 800-064</b> <b>70.90</b> <b>UV 800-SB</b> <b>25.90</b> <b>UV 800-155</b> <b>3.20</b>	Formula	PANTONE 4495 C <b>UV 800-064</b> <b>62.75</b> <b>UV 800-026</b> <b>23.45</b> <b>UV 800-SB</b> <b>11.15</b> <b>UV 800-155</b> <b>2.65</b>	Formula
PANTONE 4505 C <b>UV 800-026</b> <b>50.63</b> <b>UV 800-064</b> <b>40.30</b> <b>UV 800-SB</b> <b>7.30</b> <b>UV 800-155</b> <b>1.77</b>	Formula	PANTONE 4515 C <b>UV 800-026</b> <b>77.85</b> <b>UV 800-064</b> <b>17.20</b> <b>UV 800-SB</b> <b>4.00</b> <b>UV 800-155</b> <b>0.95</b>	Formula	PANTONE 4525 C <b>UV 800-026</b> <b>88.90</b> <b>UV 800-064</b> <b>8.35</b> <b>UV 800-SB</b> <b>2.20</b> <b>UV 800-155</b> <b>0.55</b>	Formula	PANTONE 4535 C <b>UV 800-026</b> <b>93.97</b> <b>UV 800-064</b> <b>4.50</b> <b>UV 800-SB</b> <b>1.26</b> <b>UV 800-155</b> <b>0.27</b>	Formula
PANTONE 4545 C <b>UV 800-026</b> <b>97.35</b> <b>UV 800-064</b> <b>2.20</b> <b>UV 800-155</b> <b>0.45</b>	Formula	PANTONE 455 C <b>UV 800-012</b> <b>74.90</b> <b>UV 800-205</b> <b>9.60</b> <b>UV 800-180</b> <b>9.05</b> <b>UV 800-SB</b> <b>6.45</b>	Formula	PANTONE 456 C <b>UV 800-012</b> <b>88.25</b> <b>UV 800-180</b> <b>5.95</b> <b>UV 800-205</b> <b>5.80</b>	Formula	PANTONE 457 C <b>UV 800-012</b> <b>93.05</b> <b>UV 800-180</b> <b>3.90</b> <b>UV 800-205</b> <b>3.05</b>	Formula
PANTONE 458 C <b>UV 800-026</b> <b>76.18</b> <b>UV 800-012</b> <b>22.28</b> <b>UV 800-180</b> <b>0.86</b> <b>UV 800-205</b> <b>0.68</b>	Formula	PANTONE 459 C <b>UV 800-026</b> <b>83.05</b> <b>UV 800-012</b> <b>15.70</b> <b>UV 800-180</b> <b>0.80</b> <b>UV 800-205</b> <b>0.45</b>	Formula	PANTONE 460 C <b>UV 800-026</b> <b>90.25</b> <b>UV 800-012</b> <b>9.00</b> <b>UV 800-180</b> <b>0.50</b> <b>UV 800-205</b> <b>0.25</b>	Formula	PANTONE 461 C <b>UV 800-026</b> <b>95.50</b> <b>UV 800-012</b> <b>4.20</b> <b>UV 800-160</b> <b>0.30</b>	Formula

# UVivid 800 Opaque

PANTONE 462 C <b>UV 800-064</b> <b>65.10</b> <b>UV 800-155</b> <b>16.45</b> <b>UV 800-SB</b> <b>10.50</b> <b>UV 800-190</b> <b>7.95</b>	Formula	PANTONE 463 C <b>UV 800-064</b> <b>71.83</b> <b>UV 800-155</b> <b>14.53</b> <b>UV 800-SB</b> <b>8.92</b> <b>UV 800-190</b> <b>4.72</b>	Formula	PANTONE 464 C <b>UV 800-064</b> <b>76.00</b> <b>UV 800-155</b> <b>17.30</b> <b>UV 800-190</b> <b>6.70</b>	Formula	PANTONE 465 C <b>UV 800-026</b> <b>69.75</b> <b>UV 800-064</b> <b>23.75</b> <b>UV 800-155</b> <b>4.65</b> <b>UV 800-190</b> <b>1.85</b>	Formula
PANTONE 466 C <b>UV 800-026</b> <b>83.40</b> <b>UV 800-064</b> <b>12.80</b> <b>UV 800-155</b> <b>2.70</b> <b>UV 800-190</b> <b>1.10</b>	Formula	PANTONE 467 C <b>UV 800-026</b> <b>90.80</b> <b>UV 800-064</b> <b>7.00</b> <b>UV 800-155</b> <b>1.55</b> <b>UV 800-190</b> <b>0.65</b>	Formula	PANTONE 468 C <b>UV 800-026</b> <b>95.85</b> <b>UV 800-064</b> <b>3.15</b> <b>UV 800-155</b> <b>0.80</b> <b>UV 800-190</b> <b>0.20</b>	Formula	PANTONE 4625 C <b>UV 800-064</b> <b>57.00</b> <b>UV 800-SB</b> <b>31.90</b> <b>UV 800-180</b> <b>11.10</b>	Formula
PANTONE 4635 C <b>UV 800-064</b> <b>46.84</b> <b>UV 800-026</b> <b>26.58</b> <b>UV 800-180</b> <b>15.93</b> <b>UV 800-SB</b> <b>10.65</b>	Formula	PANTONE 4645 C <b>UV 800-026</b> <b>66.42</b> <b>UV 800-064</b> <b>19.58</b> <b>UV 800-180</b> <b>8.60</b> <b>UV 800-SB</b> <b>5.40</b>	Formula	PANTONE 4655 C <b>UV 800-026</b> <b>82.95</b> <b>UV 800-064</b> <b>8.93</b> <b>UV 800-180</b> <b>4.92</b> <b>UV 800-SB</b> <b>3.20</b>	Formula	PANTONE 4665 C <b>UV 800-026</b> <b>91.10</b> <b>UV 800-064</b> <b>4.36</b> <b>UV 800-180</b> <b>2.84</b> <b>UV 800-SB</b> <b>1.70</b>	Formula
PANTONE 4675 C <b>UV 800-026</b> <b>95.50</b> <b>UV 800-064</b> <b>2.00</b> <b>UV 800-180</b> <b>1.50</b> <b>UV 800-SB</b> <b>1.00</b>	Formula	PANTONE 4685 C <b>UV 800-026</b> <b>97.80</b> <b>UV 800-064</b> <b>0.88</b> <b>UV 800-180</b> <b>1.00</b> <b>UV 800-SB</b> <b>0.32</b>	Formula	PANTONE 469 C <b>UV 800-012</b> <b>42.13</b> <b>UV 800-SB</b> <b>34.83</b> <b>UV 800-180</b> <b>23.04</b>	Formula	PANTONE 470 C <b>UV 800-012</b> <b>68.15</b> <b>UV 800-180</b> <b>22.75</b> <b>UV 800-SB</b> <b>9.10</b>	Formula

# UVivid 800 Opaque

PANTONE 471 C <b>UV 800-012</b> <b>55.77</b> <b>UV 800-180</b> <b>28.46</b> <b>UV 800-026</b> <b>9.03</b> <b>UV 800-SB</b> <b>6.74</b>	Formula	PANTONE 472 C <b>UV 800-026</b> <b>77.22</b> <b>UV 800-012</b> <b>14.96</b> <b>UV 800-180</b> <b>6.72</b> <b>UV 800-SB</b> <b>1.10</b>	Formula	PANTONE 473 C <b>UV 800-026</b> <b>90.20</b> <b>UV 800-012</b> <b>5.90</b> <b>UV 800-180</b> <b>3.50</b> <b>UV 800-SB</b> <b>0.40</b>	Formula	PANTONE 474 C <b>UV 800-026</b> <b>94.70</b> <b>UV 800-012</b> <b>3.10</b> <b>UV 800-180</b> <b>2.20</b>	Formula
PANTONE 475 C <b>UV 800-026</b> <b>95.83</b> <b>UV 800-012</b> <b>2.53</b> <b>UV 800-180</b> <b>1.64</b>	Formula	PANTONE 4695 C <b>UV 800-064</b> <b>58.93</b> <b>UV 800-SB</b> <b>25.22</b> <b>UV 800-155</b> <b>15.85</b>	Formula	PANTONE 4705 C <b>UV 800-064</b> <b>40.20</b> <b>UV 800-026</b> <b>34.18</b> <b>UV 800-155</b> <b>14.22</b> <b>UV 800-SB</b> <b>11.40</b>	Formula	PANTONE 4715 C <b>UV 800-026</b> <b>67.10</b> <b>UV 800-064</b> <b>18.75</b> <b>UV 800-155</b> <b>7.55</b> <b>UV 800-SB</b> <b>6.60</b>	Formula
PANTONE 4725 C <b>UV 800-026</b> <b>85.00</b> <b>UV 800-064</b> <b>7.70</b> <b>UV 800-SB</b> <b>3.70</b> <b>UV 800-155</b> <b>3.60</b>	Formula	PANTONE 4735 C <b>UV 800-026</b> <b>92.68</b> <b>UV 800-064</b> <b>3.45</b> <b>UV 800-SB</b> <b>2.00</b> <b>UV 800-155</b> <b>1.87</b>	Formula	PANTONE 4745 C <b>UV 800-026</b> <b>96.25</b> <b>UV 800-064</b> <b>1.55</b> <b>UV 800-SB</b> <b>1.20</b> <b>UV 800-155</b> <b>1.00</b>	Formula	PANTONE 4755 C <b>UV 800-026</b> <b>98.14</b> <b>UV 800-064</b> <b>0.66</b> <b>UV 800-155</b> <b>0.64</b> <b>UV 800-SB</b> <b>0.56</b>	Formula
PANTONE 476 C <b>UV 800-064</b> <b>63.23</b> <b>UV 800-155</b> <b>16.50</b> <b>UV 800-SB</b> <b>12.90</b> <b>UV 800-205</b> <b>7.37</b>	Formula	PANTONE 477 C <b>UV 800-064</b> <b>62.95</b> <b>UV 800-155</b> <b>17.90</b> <b>UV 800-SB</b> <b>16.80</b> <b>UV 800-205</b> <b>2.35</b>	Formula	PANTONE 478 C <b>UV 800-064</b> <b>68.37</b> <b>UV 800-155</b> <b>23.00</b> <b>UV 800-205</b> <b>8.63</b>	Formula	PANTONE 479 C <b>UV 800-026</b> <b>70.70</b> <b>UV 800-064</b> <b>20.33</b> <b>UV 800-155</b> <b>6.50</b> <b>UV 800-205</b> <b>2.47</b>	Formula

# UVivid 800 Opaque

PANTONE 480 C <b>UV 800-026</b> <b>88.85</b> <b>UV 800-064</b> <b>7.40</b> <b>UV 800-155</b> <b>2.70</b> <b>UV 800-205</b> <b>1.05</b>	Formula	PANTONE 481 C <b>UV 800-026</b> <b>94.60</b> <b>UV 800-064</b> <b>3.48</b> <b>UV 800-155</b> <b>1.36</b> <b>UV 800-205</b> <b>0.56</b>	Formula	PANTONE 482 C <b>UV 800-026</b> <b>97.60</b> <b>UV 800-064</b> <b>1.40</b> <b>UV 800-155</b> <b>0.80</b> <b>UV 800-205</b> <b>0.20</b>	Formula	PANTONE 483 C <b>UV 800-012</b> <b>45.92</b> <b>UV 800-SB</b> <b>27.10</b> <b>UV 800-155</b> <b>26.98</b>	Formula
PANTONE 484 C <b>UV 800-012</b> <b>66.20</b> <b>UV 800-155</b> <b>28.65</b> <b>UV 800-SB</b> <b>5.15</b>	Formula	PANTONE 485 C <b>UV 800-012</b> <b>60.90</b> <b>UV 800-155</b> <b>39.10</b>	Formula	PANTONE 486 C <b>UV 800-026</b> <b>83.83</b> <b>UV 800-012</b> <b>10.55</b> <b>UV 800-155</b> <b>5.62</b>	Formula	PANTONE 487 C <b>UV 800-026</b> <b>90.10</b> <b>UV 800-012</b> <b>6.30</b> <b>UV 800-155</b> <b>3.60</b>	Formula
PANTONE 488 C <b>UV 800-026</b> <b>93.93</b> <b>UV 800-064</b> <b>3.84</b> <b>UV 800-155</b> <b>2.23</b>	Formula	PANTONE 489 C <b>UV 800-026</b> <b>95.72</b> <b>UV 800-012</b> <b>2.65</b> <b>UV 800-155</b> <b>1.63</b>	Formula	PANTONE 490 C <b>UV 800-180</b> <b>72.15</b> <b>UV 800-SB</b> <b>19.20</b> <b>UV 800-190</b> <b>8.65</b>	Formula	PANTONE 491 C <b>UV 800-180</b> <b>87.14</b> <b>UV 800-190</b> <b>12.86</b>	Formula
PANTONE 492 C <b>UV 800-180</b> <b>73.80</b> <b>UV 800-026</b> <b>18.60</b> <b>UV 800-190</b> <b>7.60</b>	Formula	PANTONE 493 C <b>UV 800-026</b> <b>85.00</b> <b>UV 800-180</b> <b>13.50</b> <b>UV 800-190</b> <b>1.50</b>	Formula	PANTONE 494 C <b>UV 800-026</b> <b>92.62</b> <b>UV 800-180</b> <b>6.58</b> <b>UV 800-190</b> <b>0.80</b>	Formula	PANTONE 495 C <b>UV 800-026</b> <b>95.17</b> <b>UV 800-180</b> <b>4.28</b> <b>UV 800-190</b> <b>0.55</b>	Formula

# UVivid 800 Opaque

PANTONE 496 C <b>UV 800-026</b> <b>96.60</b> <b>UV 800-180</b> <b>3.00</b> <b>UV 800-190</b> <b>0.40</b>	Formula	PANTONE 497 C <b>UV 800-180</b> <b>54.50</b> <b>UV 800-325</b> <b>31.30</b> <b>UV 800-SB</b> <b>14.20</b>	Formula	PANTONE 498 C <b>UV 800-180</b> <b>65.75</b> <b>UV 800-325</b> <b>34.25</b>	Formula	PANTONE 499 C <b>UV 800-180</b> <b>71.24</b> <b>UV 800-325</b> <b>28.76</b>	Formula
PANTONE 500 C <b>UV 800-026</b> <b>82.96</b> <b>UV 800-180</b> <b>12.77</b> <b>UV 800-325</b> <b>4.27</b>	Formula	PANTONE 501 C <b>UV 800-026</b> <b>93.24</b> <b>UV 800-180</b> <b>5.14</b> <b>UV 800-325</b> <b>1.62</b>	Formula	PANTONE 502 C <b>UV 800-026</b> <b>96.13</b> <b>UV 800-180</b> <b>3.15</b> <b>UV 800-325</b> <b>0.72</b>	Formula	PANTONE 503 C <b>UV 800-026</b> <b>97.65</b> <b>UV 800-180</b> <b>2.00</b> <b>UV 800-325</b> <b>0.35</b>	Formula
PANTONE 4975 C <b>UV 800-SB</b> <b>57.05</b> <b>UV 800-180</b> <b>40.07</b> <b>UV 800-026</b> <b>2.88</b>	Formula	PANTONE 4985 C <b>UV 800-026</b> <b>56.10</b> <b>UV 800-180</b> <b>31.35</b> <b>UV 800-SB</b> <b>11.15</b> <b>UV 800-190</b> <b>1.40</b>	Formula	PANTONE 4995 C <b>UV 800-026</b> <b>77.04</b> <b>UV 800-180</b> <b>16.16</b> <b>UV 800-SB</b> <b>5.57</b> <b>UV 800-190</b> <b>1.23</b>	Formula	PANTONE 5005 C <b>UV 800-026</b> <b>82.83</b> <b>UV 800-180</b> <b>11.97</b> <b>UV 800-190</b> <b>3.00</b> <b>UV 800-064</b> <b>2.20</b>	Formula
PANTONE 5015 C <b>UV 800-026</b> <b>93.30</b> <b>UV 800-180</b> <b>5.03</b> <b>UV 800-190</b> <b>1.27</b> <b>UV 800-064</b> <b>0.40</b>	Formula	PANTONE 5025 C <b>UV 800-026</b> <b>95.74</b> <b>UV 800-180</b> <b>3.20</b> <b>UV 800-190</b> <b>0.86</b> <b>UV 800-064</b> <b>0.20</b>	Formula	PANTONE 5035 C <b>UV 800-026</b> <b>96.32</b> <b>UV 800-180</b> <b>2.39</b> <b>UV 800-064</b> <b>0.67</b> <b>UV 800-190</b> <b>0.62</b>	Formula	PANTONE 504 C <b>UV 800-180</b> <b>69.33</b> <b>UV 800-SB</b> <b>21.87</b> <b>UV 800-205</b> <b>8.80</b>	Formula

# UVivid 800 Opaque

PANTONE 505 C <b>UV 800-180</b> <b>84.48</b> <b>UV 800-205</b> <b>14.44</b> <b>UV 800-SB</b> <b>1.08</b>	Formula	PANTONE 506 C <b>UV 800-180</b> <b>62.87</b> <b>UV 800-026</b> <b>27.63</b> <b>UV 800-205</b> <b>9.50</b>	Formula	PANTONE 507 C <b>UV 800-026</b> <b>89.45</b> <b>UV 800-180</b> <b>8.95</b> <b>UV 800-205</b> <b>1.60</b>	Formula	PANTONE 508 C <b>UV 800-026</b> <b>94.00</b> <b>UV 800-180</b> <b>5.00</b> <b>UV 800-205</b> <b>1.00</b>	Formula
PANTONE 509 C <b>UV 800-026</b> <b>96.14</b> <b>UV 800-180</b> <b>3.16</b> <b>UV 800-205</b> <b>0.70</b>	Formula	PANTONE 510 C <b>UV 800-026</b> <b>97.03</b> <b>UV 800-180</b> <b>2.44</b> <b>UV 800-205</b> <b>0.53</b>	Formula	PANTONE 511 C <b>UV 800-160</b> <b>75.23</b> <b>UV 800-SB</b> <b>19.45</b> <b>UV 800-325</b> <b>5.32</b>	Formula	PANTONE 512 C <b>UV 800-160</b> <b>83.56</b> <b>UV 800-325</b> <b>11.54</b> <b>UV 800-SB</b> <b>4.90</b>	Formula
PANTONE 513 C <b>UV 800-160</b> <b>88.60</b> <b>UV 800-325</b> <b>11.40</b>	Formula	PANTONE 514 C <b>UV 800-026</b> <b>74.88</b> <b>UV 800-160</b> <b>22.20</b> <b>UV 800-325</b> <b>2.92</b>	Formula	PANTONE 515 C <b>UV 800-026</b> <b>86.57</b> <b>UV 800-160</b> <b>11.66</b> <b>UV 800-325</b> <b>1.77</b>	Formula	PANTONE 516 C <b>UV 800-026</b> <b>92.44</b> <b>UV 800-160</b> <b>6.30</b> <b>UV 800-325</b> <b>1.26</b>	Formula
PANTONE 517 C <b>UV 800-026</b> <b>95.10</b> <b>UV 800-160</b> <b>4.20</b> <b>UV 800-325</b> <b>0.70</b>	Formula	PANTONE 5115 C <b>UV 800-155</b> <b>57.64</b> <b>UV 800-SB</b> <b>28.04</b> <b>UV 800-190</b> <b>14.32</b>	Formula	PANTONE 5125 C <b>UV 800-026</b> <b>60.20</b> <b>UV 800-155</b> <b>26.50</b> <b>UV 800-SB</b> <b>9.40</b> <b>UV 800-190</b> <b>3.90</b>	Formula	PANTONE 5135 C <b>UV 800-026</b> <b>78.55</b> <b>UV 800-155</b> <b>13.20</b> <b>UV 800-SB</b> <b>5.74</b> <b>UV 800-190</b> <b>2.51</b>	Formula

# UVivid 800 Opaque

PANTONE 5145 C <b>UV 800-026</b> <b>88.85</b> <b>UV 800-155</b> <b>6.43</b> <b>UV 800-SB</b> <b>3.25</b> <b>UV 800-190</b> <b>1.47</b>	Formula	PANTONE 5155 C <b>UV 800-026</b> <b>94.90</b> <b>UV 800-155</b> <b>3.06</b> <b>UV 800-SB</b> <b>1.16</b> <b>UV 800-190</b> <b>0.88</b>	Formula	PANTONE 5165 C <b>UV 800-026</b> <b>97.90</b> <b>UV 800-155</b> <b>1.60</b> <b>UV 800-190</b> <b>0.50</b>	Formula	PANTONE 5175 C <b>UV 800-026</b> <b>98.55</b> <b>UV 800-155</b> <b>0.83</b> <b>UV 800-SB</b> <b>0.44</b> <b>UV 800-190</b> <b>0.18</b>	Formula
PANTONE 518 C <b>UV 800-155</b> <b>57.25</b> <b>UV 800-325</b> <b>28.30</b> <b>UV 800-SB</b> <b>14.45</b>	Formula	PANTONE 519 C <b>UV 800-155</b> <b>62.26</b> <b>UV 800-325</b> <b>37.74</b>	Formula	PANTONE 520 C <b>UV 800-026</b> <b>49.60</b> <b>UV 800-155</b> <b>34.23</b> <b>UV 800-325</b> <b>16.17</b>	Formula	PANTONE 521 C <b>UV 800-026</b> <b>85.05</b> <b>UV 800-155</b> <b>9.50</b> <b>UV 800-325</b> <b>5.45</b>	Formula
PANTONE 522 C <b>UV 800-026</b> <b>90.05</b> <b>UV 800-155</b> <b>6.15</b> <b>UV 800-325</b> <b>3.80</b>	Formula	PANTONE 523 C <b>UV 800-026</b> <b>94.97</b> <b>UV 800-155</b> <b>3.13</b> <b>UV 800-325</b> <b>1.90</b>	Formula	PANTONE 524 C <b>UV 800-026</b> <b>97.23</b> <b>UV 800-155</b> <b>1.77</b> <b>UV 800-325</b> <b>1.00</b>	Formula	PANTONE 5185 C <b>UV 800-180</b> <b>67.10</b> <b>UV 800-205</b> <b>21.38</b> <b>UV 800-SB</b> <b>11.52</b>	Formula
PANTONE 5195 C <b>UV 800-026</b> <b>45.50</b> <b>UV 800-180</b> <b>34.20</b> <b>UV 800-205</b> <b>11.10</b> <b>UV 800-SB</b> <b>9.20</b>	Formula	PANTONE 5205 C <b>UV 800-026</b> <b>78.36</b> <b>UV 800-180</b> <b>12.86</b> <b>UV 800-205</b> <b>4.43</b> <b>UV 800-SB</b> <b>4.35</b>	Formula	PANTONE 5215 C <b>UV 800-026</b> <b>91.92</b> <b>UV 800-180</b> <b>4.56</b> <b>UV 800-205</b> <b>1.92</b> <b>UV 800-SB</b> <b>1.60</b>	Formula	PANTONE 5225 C <b>UV 800-026</b> <b>96.00</b> <b>UV 800-180</b> <b>2.40</b> <b>UV 800-205</b> <b>1.15</b> <b>UV 800-SB</b> <b>0.45</b>	Formula

# UVivid 800 Opaque

PANTONE 5235 C <b>UV 800-026</b> <b>97.64</b> <b>UV 800-180</b> <b>1.53</b> <b>UV 800-205</b> <b>0.83</b>	Formula	PANTONE 5245 C <b>UV 800-026</b> <b>98.50</b> <b>UV 800-180</b> <b>0.95</b> <b>UV 800-205</b> <b>0.55</b>	Formula	PANTONE 525 C <b>UV 800-175</b> <b>66.72</b> <b>UV 800-SB</b> <b>28.14</b> <b>UV 800-325</b> <b>5.14</b>	Formula	PANTONE 526 C <b>UV 800-175</b> <b>85.92</b> <b>UV 800-325</b> <b>8.84</b> <b>UV 800-SB</b> <b>5.24</b>	Formula
PANTONE 527 C <b>UV 800-175</b> <b>89.53</b> <b>UV 800-325</b> <b>9.21</b> <b>UV 800-SB</b> <b>1.26</b>	Formula	PANTONE 528 C <b>UV 800-026</b> <b>69.33</b> <b>UV 800-175</b> <b>28.00</b> <b>UV 800-325</b> <b>2.67</b>	Formula	PANTONE 529 C <b>UV 800-026</b> <b>87.83</b> <b>UV 800-175</b> <b>11.05</b> <b>UV 800-325</b> <b>1.12</b>	Formula	PANTONE 530 C <b>UV 800-026</b> <b>91.03</b> <b>UV 800-175</b> <b>8.13</b> <b>UV 800-325</b> <b>0.84</b>	Formula
PANTONE 531 C <b>UV 800-026</b> <b>95.53</b> <b>UV 800-175</b> <b>3.96</b> <b>UV 800-325</b> <b>0.51</b>	Formula	PANTONE 5255 C <b>UV 800-127</b> <b>18.90</b> <b>UV 800-SB</b> <b>32.65</b> <b>UV 800-190</b> <b>10.67</b> <b>UV 800-LVX</b> <b>37.78</b>	Formula	PANTONE 5265 C <b>UV 800-127</b> <b>16.01</b> <b>UV 800-026</b> <b>29.85</b> <b>UV 800-SB</b> <b>14.32</b> <b>UV 800-190</b> <b>7.55</b> <b>UV 800-LVX</b> <b>32.27</b>	Formula	PANTONE 5275 C <b>UV 800-026</b> <b>59.65</b> <b>UV 800-127</b> <b>8.47</b> <b>UV 800-SB</b> <b>9.63</b> <b>UV 800-190</b> <b>5.32</b> <b>UV 800-LVX</b> <b>16.93</b>	Formula
PANTONE 5285 C <b>UV 800-026</b> <b>84.00</b> <b>UV 800-127</b> <b>3.16</b> <b>UV 800-SB</b> <b>4.30</b> <b>UV 800-190</b> <b>2.20</b> <b>UV 800-LVX</b> <b>6.34</b>	Formula	PANTONE 5295 C <b>UV 800-026</b> <b>93.00</b> <b>UV 800-127</b> <b>1.46</b> <b>UV 800-SB</b> <b>1.63</b> <b>UV 800-190</b> <b>1.00</b> <b>UV 800-LVX</b> <b>2.91</b>	Formula	PANTONE 5305 C <b>UV 800-026</b> <b>96.40</b> <b>UV 800-127</b> <b>0.83</b> <b>UV 800-SB</b> <b>0.55</b> <b>UV 800-190</b> <b>0.55</b> <b>UV 800-LVX</b> <b>1.67</b>	Formula	PANTONE 5315 C <b>UV 800-026</b> <b>98.98</b> <b>UV 800-127</b> <b>0.33</b> <b>UV 800-SB</b> <b>0.36</b> <b>UV 800-205</b> <b>0.33</b>	Formula

# UVivid 800 Opaque

PANTONE 532 C <b>UV 800-325</b> <b>49.05</b> <b>UV 800-155</b> <b>31.50</b> <b>UV 800-SB</b> <b>19.45</b>	Formula	PANTONE 533 C <b>UV 800-325</b> <b>59.64</b> <b>UV 800-155</b> <b>38.64</b> <b>UV 800-SB</b> <b>1.72</b>	Formula	PANTONE 534 C <b>UV 800-325</b> <b>47.10</b> <b>UV 800-155</b> <b>30.68</b> <b>UV 800-SB</b> <b>22.22</b>	Formula	PANTONE 535 C <b>UV 800-026</b> <b>86.28</b> <b>UV 800-325</b> <b>8.46</b> <b>UV 800-155</b> <b>5.26</b>	Formula
PANTONE 536 C <b>UV 800-026</b> <b>91.12</b> <b>UV 800-325</b> <b>5.55</b> <b>UV 800-155</b> <b>3.33</b>	Formula	PANTONE 537 C <b>UV 800-026</b> <b>94.80</b> <b>UV 800-325</b> <b>3.20</b> <b>UV 800-155</b> <b>2.00</b>	Formula	PANTONE 538 C <b>UV 800-026</b> <b>96.80</b> <b>UV 800-325</b> <b>2.00</b> <b>UV 800-155</b> <b>1.20</b>	Formula	PANTONE 539 C <b>UV 800-205</b> <b>54.90</b> <b>UV 800-064</b> <b>28.43</b> <b>UV 800-SB</b> <b>16.67</b>	Formula
PANTONE 540 C <b>UV 800-205</b> <b>72.10</b> <b>UV 800-064</b> <b>27.90</b>	Formula	PANTONE 541 C <b>UV 800-205</b> <b>46.88</b> <b>UV 800-LVX</b> <b>27.99</b> <b>UV 800-064</b> <b>18.15</b> <b>UV 800-026</b> <b>6.98</b>	Formula	PANTONE 542 C <b>UV 800-026</b> <b>91.17</b> <b>UV 800-205</b> <b>6.87</b> <b>UV 800-064</b> <b>1.96</b>	Formula	PANTONE 543 C <b>UV 800-026</b> <b>96.00</b> <b>UV 800-205</b> <b>2.80</b> <b>UV 800-064</b> <b>1.20</b>	Formula
PANTONE 544 C <b>UV 800-026</b> <b>97.80</b> <b>UV 800-205</b> <b>1.60</b> <b>UV 800-064</b> <b>0.60</b>	Formula	PANTONE 545 C <b>UV 800-026</b> <b>98.42</b> <b>UV 800-205</b> <b>1.19</b> <b>UV 800-064</b> <b>0.39</b>	Formula	PANTONE 5395 C <b>UV 800-205</b> <b>46.14</b> <b>UV 800-064</b> <b>28.30</b> <b>UV 800-SB</b> <b>25.56</b>	Formula	PANTONE 5405 C <b>UV 800-026</b> <b>75.03</b> <b>UV 800-205</b> <b>13.30</b> <b>UV 800-SB</b> <b>5.94</b> <b>UV 800-064</b> <b>5.73</b>	Formula

# UVivid 800 Opaque

PANTONE 5415 C <b>UV 800-026</b> <b>83.72</b> <b>UV 800-205</b> <b>8.78</b> <b>UV 800-064</b> <b>4.08</b> <b>UV 800-SB</b> <b>3.42</b>	Formula	PANTONE 5425 C <b>UV 800-026</b> <b>92.50</b> <b>UV 800-205</b> <b>4.25</b> <b>UV 800-SB</b> <b>1.70</b> <b>UV 800-064</b> <b>1.55</b>	Formula	PANTONE 5435 C <b>UV 800-026</b> <b>97.10</b> <b>UV 800-205</b> <b>1.95</b> <b>UV 800-SB</b> <b>0.73</b> <b>UV 800-064</b> <b>0.22</b>	Formula	PANTONE 5445 C <b>UV 800-026</b> <b>98.33</b> <b>UV 800-205</b> <b>1.32</b> <b>UV 800-SB</b> <b>0.35</b>	Formula
PANTONE 5455 C <b>UV 800-026</b> <b>99.00</b> <b>UV 800-205</b> <b>1.00</b>	Formula	PANTONE 546 C <b>UV 800-205</b> <b>41.23</b> <b>UV 800-064</b> <b>35.62</b> <b>UV 800-SB</b> <b>23.15</b>	Formula	PANTONE 547 C <b>UV 800-205</b> <b>37.22</b> <b>UV 800-064</b> <b>29.23</b> <b>UV 800-026</b> <b>24.10</b> <b>UV 800-SB</b> <b>9.45</b>	Formula	PANTONE 548 C <b>UV 800-205</b> <b>46.33</b> <b>UV 800-064</b> <b>37.20</b> <b>UV 800-026</b> <b>16.47</b>	Formula
PANTONE 549 C <b>UV 800-026</b> <b>85.46</b> <b>UV 800-205</b> <b>8.54</b> <b>UV 800-064</b> <b>6.00</b>	Formula	PANTONE 550 C <b>UV 800-026</b> <b>92.80</b> <b>UV 800-205</b> <b>4.40</b> <b>UV 800-064</b> <b>2.80</b>	Formula	PANTONE 551 C <b>UV 800-026</b> <b>96.05</b> <b>UV 800-205</b> <b>2.60</b> <b>UV 800-064</b> <b>1.35</b>	Formula	PANTONE 552 C <b>UV 800-026</b> <b>98.12</b> <b>UV 800-205</b> <b>1.48</b> <b>UV 800-064</b> <b>0.40</b>	Formula
PANTONE 5463 C <b>UV 800-190</b> <b>52.63</b> <b>UV 800-SB</b> <b>47.37</b>	Formula	PANTONE 5473 C <b>UV 800-026</b> <b>60.90</b> <b>UV 800-190</b> <b>25.74</b> <b>UV 800-SB</b> <b>13.36</b>	Formula	PANTONE 5483 C <b>UV 800-026</b> <b>85.67</b> <b>UV 800-190</b> <b>8.63</b> <b>UV 800-SB</b> <b>5.70</b>	Formula	PANTONE 5493 C <b>UV 800-026</b> <b>93.40</b> <b>UV 800-190</b> <b>3.97</b> <b>UV 800-SB</b> <b>2.63</b>	Formula

# UVivid 800 Opaque

PANTONE 5503 C <b>UV 800-026</b> <b>96.50</b> <b>UV 800-190</b> <b>2.20</b> <b>UV 800-SB</b> <b>1.30</b>	Formula	PANTONE 5513 C <b>UV 800-026</b> <b>98.33</b> <b>UV 800-190</b> <b>1.20</b> <b>UV 800-SB</b> <b>0.47</b>	Formula	PANTONE 5523 C <b>UV 800-026</b> <b>98.82</b> <b>UV 800-190</b> <b>0.53</b> <b>UV 800-SB</b> <b>0.48</b> <b>UV 800-325</b> <b>0.17</b>	Formula	PANTONE 5467 C <b>UV 800-064</b> <b>51.00</b> <b>UV 800-SB</b> <b>26.90</b> <b>UV 800-205</b> <b>22.10</b>	Formula
PANTONE 5477 C <b>UV 800-026</b> <b>53.02</b> <b>UV 800-064</b> <b>23.62</b> <b>UV 800-205</b> <b>14.70</b> <b>UV 800-SB</b> <b>8.66</b>	Formula	PANTONE 5487 C <b>UV 800-026</b> <b>77.40</b> <b>UV 800-064</b> <b>10.90</b> <b>UV 800-205</b> <b>7.30</b> <b>UV 800-SB</b> <b>4.40</b>	Formula	PANTONE 5497 C <b>UV 800-026</b> <b>89.90</b> <b>UV 800-064</b> <b>4.50</b> <b>UV 800-205</b> <b>3.40</b> <b>UV 800-SB</b> <b>2.20</b>	Formula	PANTONE 5507 C <b>UV 800-026</b> <b>95.15</b> <b>UV 800-064</b> <b>1.90</b> <b>UV 800-205</b> <b>1.85</b> <b>UV 800-SB</b> <b>1.10</b>	Formula
PANTONE 5517 C <b>UV 800-026</b> <b>97.90</b> <b>UV 800-205</b> <b>0.98</b> <b>UV 800-064</b> <b>0.50</b> <b>UV 800-SB</b> <b>0.62</b>	Formula	PANTONE 5527 C <b>UV 800-026</b> <b>98.70</b> <b>UV 800-205</b> <b>0.84</b> <b>UV 800-064</b> <b>0.46</b>	Formula	PANTONE 553 C <b>UV 800-064</b> <b>63.33</b> <b>UV 800-205</b> <b>19.87</b> <b>UV 800-SB</b> <b>16.80</b>	Formula	PANTONE 554 C <b>UV 800-064</b> <b>54.62</b> <b>UV 800-026</b> <b>23.37</b> <b>UV 800-205</b> <b>20.77</b> <b>UV 800-SB</b> <b>1.24</b>	Formula
PANTONE 555 C <b>UV 800-064</b> <b>47.70</b> <b>UV 800-026</b> <b>27.50</b> <b>UV 800-205</b> <b>17.80</b> <b>UV 800-325</b> <b>7.00</b>	Formula	PANTONE 556 C <b>UV 800-026</b> <b>80.54</b> <b>UV 800-064</b> <b>12.17</b> <b>UV 800-205</b> <b>5.47</b> <b>UV 800-325</b> <b>1.82</b>	Formula	PANTONE 557 C <b>UV 800-026</b> <b>90.30</b> <b>UV 800-064</b> <b>5.77</b> <b>UV 800-205</b> <b>2.86</b> <b>UV 800-325</b> <b>1.07</b>	Formula	PANTONE 558 C <b>UV 800-026</b> <b>94.33</b> <b>UV 800-064</b> <b>3.34</b> <b>UV 800-205</b> <b>1.80</b> <b>UV 800-325</b> <b>0.53</b>	Formula

# UVivid 800 Opaque

PANTONE 559 C <b>UV 800-026</b> <b>96.83</b> <b>UV 800-064</b> <b>1.70</b> <b>UV 800-205</b> <b>1.07</b> <b>UV 800-325</b> <b>0.40</b>	Formula	PANTONE 5535 C <b>UV 800-325</b> <b>56.04</b> <b>UV 800-SB</b> <b>29.28</b> <b>UV 800-180</b> <b>14.68</b>	Formula	PANTONE 5545 C <b>UV 800-026</b> <b>64.92</b> <b>UV 800-325</b> <b>20.08</b> <b>UV 800-SB</b> <b>15.00</b>	Formula	PANTONE 5555 C <b>UV 800-026</b> <b>83.60</b> <b>UV 800-325</b> <b>8.90</b> <b>UV 800-SB</b> <b>7.50</b>	Formula
PANTONE 5565 C <b>UV 800-026</b> <b>89.22</b> <b>UV 800-325</b> <b>6.36</b> <b>UV 800-SB</b> <b>3.00</b> <b>UV 800-180</b> <b>1.42</b>	Formula	PANTONE 5575 C <b>UV 800-026</b> <b>92.30</b> <b>UV 800-325</b> <b>5.00</b> <b>UV 800-180</b> <b>1.70</b> <b>UV 800-SB</b> <b>1.00</b>	Formula	PANTONE 5585 C <b>UV 800-026</b> <b>95.80</b> <b>UV 800-325</b> <b>3.00</b> <b>UV 800-180</b> <b>0.70</b> <b>UV 800-SB</b> <b>0.50</b>	Formula	PANTONE 5595 C <b>UV 800-026</b> <b>98.43</b> <b>UV 800-325</b> <b>0.91</b> <b>UV 800-SB</b> <b>0.34</b> <b>UV 800-180</b> <b>0.32</b>	Formula
PANTONE 560 C <b>UV 800-325</b> <b>66.10</b> <b>UV 800-180</b> <b>21.75</b> <b>UV 800-SB</b> <b>12.15</b>	Formula	PANTONE 561 C <b>UV 800-325</b> <b>62.35</b> <b>UV 800-026</b> <b>19.38</b> <b>UV 800-180</b> <b>12.77</b> <b>UV 800-SB</b> <b>5.50</b>	Formula	PANTONE 562 C <b>UV 800-325</b> <b>60.40</b> <b>UV 800-026</b> <b>27.40</b> <b>UV 800-180</b> <b>12.20</b>	Formula	PANTONE 563 C <b>UV 800-026</b> <b>82.96</b> <b>UV 800-325</b> <b>14.18</b> <b>UV 800-180</b> <b>2.86</b>	Formula
PANTONE 564 C <b>UV 800-026</b> <b>91.25</b> <b>UV 800-325</b> <b>7.30</b> <b>UV 800-180</b> <b>1.45</b>	Formula	PANTONE 565 C <b>UV 800-026</b> <b>95.73</b> <b>UV 800-325</b> <b>3.60</b> <b>UV 800-180</b> <b>0.67</b>	Formula	PANTONE 566 C <b>UV 800-026</b> <b>98.30</b> <b>UV 800-325</b> <b>1.40</b> <b>UV 800-180</b> <b>0.30</b>	Formula	PANTONE 5605 C <b>UV 800-064</b> <b>56.50</b> <b>UV 800-SB</b> <b>31.90</b> <b>UV 800-205</b> <b>11.60</b>	Formula

# UVivid 800 Opaque

PANTONE 5615 C <b>UV 800-026</b> <b>64.93</b> <b>UV 800-064</b> <b>20.57</b> <b>UV 800-205</b> <b>7.60</b> <b>UV 800-SB</b> <b>6.90</b>	Formula	PANTONE 5625 C <b>UV 800-026</b> <b>75.90</b> <b>UV 800-064</b> <b>13.70</b> <b>UV 800-205</b> <b>5.65</b> <b>UV 800-SB</b> <b>4.75</b>	Formula	PANTONE 5635 C <b>UV 800-026</b> <b>90.25</b> <b>UV 800-064</b> <b>5.05</b> <b>UV 800-205</b> <b>2.50</b> <b>UV 800-SB</b> <b>2.20</b>	Formula	PANTONE 5645 C <b>UV 800-026</b> <b>93.93</b> <b>UV 800-064</b> <b>3.05</b> <b>UV 800-205</b> <b>1.66</b> <b>UV 800-SB</b> <b>1.36</b>	Formula
PANTONE 5655 C <b>UV 800-026</b> <b>95.48</b> <b>UV 800-064</b> <b>2.30</b> <b>UV 800-205</b> <b>1.23</b> <b>UV 800-SB</b> <b>0.99</b>	Formula	PANTONE 5665 C <b>UV 800-026</b> <b>97.95</b> <b>UV 800-064</b> <b>0.86</b> <b>UV 800-SB</b> <b>0.62</b> <b>UV 800-205</b> <b>0.57</b>	Formula	PANTONE 567 C <b>UV 800-325</b> <b>65.45</b> <b>UV 800-SB</b> <b>18.24</b> <b>UV 800-180</b> <b>16.31</b>	Formula	PANTONE 568 C <b>UV 800-325</b> <b>75.50</b> <b>UV 800-180</b> <b>15.30</b> <b>UV 800-026</b> <b>8.34</b> <b>UV 800-SB</b> <b>0.86</b>	Formula
PANTONE 569 C <b>UV 800-325</b> <b>60.06</b> <b>UV 800-026</b> <b>32.46</b> <b>UV 800-180</b> <b>7.48</b>	Formula	PANTONE 570 C <b>UV 800-026</b> <b>86.56</b> <b>UV 800-325</b> <b>11.84</b> <b>UV 800-180</b> <b>1.60</b>	Formula	PANTONE 571 C <b>UV 800-026</b> <b>92.40</b> <b>UV 800-325</b> <b>6.60</b> <b>UV 800-180</b> <b>1.00</b>	Formula	PANTONE 572 C <b>UV 800-026</b> <b>95.06</b> <b>UV 800-325</b> <b>4.37</b> <b>UV 800-180</b> <b>0.57</b>	Formula
PANTONE 573 C <b>UV 800-026</b> <b>97.11</b> <b>UV 800-325</b> <b>2.52</b> <b>UV 800-180</b> <b>0.37</b>	Formula	PANTONE 574 C <b>UV 800-012</b> <b>72.94</b> <b>UV 800-SB</b> <b>15.36</b> <b>UV 800-205</b> <b>11.70</b>	Formula	PANTONE 575 C <b>UV 800-012</b> <b>83.94</b> <b>UV 800-205</b> <b>14.40</b> <b>UV 800-SB</b> <b>1.66</b>	Formula	PANTONE 576 C <b>UV 800-012</b> <b>64.25</b> <b>UV 800-026</b> <b>27.08</b> <b>UV 800-205</b> <b>8.67</b>	Formula

# UVivid 800 Opaque

PANTONE 577 C <b>UV 800-026</b> <b>83.32</b> <b>UV 800-012</b> <b>14.43</b> <b>UV 800-205</b> <b>2.25</b>	Formula	PANTONE 578 C <b>UV 800-026</b> <b>89.20</b> <b>UV 800-012</b> <b>9.25</b> <b>UV 800-205</b> <b>1.55</b>	Formula	PANTONE 579 C <b>UV 800-026</b> <b>91.78</b> <b>UV 800-012</b> <b>7.05</b> <b>UV 800-205</b> <b>1.17</b>	Formula	PANTONE 580 C <b>UV 800-026</b> <b>95.10</b> <b>UV 800-012</b> <b>4.17</b> <b>UV 800-205</b> <b>0.73</b>	Formula
PANTONE 5743 C <b>UV 800-064</b> <b>70.10</b> <b>UV 800-SB</b> <b>20.10</b> <b>UV 800-205</b> <b>9.80</b>	Formula	PANTONE 5753 C <b>UV 800-064</b> <b>52.20</b> <b>UV 800-026</b> <b>30.62</b> <b>UV 800-SB</b> <b>11.38</b> <b>UV 800-205</b> <b>5.80</b>	Formula	PANTONE 5763 C <b>UV 800-026</b> <b>50.40</b> <b>UV 800-064</b> <b>37.00</b> <b>UV 800-SB</b> <b>8.46</b> <b>UV 800-205</b> <b>4.14</b>	Formula	PANTONE 5773 C <b>UV 800-026</b> <b>78.63</b> <b>UV 800-064</b> <b>15.04</b> <b>UV 800-SB</b> <b>4.40</b> <b>UV 800-205</b> <b>1.93</b>	Formula
PANTONE 5783 C <b>UV 800-026</b> <b>89.60</b> <b>UV 800-064</b> <b>7.00</b> <b>UV 800-SB</b> <b>2.37</b> <b>UV 800-205</b> <b>1.03</b>	Formula	PANTONE 5793 C <b>UV 800-026</b> <b>94.20</b> <b>UV 800-064</b> <b>3.83</b> <b>UV 800-SB</b> <b>1.32</b> <b>UV 800-205</b> <b>0.65</b>	Formula	PANTONE 5803 C <b>UV 800-026</b> <b>97.10</b> <b>UV 800-064</b> <b>1.80</b> <b>UV 800-SB</b> <b>0.80</b> <b>UV 800-205</b> <b>0.30</b>	Formula	PANTONE 5747 C <b>UV 800-064</b> <b>59.17</b> <b>UV 800-SB</b> <b>28.56</b> <b>UV 800-325</b> <b>12.27</b>	Formula
PANTONE 5757 C <b>UV 800-064</b> <b>57.75</b> <b>UV 800-026</b> <b>24.50</b> <b>UV 800-SB</b> <b>12.95</b> <b>UV 800-325</b> <b>4.80</b>	Formula	PANTONE 5767 C <b>UV 800-026</b> <b>59.25</b> <b>UV 800-064</b> <b>30.83</b> <b>UV 800-SB</b> <b>7.42</b> <b>UV 800-325</b> <b>2.50</b>	Formula	PANTONE 5777 C <b>UV 800-026</b> <b>81.14</b> <b>UV 800-064</b> <b>13.50</b> <b>UV 800-SB</b> <b>4.10</b> <b>UV 800-325</b> <b>1.26</b>	Formula	PANTONE 5787 C <b>UV 800-026</b> <b>91.50</b> <b>UV 800-064</b> <b>5.80</b> <b>UV 800-SB</b> <b>2.06</b> <b>UV 800-325</b> <b>0.64</b>	Formula

# UVivid 800 Opaque

PANTONE 5797 C <b>UV 800-026</b> <b>95.50</b> <b>UV 800-064</b> <b>3.00</b> <b>UV 800-SB</b> <b>1.20</b> <b>UV 800-325</b> <b>0.30</b>	Formula	PANTONE 5807 C <b>UV 800-026</b> <b>97.60</b> <b>UV 800-064</b> <b>1.73</b> <b>UV 800-SB</b> <b>0.67</b>	Formula	PANTONE 581 C <b>UV 800-064</b> <b>77.37</b> <b>UV 800-SB</b> <b>18.43</b> <b>UV 800-205</b> <b>4.20</b>	Formula	PANTONE 582 C <b>UV 800-064</b> <b>90.00</b> <b>UV 800-SB</b> <b>6.16</b> <b>UV 800-205</b> <b>3.84</b>	Formula
PANTONE 583 C <b>UV 800-064</b> <b>96.43</b> <b>UV 800-205</b> <b>3.57</b>	Formula	PANTONE 584 C <b>UV 800-026</b> <b>58.70</b> <b>UV 800-064</b> <b>40.20</b> <b>UV 800-205</b> <b>1.10</b>	Formula	PANTONE 585 C <b>UV 800-026</b> <b>77.20</b> <b>UV 800-064</b> <b>22.10</b> <b>UV 800-205</b> <b>0.70</b>	Formula	PANTONE 586 C <b>UV 800-026</b> <b>86.23</b> <b>UV 800-064</b> <b>13.40</b> <b>UV 800-205</b> <b>0.37</b>	Formula
PANTONE 587 C <b>UV 800-026</b> <b>90.67</b> <b>UV 800-064</b> <b>9.13</b> <b>UV 800-205</b> <b>0.20</b>	Formula	PANTONE 5815 C <b>UV 800-012</b> <b>71.17</b> <b>UV 800-SB</b> <b>23.40</b> <b>UV 800-205</b> <b>5.43</b>	Formula	PANTONE 5825 C <b>UV 800-012</b> <b>59.67</b> <b>UV 800-026</b> <b>28.24</b> <b>UV 800-SB</b> <b>10.76</b> <b>UV 800-205</b> <b>1.33</b>	Formula	PANTONE 5835 C <b>UV 800-026</b> <b>65.70</b> <b>UV 800-012</b> <b>28.00</b> <b>UV 800-SB</b> <b>5.80</b> <b>UV 800-205</b> <b>0.50</b>	Formula
PANTONE 5845 C <b>UV 800-026</b> <b>80.10</b> <b>UV 800-012</b> <b>15.73</b> <b>UV 800-SB</b> <b>3.93</b> <b>UV 800-205</b> <b>0.24</b>	Formula	PANTONE 5855 C <b>UV 800-026</b> <b>91.50</b> <b>UV 800-012</b> <b>6.40</b> <b>UV 800-SB</b> <b>2.10</b>	Formula	PANTONE 5865 C <b>UV 800-026</b> <b>94.70</b> <b>UV 800-012</b> <b>4.00</b> <b>UV 800-SB</b> <b>1.30</b>	Formula	PANTONE 5875 C <b>UV 800-026</b> <b>96.50</b> <b>UV 800-012</b> <b>2.60</b> <b>UV 800-SB</b> <b>0.90</b>	Formula

# UVivid 800 Opaque

PANTONE 600 C <b>UV 800-026</b> <b>93.96</b> <b>UV 800-012</b> <b>5.81</b> <b>UV 800-021</b> <b>0.23</b>	Formula	PANTONE 601 C <b>UV 800-026</b> <b>92.00</b> <b>UV 800-012</b> <b>8.00</b>	Formula	PANTONE 602 C <b>UV 800-026</b> <b>88.60</b> <b>UV 800-012</b> <b>11.40</b>	Formula	PANTONE 603 C <b>UV 800-026</b> <b>74.70</b> <b>UV 800-012</b> <b>25.00</b> <b>UV 800-SB</b> <b>0.30</b>	Formula
PANTONE 604 C <b>UV 800-026</b> <b>48.80</b> <b>UV 800-012</b> <b>50.70</b> <b>UV 800-SB</b> <b>0.50</b>	Formula	PANTONE 605 C <b>UV 800-012</b> <b>99.20</b> <b>UV 800-SB</b> <b>0.80</b>	Formula	PANTONE 606 C <b>UV 800-012</b> <b>97.94</b> <b>UV 800-SB</b> <b>2.06</b>	Formula	PANTONE 607 C <b>UV 800-026</b> <b>96.40</b> <b>UV 800-064</b> <b>3.28</b> <b>UV 800-021</b> <b>0.32</b>	Formula
PANTONE 608 C <b>UV 800-026</b> <b>94.77</b> <b>UV 800-064</b> <b>5.03</b> <b>UV 800-SB</b> <b>0.20</b>	Formula	PANTONE 609 C <b>UV 800-026</b> <b>91.05</b> <b>UV 800-064</b> <b>8.60</b> <b>UV 800-SB</b> <b>0.35</b>	Formula	PANTONE 610 C <b>UV 800-026</b> <b>79.60</b> <b>UV 800-064</b> <b>19.60</b> <b>UV 800-SB</b> <b>0.80</b>	Formula	PANTONE 611 C <b>UV 800-026</b> <b>56.94</b> <b>UV 800-064</b> <b>41.66</b> <b>UV 800-SB</b> <b>1.40</b>	Formula
PANTONE 612 C <b>UV 800-064</b> <b>85.93</b> <b>UV 800-026</b> <b>10.94</b> <b>UV 800-SB</b> <b>3.13</b>	Formula	PANTONE 613 C <b>UV 800-064</b> <b>94.64</b> <b>UV 800-SB</b> <b>5.36</b>	Formula	PANTONE 614 C <b>UV 800-026</b> <b>97.20</b> <b>UV 800-064</b> <b>2.40</b> <b>UV 800-SB</b> <b>0.40</b>	Formula	PANTONE 615 C <b>UV 800-026</b> <b>95.68</b> <b>UV 800-064</b> <b>3.66</b> <b>UV 800-SB</b> <b>0.66</b>	Formula

# UVivid 800 Opaque

PANTONE 616 C <b>UV 800-026</b> <b>92.70</b> <b>UV 800-064</b> <b>6.12</b> <b>UV 800-SB</b> <b>1.18</b>	Formula	PANTONE 617 C <b>UV 800-026</b> <b>85.00</b> <b>UV 800-064</b> <b>12.90</b> <b>UV 800-SB</b> <b>2.10</b>	Formula	PANTONE 618 C <b>UV 800-026</b> <b>63.87</b> <b>UV 800-064</b> <b>31.88</b> <b>UV 800-SB</b> <b>4.25</b>	Formula	PANTONE 619 C <b>UV 800-064</b> <b>63.66</b> <b>UV 800-026</b> <b>28.87</b> <b>UV 800-SB</b> <b>7.47</b>	Formula
PANTONE 620 C <b>UV 800-064</b> <b>80.35</b> <b>UV 800-SB</b> <b>12.25</b> <b>UV 800-026</b> <b>7.40</b>	Formula	PANTONE 621 C <b>UV 800-026</b> <b>98.35</b> <b>UV 800-325</b> <b>1.05</b> <b>UV 800-SB</b> <b>0.60</b>	Formula	PANTONE 622 C <b>UV 800-026</b> <b>96.67</b> <b>UV 800-325</b> <b>2.07</b> <b>UV 800-SB</b> <b>1.26</b>	Formula	PANTONE 623 C <b>UV 800-026</b> <b>93.07</b> <b>UV 800-325</b> <b>4.25</b> <b>UV 800-SB</b> <b>2.68</b>	Formula
PANTONE 624 C <b>UV 800-026</b> <b>86.05</b> <b>UV 800-325</b> <b>8.75</b> <b>UV 800-SB</b> <b>5.20</b>	Formula	PANTONE 625 C <b>UV 800-026</b> <b>71.37</b> <b>UV 800-325</b> <b>19.10</b> <b>UV 800-SB</b> <b>9.53</b>	Formula	PANTONE 626 C <b>UV 800-325</b> <b>53.25</b> <b>UV 800-026</b> <b>23.90</b> <b>UV 800-SB</b> <b>22.85</b>	Formula	PANTONE 627 C <b>UV 800-325</b> <b>55.70</b> <b>UV 800-SB</b> <b>44.30</b>	Formula
PANTONE 628 C <b>UV 800-026</b> <b>98.72</b> <b>UV 800-190</b> <b>1.28</b>	Formula	PANTONE 629 C <b>UV 800-026</b> <b>97.50</b> <b>UV 800-190</b> <b>2.30</b> <b>UV 800-SB</b> <b>0.20</b>	Formula	PANTONE 630 C <b>UV 800-026</b> <b>95.40</b> <b>UV 800-190</b> <b>4.25</b> <b>UV 800-SB</b> <b>0.35</b>	Formula	PANTONE 631 C <b>UV 800-026</b> <b>91.00</b> <b>UV 800-190</b> <b>8.10</b> <b>UV 800-SB</b> <b>0.90</b>	Formula

# UVivid 800 Opaque

PANTONE 632 C <b>UV 800-026</b> <b>81.00</b> <b>UV 800-190</b> <b>17.30</b> <b>UV 800-SB</b> <b>1.70</b>	Formula	PANTONE 633 C <b>UV 800-026</b> <b>56.70</b> <b>UV 800-190</b> <b>40.00</b> <b>UV 800-SB</b> <b>3.30</b>	Formula	PANTONE 634 C <b>UV 800-190</b> <b>67.57</b> <b>UV 800-026</b> <b>27.05</b> <b>UV 800-SB</b> <b>5.38</b>	Formula	PANTONE 635 C <b>UV 800-026</b> <b>97.69</b> <b>UV 800-190</b> <b>2.31</b>	Formula
PANTONE 636 C <b>UV 800-026</b> <b>95.90</b> <b>UV 800-190</b> <b>4.10</b>	Formula	PANTONE 637 C <b>UV 800-026</b> <b>92.75</b> <b>UV 800-190</b> <b>7.25</b>	Formula	PANTONE 638 C <b>UV 800-026</b> <b>84.90</b> <b>UV 800-190</b> <b>14.90</b> <b>UV 800-SB</b> <b>0.20</b>	Formula	PANTONE 639 C <b>UV 800-026</b> <b>69.57</b> <b>UV 800-190</b> <b>30.08</b> <b>UV 800-SB</b> <b>0.35</b>	Formula
PANTONE 640 C <b>UV 800-026</b> <b>51.28</b> <b>UV 800-190</b> <b>48.15</b> <b>UV 800-SB</b> <b>0.57</b>	Formula	PANTONE 641 C <b>UV 800-190</b> <b>69.16</b> <b>UV 800-026</b> <b>29.80</b> <b>UV 800-SB</b> <b>1.04</b>	Formula	PANTONE 642 C <b>UV 800-026</b> <b>98.90</b> <b>UV 800-205</b> <b>1.10</b>	Formula	PANTONE 643 C <b>UV 800-026</b> <b>98.30</b> <b>UV 800-205</b> <b>1.40</b> <b>UV 800-SB</b> <b>0.30</b>	Formula
PANTONE 644 C <b>UV 800-026</b> <b>96.08</b> <b>UV 800-205</b> <b>3.24</b> <b>UV 800-SB</b> <b>0.68</b>	Formula	PANTONE 645 C <b>UV 800-026</b> <b>92.70</b> <b>UV 800-205</b> <b>5.60</b> <b>UV 800-SB</b> <b>1.70</b>	Formula	PANTONE 646 C <b>UV 800-026</b> <b>88.68</b> <b>UV 800-205</b> <b>8.62</b> <b>UV 800-SB</b> <b>2.70</b>	Formula	PANTONE 647 C <b>UV 800-026</b> <b>71.50</b> <b>UV 800-205</b> <b>21.85</b> <b>UV 800-SB</b> <b>6.65</b>	Formula

# UVivid 800 Opaque

PANTONE 648 C <b>UV 800-205</b> <b>56.83</b> <b>UV 800-026</b> <b>28.00</b> <b>UV 800-SB</b> <b>15.17</b>	Formula	PANTONE 649 C <b>UV 800-026</b> <b>98.53</b> <b>UV 800-072</b> <b>1.47</b>	Formula	PANTONE 650 C <b>UV 800-026</b> <b>97.62</b> <b>UV 800-072</b> <b>2.08</b> <b>UV 800-SB</b> <b>0.30</b>	Formula	PANTONE 651 C <b>UV 800-026</b> <b>94.50</b> <b>UV 800-072</b> <b>4.60</b> <b>UV 800-SB</b> <b>0.90</b>	Formula
PANTONE 652 C <b>UV 800-026</b> <b>88.60</b> <b>UV 800-072</b> <b>9.20</b> <b>UV 800-SB</b> <b>2.20</b>	Formula	PANTONE 653 C <b>UV 800-026</b> <b>63.60</b> <b>UV 800-072</b> <b>30.30</b> <b>UV 800-SB</b> <b>6.10</b>	Formula	PANTONE 654 C <b>UV 800-072</b> <b>67.70</b> <b>UV 800-026</b> <b>19.60</b> <b>UV 800-SB</b> <b>12.70</b>	Formula	PANTONE 655 C <b>UV 800-072</b> <b>80.33</b> <b>UV 800-SB</b> <b>19.67</b>	Formula
PANTONE 656 C <b>UV 800-026</b> <b>98.55</b> <b>UV 800-072</b> <b>1.45</b>	Formula	PANTONE 657 C <b>UV 800-026</b> <b>97.60</b> <b>UV 800-072</b> <b>2.40</b>	Formula	PANTONE 658 C <b>UV 800-026</b> <b>95.50</b> <b>UV 800-072</b> <b>4.50</b>	Formula	PANTONE 659 C <b>UV 800-026</b> <b>90.20</b> <b>UV 800-072</b> <b>9.50</b> <b>UV 800-SB</b> <b>0.30</b>	Formula
PANTONE 660 C <b>UV 800-026</b> <b>77.54</b> <b>UV 800-072</b> <b>21.84</b> <b>UV 800-SB</b> <b>0.62</b>	Formula	PANTONE 661 C <b>UV 800-072</b> <b>67.30</b> <b>UV 800-026</b> <b>30.50</b> <b>UV 800-SB</b> <b>2.20</b>	Formula	PANTONE 662 C <b>UV 800-072</b> <b>94.87</b> <b>UV 800-SB</b> <b>5.13</b>	Formula	PANTONE 663 C <b>UV 800-026</b> <b>99.34</b> <b>UV 800-127</b> <b>0.66</b>	Formula

# UVivid 800 Opaque

PANTONE 664 C <b>UV 800-026</b> <b>99.10</b> <b>UV 800-127</b> <b>0.90</b>	Formula	PANTONE 665 C <b>UV 800-026</b> <b>98.50</b> <b>UV 800-127</b> <b>1.23</b> <b>UV 800-SB</b> <b>0.27</b>	Formula	PANTONE 666 C <b>UV 800-026</b> <b>90.10</b> <b>UV 800-127</b> <b>2.70</b> <b>UV 800-SB</b> <b>1.80</b> <b>UV 800-LVX</b> <b>5.40</b>	Formula	PANTONE 667 C <b>UV 800-026</b> <b>73.60</b> <b>UV 800-127</b> <b>7.00</b> <b>UV 800-SB</b> <b>5.30</b> <b>UV 800-LVX</b> <b>14.10</b>	Formula
PANTONE 668 C <b>UV 800-026</b> <b>55.14</b> <b>UV 800-127</b> <b>12.30</b> <b>UV 800-SB</b> <b>7.96</b> <b>UV 800-LVX</b> <b>24.60</b>	Formula	PANTONE 669 C <b>UV 800-127</b> <b>20.75</b> <b>UV 800-026</b> <b>23.56</b> <b>UV 800-SB</b> <b>14.20</b> <b>UV 800-LVX</b> <b>41.49</b>	Formula	PANTONE 670 C <b>UV 800-026</b> <b>98.85</b> <b>UV 800-155</b> <b>1.15</b>	Formula	PANTONE 671 C <b>UV 800-026</b> <b>97.64</b> <b>UV 800-155</b> <b>2.36</b>	Formula
PANTONE 672 C <b>UV 800-026</b> <b>95.55</b> <b>UV 800-155</b> <b>4.15</b> <b>UV 800-SB</b> <b>0.30</b>	Formula	PANTONE 673 C <b>UV 800-026</b> <b>91.60</b> <b>UV 800-155</b> <b>7.80</b> <b>UV 800-SB</b> <b>0.60</b>	Formula	PANTONE 674 C <b>UV 800-026</b> <b>84.20</b> <b>UV 800-155</b> <b>14.80</b> <b>UV 800-SB</b> <b>1.00</b>	Formula	PANTONE 675 C <b>UV 800-026</b> <b>64.20</b> <b>UV 800-155</b> <b>33.40</b> <b>UV 800-SB</b> <b>2.40</b>	Formula
PANTONE 676 C <b>UV 800-155</b> <b>59.63</b> <b>UV 800-026</b> <b>34.91</b> <b>UV 800-SB</b> <b>5.46</b>	Formula	PANTONE 677 C <b>UV 800-026</b> <b>98.63</b> <b>UV 800-155</b> <b>1.37</b>	Formula	PANTONE 678 C <b>UV 800-026</b> <b>98.15</b> <b>UV 800-155</b> <b>1.85</b>	Formula	PANTONE 679 C <b>UV 800-026</b> <b>97.14</b> <b>UV 800-155</b> <b>2.56</b> <b>UV 800-SB</b> <b>0.30</b>	Formula

# UVivid 800 Opaque

PANTONE 680 C <b>UV 800-026</b> <b>93.13</b> <b>UV 800-155</b> <b>5.40</b> <b>UV 800-SB</b> <b>1.47</b>	Formula	PANTONE 681 C <b>UV 800-026</b> <b>86.27</b> <b>UV 800-155</b> <b>10.77</b> <b>UV 800-SB</b> <b>2.96</b>	Formula	PANTONE 682 C <b>UV 800-026</b> <b>69.00</b> <b>UV 800-155</b> <b>25.40</b> <b>UV 800-SB</b> <b>5.60</b>	Formula	PANTONE 683 C <b>UV 800-155</b> <b>62.67</b> <b>UV 800-026</b> <b>24.88</b> <b>UV 800-SB</b> <b>12.45</b>	Formula
PANTONE 684 C <b>UV 800-026</b> <b>96.70</b> <b>UV 800-160</b> <b>3.00</b> <b>UV 800-SB</b> <b>0.30</b>	Formula	PANTONE 685 C <b>UV 800-026</b> <b>96.60</b> <b>UV 800-160</b> <b>3.00</b> <b>UV 800-SB</b> <b>0.40</b>	Formula	PANTONE 686 C <b>UV 800-026</b> <b>92.70</b> <b>UV 800-160</b> <b>6.20</b> <b>UV 800-SB</b> <b>1.10</b>	Formula	PANTONE 687 C <b>UV 800-026</b> <b>82.80</b> <b>UV 800-160</b> <b>14.36</b> <b>UV 800-SB</b> <b>2.84</b>	Formula
PANTONE 688 C <b>UV 800-026</b> <b>70.10</b> <b>UV 800-160</b> <b>25.35</b> <b>UV 800-SB</b> <b>4.55</b>	Formula	PANTONE 689 C <b>UV 800-160</b> <b>57.40</b> <b>UV 800-026</b> <b>33.50</b> <b>UV 800-SB</b> <b>9.10</b>	Formula	PANTONE 690 C <b>UV 800-160</b> <b>66.80</b> <b>UV 800-026</b> <b>19.60</b> <b>UV 800-SB</b> <b>13.60</b>	Formula	PANTONE 691 C <b>UV 800-026</b> <b>97.77</b> <b>UV 800-032</b> <b>2.00</b> <b>UV 800-SB</b> <b>0.23</b>	Formula
PANTONE 692 C <b>UV 800-026</b> <b>96.60</b> <b>UV 800-032</b> <b>2.84</b> <b>UV 800-SB</b> <b>0.56</b>	Formula	PANTONE 693 C <b>UV 800-026</b> <b>93.16</b> <b>UV 800-032</b> <b>5.48</b> <b>UV 800-SB</b> <b>1.36</b>	Formula	PANTONE 694 C <b>UV 800-026</b> <b>88.82</b> <b>UV 800-032</b> <b>8.85</b> <b>UV 800-SB</b> <b>2.33</b>	Formula	PANTONE 695 C <b>UV 800-026</b> <b>74.65</b> <b>UV 800-032</b> <b>20.40</b> <b>UV 800-SB</b> <b>4.95</b>	Formula

# UVivid 800 Opaque

PANTONE 696 C <b>UV 800-026</b> <b>48.60</b> <b>UV 800-032</b> <b>42.85</b> <b>UV 800-SB</b> <b>8.55</b>	Formula	PANTONE 697 C <b>UV 800-032</b> <b>64.07</b> <b>UV 800-026</b> <b>23.83</b> <b>UV 800-SB</b> <b>12.10</b>	Formula	PANTONE 698 C <b>UV 800-026</b> <b>97.56</b> <b>UV 800-032</b> <b>2.44</b>	Formula	PANTONE 699 C <b>UV 800-026</b> <b>96.27</b> <b>UV 800-032</b> <b>3.73</b>	Formula
PANTONE 700 C <b>UV 800-026</b> <b>92.53</b> <b>UV 800-032</b> <b>7.07</b> <b>UV 800-SB</b> <b>0.40</b>	Formula	PANTONE 701 C <b>UV 800-026</b> <b>86.55</b> <b>UV 800-032</b> <b>12.53</b> <b>UV 800-SB</b> <b>0.92</b>	Formula	PANTONE 702 C <b>UV 800-026</b> <b>71.00</b> <b>UV 800-032</b> <b>27.16</b> <b>UV 800-SB</b> <b>1.84</b>	Formula	PANTONE 703 C <b>UV 800-032</b> <b>62.70</b> <b>UV 800-026</b> <b>33.50</b> <b>UV 800-SB</b> <b>3.80</b>	Formula
PANTONE 704 C <b>UV 800-032</b> <b>91.94</b> <b>UV 800-SB</b> <b>7.18</b> <b>UV 800-026</b> <b>0.88</b>	Formula	PANTONE 705 C <b>UV 800-026</b> <b>98.36</b> <b>UV 800-032</b> <b>1.64</b>	Formula	PANTONE 706 C <b>UV 800-026</b> <b>96.38</b> <b>UV 800-032</b> <b>3.62</b>	Formula	PANTONE 707 C <b>UV 800-026</b> <b>93.14</b> <b>UV 800-032</b> <b>6.86</b>	Formula
PANTONE 708 C <b>UV 800-026</b> <b>87.00</b> <b>UV 800-032</b> <b>12.73</b> <b>UV 800-SB</b> <b>0.27</b>	Formula	PANTONE 709 C <b>UV 800-026</b> <b>72.15</b> <b>UV 800-032</b> <b>27.40</b> <b>UV 800-SB</b> <b>0.45</b>	Formula	PANTONE 710 C <b>UV 800-026</b> <b>50.20</b> <b>UV 800-032</b> <b>49.18</b> <b>UV 800-SB</b> <b>0.62</b>	Formula	PANTONE 711 C <b>UV 800-032</b> <b>75.58</b> <b>UV 800-026</b> <b>22.64</b> <b>UV 800-SB</b> <b>1.78</b>	Formula

# UVivid 800 Opaque

PANTONE 712 C <b>UV 800-026</b> <b>94.20</b> <b>UV 800-021</b> <b>5.80</b>	Formula	PANTONE 713 C <b>UV 800-026</b> <b>90.40</b> <b>UV 800-021</b> <b>9.60</b>	Formula	PANTONE 714 C <b>UV 800-026</b> <b>83.55</b> <b>UV 800-021</b> <b>16.20</b> <b>UV 800-SB</b> <b>0.25</b>	Formula	PANTONE 715 C <b>UV 800-026</b> <b>65.60</b> <b>UV 800-021</b> <b>34.00</b> <b>UV 800-SB</b> <b>0.40</b>	Formula
PANTONE 716 C <b>UV 800-021</b> <b>55.80</b> <b>UV 800-026</b> <b>43.60</b> <b>UV 800-SB</b> <b>0.60</b>	Formula	PANTONE 717 C <b>UV 800-021</b> <b>73.20</b> <b>UV 800-026</b> <b>26.00</b> <b>UV 800-SB</b> <b>0.80</b>	Formula	PANTONE 718 C <b>UV 800-021</b> <b>99.00</b> <b>UV 800-SB</b> <b>1.00</b>	Formula	PANTONE 719 C <b>UV 800-026</b> <b>95.85</b> <b>UV 800-021</b> <b>4.15</b>	Formula
PANTONE 720 C <b>UV 800-026</b> <b>91.40</b> <b>UV 800-021</b> <b>8.20</b> <b>UV 800-190</b> <b>0.40</b>	Formula	PANTONE 721 C <b>UV 800-026</b> <b>84.47</b> <b>UV 800-021</b> <b>14.70</b> <b>UV 800-190</b> <b>0.83</b>	Formula	PANTONE 722 C <b>UV 800-026</b> <b>63.70</b> <b>UV 800-021</b> <b>34.60</b> <b>UV 800-190</b> <b>1.70</b>	Formula	PANTONE 723 C <b>UV 800-021</b> <b>64.70</b> <b>UV 800-026</b> <b>27.50</b> <b>UV 800-012</b> <b>4.60</b> <b>UV 800-190</b> <b>3.20</b>	Formula
PANTONE 724 C <b>UV 800-021</b> <b>93.93</b> <b>UV 800-190</b> <b>3.83</b> <b>UV 800-205</b> <b>2.24</b>	Formula	PANTONE 725 C <b>UV 800-021</b> <b>91.10</b> <b>UV 800-205</b> <b>5.70</b> <b>UV 800-190</b> <b>3.20</b>	Formula	PANTONE 726 C <b>UV 800-026</b> <b>95.50</b> <b>UV 800-021</b> <b>4.10</b> <b>UV 800-190</b> <b>0.40</b>	Formula	PANTONE 727 C <b>UV 800-026</b> <b>91.64</b> <b>UV 800-021</b> <b>7.58</b> <b>UV 800-190</b> <b>0.78</b>	Formula

# UVivid 800 Opaque

PANTONE 728 C <b>UV 800-026</b> <b>83.60</b> <b>UV 800-021</b> <b>14.85</b> <b>UV 800-190</b> <b>1.55</b>	Formula	PANTONE 729 C <b>UV 800-026</b> <b>70.76</b> <b>UV 800-021</b> <b>26.53</b> <b>UV 800-072</b> <b>1.66</b> <b>UV 800-190</b> <b>1.05</b>	Formula	PANTONE 730 C <b>UV 800-021</b> <b>54.52</b> <b>UV 800-026</b> <b>41.00</b> <b>UV 800-190</b> <b>4.48</b>	Formula	PANTONE 731 C <b>UV 800-021</b> <b>86.90</b> <b>UV 800-072</b> <b>12.20</b> <b>UV 800-190</b> <b>0.90</b>	Formula
PANTONE 732 C <b>UV 800-021</b> <b>84.20</b> <b>UV 800-072</b> <b>13.95</b> <b>UV 800-190</b> <b>1.85</b>	Formula	PANTONE 7401 C <b>UV 800-026</b> <b>96.40</b> <b>UV 800-012</b> <b>2.86</b> <b>UV 800-032</b> <b>0.74</b>	Formula	PANTONE 7402 C <b>UV 800-026</b> <b>91.93</b> <b>UV 800-012</b> <b>7.47</b> <b>UV 800-155</b> <b>0.60</b>	Formula	PANTONE 7403 C <b>UV 800-026</b> <b>83.44</b> <b>UV 800-012</b> <b>15.48</b> <b>UV 800-155</b> <b>1.08</b>	Formula
PANTONE 7404 C <b>UV 800-012</b> <b>54.80</b> <b>UV 800-026</b> <b>44.80</b> <b>UV 800-155</b> <b>0.40</b>	Formula	PANTONE 7405 C <b>UV 800-012</b> <b>98.57</b> <b>UV 800-180</b> <b>0.83</b> <b>UV 800-SB</b> <b>0.60</b>	Formula	PANTONE 7406 C <b>UV 800-012</b> <b>98.20</b> <b>UV 800-180</b> <b>1.20</b> <b>UV 800-SB</b> <b>0.60</b>	Formula	PANTONE 7407 C <b>UV 800-026</b> <b>58.40</b> <b>UV 800-012</b> <b>34.80</b> <b>UV 800-180</b> <b>4.35</b> <b>UV 800-SB</b> <b>2.45</b>	Formula
PANTONE 7408 C <b>UV 800-012</b> <b>95.40</b> <b>UV 800-180</b> <b>4.20</b> <b>UV 800-SB</b> <b>0.40</b>	Formula	PANTONE 7409 C <b>UV 800-064</b> <b>86.42</b> <b>UV 800-026</b> <b>9.84</b> <b>UV 800-155</b> <b>3.74</b>	Formula	PANTONE 7410 C <b>UV 800-026</b> <b>78.10</b> <b>UV 800-021</b> <b>21.34</b> <b>UV 800-160</b> <b>0.56</b>	Formula	PANTONE 7411 C <b>UV 800-026</b> <b>62.50</b> <b>UV 800-064</b> <b>32.65</b> <b>UV 800-155</b> <b>4.40</b> <b>UV 800-SB</b> <b>0.45</b>	Formula

# UVivid 800 Opaque

PANTONE 7412 C <b>UV 800-064</b> <b>48.16</b> <b>UV 800-026</b> <b>34.94</b> <b>UV 800-180</b> <b>14.26</b> <b>UV 800-SB</b> <b>2.64</b>	Formula	PANTONE 7413 C <b>UV 800-064</b> <b>72.36</b> <b>UV 800-026</b> <b>16.57</b> <b>UV 800-155</b> <b>10.10</b> <b>UV 800-SB</b> <b>0.97</b>	Formula	PANTONE 7414 C <b>UV 800-064</b> <b>67.86</b> <b>UV 800-180</b> <b>20.10</b> <b>UV 800-026</b> <b>7.28</b> <b>UV 800-SB</b> <b>4.76</b>	Formula	PANTONE 7415 C <b>UV 800-026</b> <b>92.80</b> <b>UV 800-064</b> <b>4.65</b> <b>UV 800-155</b> <b>2.55</b>	Formula
PANTONE 7416 C <b>UV 800-026</b> <b>47.15</b> <b>UV 800-064</b> <b>37.28</b> <b>UV 800-155</b> <b>15.57</b>	Formula	PANTONE 7417 C <b>UV 800-064</b> <b>55.40</b> <b>UV 800-026</b> <b>22.33</b> <b>UV 800-155</b> <b>22.27</b>	Formula	PANTONE 7418 C <b>UV 800-032</b> <b>53.80</b> <b>UV 800-026</b> <b>37.78</b> <b>UV 800-012</b> <b>5.58</b> <b>UV 800-SB</b> <b>2.84</b>	Formula	PANTONE 7419 C <b>UV 800-026</b> <b>48.48</b> <b>UV 800-180</b> <b>47.00</b> <b>UV 800-190</b> <b>4.52</b>	Formula
PANTONE 7420 C <b>UV 800-180</b> <b>42.53</b> <b>UV 800-026</b> <b>30.60</b> <b>UV 800-155</b> <b>20.72</b> <b>UV 800-SB</b> <b>6.15</b>	Formula	PANTONE 7421 C <b>UV 800-064</b> <b>43.40</b> <b>UV 800-155</b> <b>41.00</b> <b>UV 800-SB</b> <b>15.60</b>	Formula	PANTONE 7422 C <b>UV 800-026</b> <b>97.50</b> <b>UV 800-032</b> <b>2.50</b>	Formula	PANTONE 7423 C <b>UV 800-026</b> <b>82.73</b> <b>UV 800-155</b> <b>8.53</b> <b>UV 800-180</b> <b>8.44</b> <b>UV 800-SB</b> <b>0.30</b>	Formula
PANTONE 7424 C <b>UV 800-026</b> <b>69.10</b> <b>UV 800-155</b> <b>23.15</b> <b>UV 800-180</b> <b>7.75</b>	Formula	PANTONE 7425 C <b>UV 800-026</b> <b>53.07</b> <b>UV 800-155</b> <b>25.68</b> <b>UV 800-180</b> <b>19.25</b> <b>UV 800-SB</b> <b>2.00</b>	Formula	PANTONE 7426 C <b>UV 800-180</b> <b>40.05</b> <b>UV 800-026</b> <b>35.04</b> <b>UV 800-155</b> <b>21.43</b> <b>UV 800-SB</b> <b>3.48</b>	Formula	PANTONE 7427 C <b>UV 800-064</b> <b>51.10</b> <b>UV 800-155</b> <b>43.50</b> <b>UV 800-SB</b> <b>5.40</b>	Formula

# UVivid 800 Opaque

PANTONE 7428 C <b>UV 800-026</b> <b>36.28</b> <b>UV 800-155</b> <b>34.08</b> <b>UV 800-SB</b> <b>12.74</b> <b>UV 800-012</b> <b>16.90</b>	Formula	PANTONE 7429 C <b>UV 800-026</b> <b>98.14</b> <b>UV 800-155</b> <b>1.86</b>	Formula	PANTONE 7430 C <b>UV 800-026</b> <b>96.45</b> <b>UV 800-155</b> <b>2.95</b> <b>UV 800-SB</b> <b>0.60</b>	Formula	PANTONE 7431 C <b>UV 800-026</b> <b>93.00</b> <b>UV 800-155</b> <b>5.40</b> <b>UV 800-SB</b> <b>1.30</b> <b>UV 800-064</b> <b>0.30</b>	Formula
PANTONE 7432 C <b>UV 800-026</b> <b>82.46</b> <b>UV 800-155</b> <b>13.46</b> <b>UV 800-SB</b> <b>2.52</b> <b>UV 800-064</b> <b>1.56</b>	Formula	PANTONE 7433 C <b>UV 800-026</b> <b>66.60</b> <b>UV 800-155</b> <b>26.10</b> <b>UV 800-064</b> <b>4.10</b> <b>UV 800-SB</b> <b>3.20</b>	Formula	PANTONE 7434 C <b>UV 800-026</b> <b>55.55</b> <b>UV 800-155</b> <b>33.20</b> <b>UV 800-064</b> <b>6.72</b> <b>UV 800-SB</b> <b>4.53</b>	Formula	PANTONE 7435 C <b>UV 800-026</b> <b>44.03</b> <b>UV 800-155</b> <b>43.50</b> <b>UV 800-SB</b> <b>6.75</b> <b>UV 800-064</b> <b>5.72</b>	Formula
PANTONE 7436 C <b>UV 800-026</b> <b>96.73</b> <b>UV 800-175</b> <b>3.27</b>	Formula	PANTONE 7437 C <b>UV 800-026</b> <b>92.90</b> <b>UV 800-175</b> <b>6.35</b> <b>UV 800-325</b> <b>0.75</b>	Formula	PANTONE 7438 C <b>UV 800-026</b> <b>86.96</b> <b>UV 800-175</b> <b>13.04</b>	Formula	PANTONE 7439 C <b>UV 800-026</b> <b>90.83</b> <b>UV 800-155</b> <b>6.82</b> <b>UV 800-190</b> <b>2.35</b>	Formula
PANTONE 7440 C <b>UV 800-026</b> <b>81.12</b> <b>UV 800-175</b> <b>15.23</b> <b>UV 800-SB</b> <b>2.43</b> <b>UV 800-325</b> <b>1.22</b>	Formula	PANTONE 7441 C <b>UV 800-026</b> <b>53.80</b> <b>UV 800-175</b> <b>42.10</b> <b>UV 800-325</b> <b>4.10</b>	Formula	PANTONE 7442 C <b>UV 800-175</b> <b>75.40</b> <b>UV 800-205</b> <b>3.30</b> <b>UV 800-LVX</b> <b>21.30</b>	Formula	PANTONE 7443 C <b>UV 800-026</b> <b>97.78</b> <b>UV 800-175</b> <b>1.62</b> <b>UV 800-205</b> <b>0.60</b>	Formula

# UVivid 800 Opaque

PANTONE 7444 C <b>UV 800-026</b> <b>93.00</b> <b>UV 800-175</b> <b>5.50</b> <b>UV 800-190</b> <b>1.50</b>	Formula	PANTONE 7445 C <b>UV 800-026</b> <b>95.91</b> <b>UV 800-127</b> <b>2.06</b> <b>UV 800-190</b> <b>1.20</b> <b>UV 800-SB</b> <b>0.83</b>	Formula	PANTONE 7446 C <b>UV 800-026</b> <b>90.54</b> <b>UV 800-205</b> <b>5.63</b> <b>UV 800-155</b> <b>3.83</b>	Formula	PANTONE 7447 C <b>UV 800-026</b> <b>57.03</b> <b>UV 800-127</b> <b>11.60</b> <b>UV 800-SB</b> <b>8.17</b> <b>UV 800-LVX</b> <b>23.20</b>	Formula
PANTONE 7448 C <b>UV 800-026</b> <b>51.42</b> <b>UV 800-127</b> <b>8.06</b> <b>UV 800-SB</b> <b>19.35</b> <b>UV 800-155</b> <b>5.06</b> <b>UV 800-LVX</b> <b>16.11</b>	Formula	PANTONE 7449 C <b>UV 800-032</b> <b>63.57</b> <b>UV 800-SB</b> <b>28.70</b> <b>UV 800-190</b> <b>7.73</b>	Formula	PANTONE 7450 C <b>UV 800-026</b> <b>98.20</b> <b>UV 800-127</b> <b>0.55</b> <b>UV 800-205</b> <b>1.25</b>	Formula	PANTONE 7451 C <b>UV 800-026</b> <b>95.18</b> <b>UV 800-205</b> <b>4.42</b> <b>UV 800-127</b> <b>0.40</b>	Formula
PANTONE 7452 C <b>UV 800-026</b> <b>93.20</b> <b>UV 800-127</b> <b>1.80</b> <b>UV 800-205</b> <b>5.00</b>	Formula	PANTONE 7453 C <b>UV 800-026</b> <b>90.90</b> <b>UV 800-072</b> <b>8.80</b> <b>UV 800-SB</b> <b>0.30</b>	Formula	PANTONE 7454 C <b>UV 800-026</b> <b>87.45</b> <b>UV 800-205</b> <b>9.15</b> <b>UV 800-064</b> <b>3.10</b> <b>UV 800-155</b> <b>0.30</b>	Formula	PANTONE 7455 C <b>UV 800-026</b> <b>74.36</b> <b>UV 800-205</b> <b>16.56</b> <b>UV 800-127</b> <b>2.59</b> <b>UV 800-SB</b> <b>1.32</b> <b>UV 800-LVX</b> <b>5.17</b>	Formula
PANTONE 7456 C <b>UV 800-026</b> <b>84.36</b> <b>UV 800-127</b> <b>2.55</b> <b>UV 800-205</b> <b>6.72</b> <b>UV 800-SB</b> <b>1.26</b> <b>UV 800-LVX</b> <b>5.11</b>	Formula	PANTONE 7457 C <b>UV 800-026</b> <b>98.70</b> <b>UV 800-072</b> <b>1.30</b>	Formula	PANTONE 7458 C <b>UV 800-026</b> <b>95.30</b> <b>UV 800-190</b> <b>2.65</b> <b>UV 800-205</b> <b>1.60</b> <b>UV 800-SB</b> <b>0.45</b>	Formula	PANTONE 7459 C <b>UV 800-026</b> <b>87.06</b> <b>UV 800-190</b> <b>8.47</b> <b>UV 800-205</b> <b>2.47</b> <b>UV 800-SB</b> <b>2.00</b>	Formula

# UVivid 800 Opaque

PANTONE 7460 C <b>UV 800-026</b> <b>55.67</b> <b>UV 800-190</b> <b>41.15</b> <b>UV 800-325</b> <b>3.18</b>	Formula	PANTONE 7461 C <b>UV 800-026</b> <b>78.50</b> <b>UV 800-190</b> <b>15.10</b> <b>UV 800-205</b> <b>5.50</b> <b>UV 800-SB</b> <b>0.90</b>	Formula	PANTONE 7462 C <b>UV 800-026</b> <b>57.45</b> <b>UV 800-190</b> <b>27.30</b> <b>UV 800-155</b> <b>13.25</b> <b>UV 800-012</b> <b>2.00</b>	Formula	PANTONE 7463 C <b>UV 800-127</b> <b>14.60</b> <b>UV 800-064</b> <b>34.28</b> <b>UV 800-205</b> <b>22.12</b> <b>UV 800-LVX</b> <b>29.00</b>	Formula
PANTONE 7464 C <b>UV 800-026</b> <b>97.13</b> <b>UV 800-325</b> <b>2.05</b> <b>UV 800-205</b> <b>0.82</b>	Formula	PANTONE 7465 C <b>UV 800-026</b> <b>90.20</b> <b>UV 800-190</b> <b>6.50</b> <b>UV 800-012</b> <b>3.30</b>	Formula	PANTONE 7466 C <b>UV 800-026</b> <b>72.13</b> <b>UV 800-325</b> <b>14.70</b> <b>UV 800-190</b> <b>13.17</b>	Formula	PANTONE 7467 C <b>UV 800-026</b> <b>65.55</b> <b>UV 800-325</b> <b>17.38</b> <b>UV 800-190</b> <b>17.07</b>	Formula
PANTONE 7468 C <b>UV 800-026</b> <b>67.80</b> <b>UV 800-190</b> <b>23.74</b> <b>UV 800-SB</b> <b>4.52</b> <b>UV 800-205</b> <b>3.94</b>	Formula	PANTONE 7469 C <b>UV 800-026</b> <b>46.40</b> <b>UV 800-190</b> <b>40.52</b> <b>UV 800-SB</b> <b>6.65</b> <b>UV 800-205</b> <b>6.43</b>	Formula	PANTONE 7470 C <b>UV 800-026</b> <b>58.22</b> <b>UV 800-205</b> <b>19.08</b> <b>UV 800-064</b> <b>14.97</b> <b>UV 800-190</b> <b>7.73</b>	Formula	PANTONE 7471 C <b>UV 800-026</b> <b>96.18</b> <b>UV 800-325</b> <b>2.07</b> <b>UV 800-190</b> <b>1.75</b>	Formula
PANTONE 7472 C <b>UV 800-026</b> <b>92.07</b> <b>UV 800-190</b> <b>5.40</b> <b>UV 800-064</b> <b>1.68</b> <b>UV 800-SB</b> <b>0.85</b>	Formula	PANTONE 7473 C <b>UV 800-026</b> <b>81.25</b> <b>UV 800-190</b> <b>10.20</b> <b>UV 800-064</b> <b>6.25</b> <b>UV 800-SB</b> <b>2.30</b>	Formula	PANTONE 7474 C <b>UV 800-026</b> <b>62.32</b> <b>UV 800-190</b> <b>19.75</b> <b>UV 800-325</b> <b>12.85</b> <b>UV 800-SB</b> <b>5.08</b>	Formula	PANTONE 7475 C <b>UV 800-026</b> <b>81.28</b> <b>UV 800-190</b> <b>9.20</b> <b>UV 800-SB</b> <b>7.35</b> <b>UV 800-064</b> <b>2.17</b>	Formula

# UVivid 800 Opaque

PANTONE 7476 C <b>UV 800-026</b> <b>50.22</b> <b>UV 800-190</b> <b>27.82</b> <b>UV 800-SB</b> <b>16.76</b> <b>UV 800-064</b> <b>5.20</b>	Formula	PANTONE 7477 C <b>UV 800-026</b> <b>56.27</b> <b>UV 800-190</b> <b>22.75</b> <b>UV 800-SB</b> <b>17.90</b> <b>UV 800-155</b> <b>3.08</b>	Formula	PANTONE 7478 C <b>UV 800-026</b> <b>93.80</b> <b>UV 800-325</b> <b>5.06</b> <b>UV 800-064</b> <b>1.14</b>	Formula	PANTONE 7479 C <b>UV 800-026</b> <b>72.70</b> <b>UV 800-325</b> <b>17.87</b> <b>UV 800-064</b> <b>9.43</b>	Formula
PANTONE 7480 C <b>UV 800-026</b> <b>54.57</b> <b>UV 800-325</b> <b>34.00</b> <b>UV 800-064</b> <b>11.43</b>	Formula	PANTONE 7481 C <b>UV 800-325</b> <b>43.60</b> <b>UV 800-026</b> <b>31.65</b> <b>UV 800-064</b> <b>24.75</b>	Formula	PANTONE 7482 C <b>UV 800-026</b> <b>45.07</b> <b>UV 800-064</b> <b>35.70</b> <b>UV 800-190</b> <b>19.23</b>	Formula	PANTONE 7483 C <b>UV 800-325</b> <b>36.55</b> <b>UV 800-026</b> <b>25.20</b> <b>UV 800-064</b> <b>22.35</b> <b>UV 800-SB</b> <b>15.90</b>	Formula
PANTONE 7484 C <b>UV 800-325</b> <b>73.55</b> <b>UV 800-SB</b> <b>20.80</b> <b>UV 800-012</b> <b>5.65</b>	Formula	PANTONE 7485 C <b>UV 800-026</b> <b>98.15</b> <b>UV 800-064</b> <b>1.35</b> <b>UV 800-072</b> <b>0.50</b>	Formula	PANTONE 7486 C <b>UV 800-026</b> <b>91.00</b> <b>UV 800-064</b> <b>7.80</b> <b>UV 800-190</b> <b>1.20</b>	Formula	PANTONE 7487 C <b>UV 800-026</b> <b>70.80</b> <b>UV 800-064</b> <b>20.90</b> <b>UV 800-325</b> <b>8.30</b>	Formula
PANTONE 7488 C <b>UV 800-026</b> <b>44.36</b> <b>UV 800-064</b> <b>40.47</b> <b>UV 800-325</b> <b>15.17</b>	Formula	PANTONE 7489 C <b>UV 800-026</b> <b>50.00</b> <b>UV 800-064</b> <b>40.85</b> <b>UV 800-190</b> <b>6.80</b> <b>UV 800-SB</b> <b>2.35</b>	Formula	PANTONE 7490 C <b>UV 800-064</b> <b>58.50</b> <b>UV 800-026</b> <b>30.13</b> <b>UV 800-072</b> <b>11.37</b>	Formula	PANTONE 7491 C <b>UV 800-064</b> <b>51.30</b> <b>UV 800-026</b> <b>36.20</b> <b>UV 800-SB</b> <b>8.24</b> <b>UV 800-190</b> <b>4.26</b>	Formula

# UVivid 800 Opaque

<b>PANTONE</b> <b>7492 C</b> <b>UV 800-026</b> <b>88.80</b> <b>UV 800-064</b> <b>9.87</b> <b>UV 800-205</b> <b>0.98</b> <b>UV 800-SB</b> <b>0.35</b>	Formula	<b>PANTONE</b> <b>7493 C</b> <b>UV 800-026</b> <b>92.70</b> <b>UV 800-064</b> <b>5.80</b> <b>UV 800-205</b> <b>0.80</b> <b>UV 800-SB</b> <b>0.70</b>	Formula	<b>PANTONE</b> <b>7494 C</b> <b>UV 800-026</b> <b>88.04</b> <b>UV 800-064</b> <b>5.10</b> <b>UV 800-SB</b> <b>3.54</b> <b>UV 800-325</b> <b>3.32</b>	Formula	<b>PANTONE</b> <b>7495 C</b> <b>UV 800-064</b> <b>53.25</b> <b>UV 800-026</b> <b>37.94</b> <b>UV 800-SB</b> <b>6.03</b> <b>UV 800-190</b> <b>2.78</b>	Formula
<b>PANTONE</b> <b>7496 C</b> <b>UV 800-064</b> <b>77.00</b> <b>UV 800-325</b> <b>12.50</b> <b>UV 800-SB</b> <b>10.50</b>	Formula	<b>PANTONE</b> <b>7497 C</b> <b>UV 800-026</b> <b>66.67</b> <b>UV 800-064</b> <b>18.83</b> <b>UV 800-SB</b> <b>14.50</b>	Formula	<b>PANTONE</b> <b>7498 C</b> <b>UV 800-064</b> <b>57.40</b> <b>UV 800-026</b> <b>21.36</b> <b>UV 800-SB</b> <b>14.92</b> <b>UV 800-205</b> <b>6.32</b>	Formula	<b>PANTONE</b> <b>7499 C</b> <b>UV 800-026</b> <b>97.00</b> <b>UV 800-012</b> <b>2.50</b> <b>UV 800-160</b> <b>0.50</b>	Formula
<b>PANTONE</b> <b>7500 C</b> <b>UV 800-026</b> <b>96.03</b> <b>UV 800-064</b> <b>2.82</b> <b>UV 800-180</b> <b>0.60</b> <b>UV 800-SB</b> <b>0.55</b>	Formula	<b>PANTONE</b> <b>7501 C</b> <b>UV 800-026</b> <b>94.74</b> <b>UV 800-064</b> <b>3.50</b> <b>UV 800-SB</b> <b>0.96</b> <b>UV 800-180</b> <b>0.80</b>	Formula	<b>PANTONE</b> <b>7502 C</b> <b>UV 800-026</b> <b>89.80</b> <b>UV 800-064</b> <b>7.00</b> <b>UV 800-SB</b> <b>1.70</b> <b>UV 800-180</b> <b>1.50</b>	Formula	<b>PANTONE</b> <b>7503 C</b> <b>UV 800-026</b> <b>71.06</b> <b>UV 800-064</b> <b>22.70</b> <b>UV 800-155</b> <b>3.32</b> <b>UV 800-205</b> <b>2.92</b>	Formula
<b>PANTONE</b> <b>7504 C</b> <b>UV 800-026</b> <b>64.64</b> <b>UV 800-064</b> <b>22.20</b> <b>UV 800-SB</b> <b>8.60</b> <b>UV 800-155</b> <b>4.56</b>	Formula	<b>PANTONE</b> <b>7505 C</b> <b>UV 800-026</b> <b>38.65</b> <b>UV 800-064</b> <b>37.05</b> <b>UV 800-SB</b> <b>14.22</b> <b>UV 800-180</b> <b>10.08</b>	Formula	<b>PANTONE</b> <b>7506 C</b> <b>UV 800-026</b> <b>96.05</b> <b>UV 800-064</b> <b>3.25</b> <b>UV 800-155</b> <b>0.70</b>	Formula	<b>PANTONE</b> <b>7507 C</b> <b>UV 800-026</b> <b>93.68</b> <b>UV 800-064</b> <b>4.66</b> <b>UV 800-180</b> <b>1.66</b>	Formula

# UVivid 800 Opaque

PANTONE 7508 C <b>UV 800-026</b> <b>87.00</b> <b>UV 800-064</b> <b>9.50</b> <b>UV 800-180</b> <b>2.56</b> <b>UV 800-SB</b> <b>0.94</b>	Formula	PANTONE 7509 C <b>UV 800-026</b> <b>77.50</b> <b>UV 800-064</b> <b>16.90</b> <b>UV 800-180</b> <b>4.13</b> <b>UV 800-SB</b> <b>1.47</b>	Formula	PANTONE 7510 C <b>UV 800-026</b> <b>49.60</b> <b>UV 800-064</b> <b>40.05</b> <b>UV 800-180</b> <b>7.42</b> <b>UV 800-SB</b> <b>2.93</b>	Formula	PANTONE 7511 C <b>UV 800-064</b> <b>64.69</b> <b>UV 800-026</b> <b>18.65</b> <b>UV 800-180</b> <b>11.74</b> <b>UV 800-SB</b> <b>4.92</b>	Formula
PANTONE 7512 C <b>UV 800-064</b> <b>71.80</b> <b>UV 800-180</b> <b>15.22</b> <b>UV 800-SB</b> <b>7.10</b> <b>UV 800-026</b> <b>5.88</b>	Formula	PANTONE 7513 C <b>UV 800-026</b> <b>95.50</b> <b>UV 800-180</b> <b>2.60</b> <b>UV 800-012</b> <b>1.27</b> <b>UV 800-SB</b> <b>0.63</b>	Formula	PANTONE 7514 C <b>UV 800-026</b> <b>91.70</b> <b>UV 800-012</b> <b>3.50</b> <b>UV 800-180</b> <b>3.50</b> <b>UV 800-SB</b> <b>1.30</b>	Formula	PANTONE 7515 C <b>UV 800-026</b> <b>83.26</b> <b>UV 800-012</b> <b>8.06</b> <b>UV 800-180</b> <b>6.24</b> <b>UV 800-SB</b> <b>2.44</b>	Formula
PANTONE 7516 C <b>UV 800-012</b> <b>42.17</b> <b>UV 800-026</b> <b>31.26</b> <b>UV 800-180</b> <b>18.57</b> <b>UV 800-SB</b> <b>8.00</b>	Formula	PANTONE 7517 C <b>UV 800-012</b> <b>54.13</b> <b>UV 800-180</b> <b>22.64</b> <b>UV 800-SB</b> <b>13.20</b> <b>UV 800-026</b> <b>10.03</b>	Formula	PANTONE 7518 C <b>UV 800-026</b> <b>52.94</b> <b>UV 800-SB</b> <b>17.60</b> <b>UV 800-032</b> <b>16.94</b> <b>UV 800-064</b> <b>12.52</b>	Formula	PANTONE 7519 C <b>UV 800-026</b> <b>45.37</b> <b>UV 800-012</b> <b>27.35</b> <b>UV 800-SB</b> <b>20.86</b> <b>UV 800-155</b> <b>6.42</b>	Formula
PANTONE 7520 C <b>UV 800-026</b> <b>96.92</b> <b>UV 800-180</b> <b>2.14</b> <b>UV 800-064</b> <b>0.62</b> <b>UV 800-SB</b> <b>0.32</b>	Formula	PANTONE 7521 C <b>UV 800-026</b> <b>89.36</b> <b>UV 800-064</b> <b>6.64</b> <b>UV 800-155</b> <b>2.96</b> <b>UV 800-205</b> <b>1.04</b>	Formula	PANTONE 7522 C <b>UV 800-026</b> <b>71.96</b> <b>UV 800-064</b> <b>17.04</b> <b>UV 800-155</b> <b>8.35</b> <b>UV 800-SB</b> <b>2.65</b>	Formula	PANTONE 7523 C <b>UV 800-026</b> <b>63.65</b> <b>UV 800-032</b> <b>22.78</b> <b>UV 800-064</b> <b>8.34</b> <b>UV 800-SB</b> <b>5.23</b>	Formula

# UVivid 800 Opaque

PANTONE 7524 C <b>UV 800-026</b> <b>49.60</b> <b>UV 800-032</b> <b>29.37</b> <b>UV 800-064</b> <b>15.03</b> <b>UV 800-SB</b> <b>6.00</b>	Formula	PANTONE 7525 C <b>UV 800-026</b> <b>53.90</b> <b>UV 800-064</b> <b>32.33</b> <b>UV 800-155</b> <b>10.17</b> <b>UV 800-205</b> <b>3.60</b>	Formula	PANTONE 7526 C <b>UV 800-012</b> <b>51.10</b> <b>UV 800-180</b> <b>29.80</b> <b>UV 800-SB</b> <b>10.95</b> <b>UV 800-026</b> <b>8.15</b>	Formula	PANTONE 7527 C <b>UV 800-026</b> <b>99.04</b> <b>UV 800-SB</b> <b>0.96</b>	Formula
PANTONE 7528 C <b>UV 800-026</b> <b>97.36</b> <b>UV 800-SB</b> <b>1.54</b> <b>UV 800-012</b> <b>0.57</b> <b>UV 800-155</b> <b>0.53</b>	Formula	PANTONE 7529 C <b>UV 800-026</b> <b>94.37</b> <b>UV 800-SB</b> <b>3.30</b> <b>UV 800-032</b> <b>1.43</b> <b>UV 800-012</b> <b>0.90</b>	Formula	PANTONE 7530 C <b>UV 800-026</b> <b>88.17</b> <b>UV 800-SB</b> <b>6.18</b> <b>UV 800-012</b> <b>3.05</b> <b>UV 800-032</b> <b>2.60</b>	Formula	PANTONE 7531 C <b>UV 800-026</b> <b>72.30</b> <b>UV 800-SB</b> <b>12.30</b> <b>UV 800-012</b> <b>9.96</b> <b>UV 800-032</b> <b>5.44</b>	Formula
PANTONE 7532 C <b>UV 800-026</b> <b>42.27</b> <b>UV 800-012</b> <b>25.63</b> <b>UV 800-SB</b> <b>21.67</b> <b>UV 800-032</b> <b>10.43</b>	Formula	PANTONE 7533 C <b>UV 800-012</b> <b>53.04</b> <b>UV 800-SB</b> <b>36.67</b> <b>UV 800-032</b> <b>10.29</b>	Formula	PANTONE 7534 C <b>UV 800-026</b> <b>98.70</b> <b>UV 800-SB</b> <b>1.30</b>	Formula	PANTONE 7535 C <b>UV 800-026</b> <b>95.56</b> <b>UV 800-SB</b> <b>3.04</b> <b>UV 800-064</b> <b>1.40</b>	Formula
PANTONE 7536 C <b>UV 800-026</b> <b>91.20</b> <b>UV 800-SB</b> <b>5.30</b> <b>UV 800-064</b> <b>3.50</b>	Formula	PANTONE 7537 C <b>UV 800-026</b> <b>95.83</b> <b>UV 800-SB</b> <b>3.22</b> <b>UV 800-325</b> <b>0.95</b>	Formula	PANTONE 7538 C <b>UV 800-026</b> <b>93.22</b> <b>UV 800-SB</b> <b>5.18</b> <b>UV 800-325</b> <b>1.60</b>	Formula	PANTONE 7539 C <b>UV 800-026</b> <b>85.30</b> <b>UV 800-012</b> <b>6.10</b> <b>UV 800-072</b> <b>4.60</b> <b>UV 800-032</b> <b>4.00</b>	Formula

# UVivid 800 Opaque

PANTONE		Formula
7540 C		
<b>UV 800-026</b>	<b>81.43</b>	
<b>UV 800-SB</b>	<b>15.06</b>	
<b>UV 800-072</b>	<b>2.80</b>	
<b>UV 800-155</b>	<b>0.71</b>	

PANTONE		Formula
7541 C		
<b>UV 800-026</b>	<b>99.25</b>	
<b>UV 800-205</b>	<b>0.75</b>	

PANTONE		Formula
7542 C		
<b>UV 800-026</b>	<b>96.83</b>	
<b>UV 800-205</b>	<b>1.85</b>	
<b>UV 800-064</b>	<b>0.76</b>	
<b>UV 800-SB</b>	<b>0.56</b>	

PANTONE		Formula
7543 C		
<b>UV 800-026</b>	<b>95.97</b>	
<b>UV 800-SB</b>	<b>2.20</b>	
<b>UV 800-205</b>	<b>1.83</b>	

PANTONE		Formula
7544 C		
<b>UV 800-026</b>	<b>92.23</b>	
<b>UV 800-SB</b>	<b>4.77</b>	
<b>UV 800-205</b>	<b>3.00</b>	

PANTONE		Formula
7545 C		
<b>UV 800-026</b>	<b>79.24</b>	
<b>UV 800-SB</b>	<b>13.08</b>	
<b>UV 800-205</b>	<b>7.68</b>	

PANTONE		Formula
7546 C		
<b>UV 800-026</b>	<b>62.97</b>	
<b>UV 800-SB</b>	<b>24.70</b>	
<b>UV 800-205</b>	<b>12.33</b>	

PANTONE		Formula
7547 C		
<b>UV 800-SB</b>	<b>56.75</b>	
<b>UV 800-205</b>	<b>43.25</b>	